

Vauxhall Movano 3500 L2 Diesel FWD 2.3 Turbo D 180ps H1 Tipper

Vauxhall Vauxhall Movano · Movano 3500 L2 Diesel FWD

The Vauxhall Movano 3500 L2 Diesel FWD 2.3 Turbo D 180ps H1 Tipper is a diesel, manual large from Vauxhall's Movano range. It offers a load length of 3205mm, load width of 2040mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Bodytype	Large
Engine Size	2.3 litre
Load Length	3205mm
Load Width	2040mm
Load length	3205mm
Load width	2040mm
Engine	2.3 litre

Emissions - ICE

CO	Not Available
CO2	181
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb - TEH	330
WLTP - CO2 (g/km) - Comb - TEL	330

Engine and Drive Train

Automatic Transmission	No
Catalytic Convertor	Yes
CC	2298
Compression Ratio	15.5:1
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	4
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Number of Valves	16
Valve gear	DOHC

Fuel Consumption - ICE

EC	Yes
EC Combined	41.2
EC Extra Urban	38.7
EC Urban	46.3
WLTP - FC (l/100km) - Comb - TEH	12.6
WLTP - FC (l/100km) - Comb - TEL	12.6
WLTP - MPG - Comb - TEH	22.4

General

Alternative Fuel Qualifying	No
Alternator Amps	185
Did at least one aspect of this vehicles safety give badge engineer?	No
Badge Engine CO?	2.3
Badge Power	180
Based On ID	Not Available
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER
Front Brakes	DISCS
Front Suspension	COIL SPRINGS
Generation Mark	2
Ghost model for valuation purposes	No
Hand Brake	REAR WHEELS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Front/Side Impact - Discontinued February 09	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Pedestrian - Discontinued February 09	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	DISCS
Rear Suspension	SINGLE LEAF SPRINGS
Relative Height	H1
Relative Length	L2
Running Cost League Headings	LARGE
Service Interval Frequency - Months	24
Service Interval Mileage	25000
Special Edition	No
Special Order	No
Steering	PAS RACK AND PINION
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

BHP	180
Engine Power KW	132
Engine Power RPM	3500
Engine Torque LBS.FT	295
Engine Torque MKG	40.8
Engine Torque NM	400
Engine Torque RPM	1500
Top Speed	101

Test Cycles

Emissions Test Cycle	WLTP
----------------------	------

Tyres

Alloys?	No
Automatic Clutch	No

Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	Yes
Tyre Make	Not Available
Tyre Size Front	225/65 R16
Tyre Size Rear	225/65 R16
Tyre Size Spare	SPACE SAVER
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Front Overhang	842
Height	2370
Height (including roof rails)	Not Available
Length	5819
Load Deck Height	1090
Load Length	3205
Load Width	2040
Rear Overhang	1295
Turning Circle - Kerb to Kerb	13.6
Turning Circle - Wall to Wall	14.1
Upper Rear Door Width	Not Available
Wheelbase	3682
Width (excluding mirrors)	2100
Width (including mirrors)	2470

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	80
Gross Train Weight	6000
Gross Vehicle Weight	3500
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Towing Weight - Braked	2500
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	2262
No. of Seats	3
Payload	1238
Plated 2nd Axle	2100
Plated Front Axle	1850

Standard equipment – Driver Convenience

- Central fascia display - audio information, digital clock with automatic RDS traffic information and low fuel warning function
- Coolant temperature gauge with warning light
- Digital fuel gauge with low fuel warning light
- Door open indicator
- Electro/hydraulic power pack
- Fuel filter indicator
- Fused power supply with isolator switch
- Gearshift up indicator
- Lights on audible warning
- Low AdBlue level indicator
- Low brake fluid indicator
- Low oil level indicator
- Monochrome display in instrument cluster with odometer, service due indicator
- Power steering
- Rev counter
- Seatbelt warning indicator
- Speedometer

Standard equipment – Entertainment

- Steering column mounted audio controls

Standard equipment – Exterior Features

- 400mm anodised aluminium removable side and rear alloy panels with recessed hinges
- Automatic lighting control with tunnel detection
- Automatically releasing rear panel during the rear tipping phase
- Body side protection mouldings
- Electric screenwash
- Electrically operated front windows
- Flexible roof mounted aerial
- Frame and cross members in edged galvanised sheet
- Front bumper with integrated steps
- Galvanised fixing bolts
- Hazard warning lights
- Laminated windscreen
- LED Daytime running lights
- Manual dipping interior rear view mirror
- Manual headlamp control leveling system
- Nearside blind spot/junction mirror in front passenger sun visor
- Rain sensitive windscreen wipers
- Rear fog lamps
- Removable rear posts
- Side lights
- Steel platform and powder coated in dark grey
- Top and bottom hinged rear panel and recessed side and tailboard operating levers
- Twin reversing lights

Standard equipment – Interior Features

- 12V gearshift console power outlet
- Anti vibration Teflon plates on secondary frame
- Cab heating system
- Driver sun visor with clip
- Eight integrated load lashing points
- Facia mounted gear lever
- Facia storage at driver's coin, ticket, card holder, oddments storage, glovebox lid, central drink holder and front passenger document tray
- Five stage chrome plated underfloor arm
- Front large door pockets with capacity for a 2 litre drink bottle and oddments pocket
- Front passenger seat access handle
- Full steel bulkhead with window
- Height adjustable steering wheel
- Integrated cabin protection and ladder rack
- Overhead storage compartment
- Passenger sunvisor
- Remote control on wander lead located behind drivers seat
- Sliding and internal self lubricating components made of reinforced nylon and Teflon
- Vinyl floor covering

Standard equipment – Passive Safety

- Driver's airbag
- Height adjustable outer front seatbelts
- Inertia-reel lap and diagonal seatbelts

Standard equipment – Security

- Audible warning during operation
- Battery indicator
- Electronic engine deadlock immobiliser, steering column lock and secure fuel filler flap
- Remote control door locking with two integrated keys and door deadlocks

Standard equipment – Technical

- 26 litres AdBlue tank
- 6 Pin electrical connector
- 80 litre fuel tank
- 95Ah battery and 185A alternator
- Brake disc wear sensor
- Electronic brake force distribution (EBD)
- Electronic stability programme plus with traction control and side wind assist
- Emergency brake assist

- Engine start/stop system
- Floor mounted handbrake lever
- Four channel Anti lock braking system
- Front and rear brake disc
- Hill start assist
- MacPherson front suspension with independent double wishbones, coil spring and telescopic dampers
- Tubular axle rear suspension with telescopic dampers, variable rate leaf springs

Standard equipment – Wheels

- 16" steel wheels
- 225/65 R16 Tyres
- Wheel centre covers

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/vauxhall/movano/movano-3500-l2-diesel-fwd/23-turbo-d-180ps-h1-tipper-2021>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.