

MAN TGE 2 Standard Diesel 180 BiTurbo Lion XP High Roof Van

MAN MAN TGE · TGE 2 Standard Diesel

The MAN TGE 2 Standard Diesel 180 BiTurbo Lion XP High Roof Van is a diesel, manual large from MAN's TGE range. It offers a load length of 3450mm, load width of 1832mm, load height of 1961mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Bodytype	Large
Engine Size	2.0 litre
Load Height	1961mm
Load Length	3450mm
Load Width	1832mm
Load length	3450mm
Load width	1832mm
Load height	1961mm
Engine	2.0 litre

Emissions - ICE

CO	Not Available
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb	257

Engine and Drive Train

Automatic Transmission	No
Bore	81
Catalytic Convertor	Yes
CC	1968
Compression Ratio	15.5:1
Cylinder Layout	IN-LINE
Cylinders	4
Engine Codes	DAVA
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Number of Valves	16
Stroke	95.5
Valve gear	DOHC

Fuel Consumption - ICE

WLTP - FC (l/100km) - Comb	9.8
WLTP - FC (l/100km) - Extra High	11.6
WLTP - FC (l/100km) - High	8.4
WLTP - FC (l/100km) - Low	10.1
WLTP - FC (l/100km) - Medium	8.6

WLTP - MPG - Comb	28.8
WLTP - MPG - Extra High	24.4
WLTP - MPG - High	33.6
WLTP - MPG - Low	28
WLTP - MPG - Medium	32.8

General

Alternator Amps	140
Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Engine CO2	2.0
Badge Power	180
Based On ID	Not Available
Battery AH	92
Battery Volts	12
Chassis Engine Number	Not Available
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Front Brakes	DISCS
Generation Mark	2
Ghost model for valuation purposes	No
Insurance Group 1	Not Available
Insurance Group 2	Not Available
Manufacturers Corrosion Perforation Guarantee - Years	12
Manufacturers Paintwork Guarantee - Years	3
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Front/Side Impact - Discontinued February 09	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Pedestrian - Discontinued February 09	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	DISCS
Relative Height	H2
Relative Length	L1
Running Cost League Headings	LARGE
Service Interval Frequency - Months	24
Service Interval Mileage	18000
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	Unlimited
Standard manufacturers warranty - Years	3
Steering	PAS
This vehicle is classed as a car for VED purposes	No
Timing Belt Interval Frequency - Months	72
Timing Belt Interval Mileage	120000
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

BHP	177
Engine Power KW	130
Engine Power RPM	3600
Engine Torque LBS.FT	302
Engine Torque MKG	41.8
Engine Torque NM	410
Engine Torque RPM	1500
Top Speed	103

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	No
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	205/75 R16
Tyre Size Rear	205/75 R16
Tyre Size Spare	FULL SIZE
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Front Overhang	1000
Height	2590
Height (including roof rails)	Not Available
Length	5986
Load Deck Height	570
Load Height	1961
Load Length	3450
Load Space Width Between Wheel Arches	1030
Load Width	1832
Lower Rear Door Width	1552
Rear Door Height	1840
Rear Overhang	1346
Side Load Door Height	1822
Side Load Door Width	1311
Turning Circle - Kerb to Kerb	13.6
Wheelbase	3640
Width (excluding mirrors)	2040
Width (including mirrors)	2427

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	75
Gross Train Weight	6000
Gross Vehicle Weight	3000
Load Space Volume	11.3
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	150
Max. Towing Weight - Braked	3000
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	2331
No. of Seats	3
Payload	669
Plated 2nd Axle	2100
Plated Front Axle	1800

Standard equipment – Driver Convenience

- Electromechanical steering
- Pan European ecall 3 button module
- Rear view camera
- Voice control system
- Wired and wireless smartphone integration

Standard equipment – Entertainment

- DAB plus for media van

Standard equipment – Exterior Features

- 270 degree rear door hinges
- Driver seatbelt warning light
- Exterior mirrors, power adjustable, heated and folding
- High roof
- Rear wing doors without windows
- Side marker lamps
- Windscreen wiper with variable intermittent delay and wash-wipe system
- Without right sliding door in load compartment

Standard equipment – Interior Features

- 2 load lashing rings on B pillar
- 2 seat front passenger bench with folding table
- Cargo area anti-slip floor covering
- Grab handles on rear entry pillars
- Height adjustable driver seat
- Interior LED lighting system
- Jack and tool kit
- Lashing rings for load restraint system
- Overhead storage compartment with two 1-DIN slot and reading light
- Reach and rake adjustable steering wheel
- Rubber floor covering
- Terminal block

Standard equipment – Packs

- Driver assistance systems pack for distributor - TGE
- Media van business navigation pack - TGE

Standard equipment – Passive Safety

- 3 point inertia reel belt on all seats
- Crosswind assist

Standard equipment – Security

- Electronic immobiliser
- Remote central locking with 2 remote keys

Standard equipment – Technical

- 12v socket in dash panel
- 18L AdBlue tank
- 75 litre fuel tank
- ABS and EBA
- Alternator - 140A
- ESC
- Parking brake - hill start assist
- Start and stop system with regenerative braking

Standard equipment – Wheels

- Full size steel spare wheel
- Hub cap with chrome emblem
- Low rolling resistance tyres