

## Fiat e-Scudo L1 100kW 75kWh Van Auto

Fiat Fiat Scudo · e-Scudo L1

The Fiat e-Scudo L1 100kW 75kWh Van Auto is a electric, automatic van from Fiat's Scudo range. It offers a load length of 2512mm, load width of 1628mm, load height of 1397mm. Charging: 150kW Charger 30m 100kW Charger 45m 50kW Charger 1hrs 30m 7kW Charger 10hrs 42m. Ask us for a personalised quote with free UK delivery.

### Key specification

|              |                                                                                                |
|--------------|------------------------------------------------------------------------------------------------|
| Transmission | Automatic                                                                                      |
| Fuel Type    | Electric                                                                                       |
| Load Height  | 1397mm                                                                                         |
| Load Length  | 2512mm                                                                                         |
| Load Width   | 1628mm                                                                                         |
| Load length  | 2512mm                                                                                         |
| Load width   | 1628mm                                                                                         |
| Load height  | 1397mm                                                                                         |
| Charging     | Charging Times 150kW Charger 30m 100kW Charger 45m 50kW Charger 1hrs 30m 7kW Charger 10hrs 42m |

### Electric Vehicle Data

|                                                   |                 |
|---------------------------------------------------|-----------------|
| Battery Capacity % guaranteed under warranty      | 70              |
| Battery Capacity in kWh                           | 75              |
| Battery Charging Scenario 1 - Charge Time (Mins)  | 1960            |
| Battery Charging Scenario 1 - Percentage Change   | 1-100           |
| Battery Charging Scenario 1 - Power Supply - kW   | 1.8             |
| Battery Charging Scenario 2 - Charge Time (Mins)  | 680             |
| Battery Charging Scenario 2 - Percentage Change   | 0-100           |
| Battery Charging Scenario 2 - Power Supply - kW   | 7.4             |
| Battery Charging Scenario 3 - Charge Time (Mins)  | 420             |
| Battery Charging Scenario 3 - Percentage Change   | 0-100           |
| Battery Charging Scenario 3 - Power Supply - kW   | 11              |
| Battery Charging Scenario 4 - Charge Time (Mins)  | 45              |
| Battery Charging Scenario 4 - Percentage Change   | 0-80            |
| Battery Charging Scenario 4 - Power Supply - kW   | 100             |
| Battery Leased                                    | No              |
| Battery Type                                      | Lithium-ion     |
| Charging Port Location                            | Left Side Front |
| Coupler/Connector Type                            | CCS Type 2      |
| Maximum Charging Rate - kW                        | 100             |
| Standard manufacturers Battery warranty - Mileage | 100000          |
| Standard manufacturers Battery warranty - Years   | 8               |
| Usable Battery Capacity                           | 71.6            |
| WLTP - EC (kWh/100km) - Comb                      | 26.9            |
| WLTP - EC (kWh/100km) - Comb - TEH                | 29.5            |
| WLTP - EC (kWh/100km) - Comb - TEL                | 24.7            |
| WLTP - EC (miles/kWh) - Comb                      | 2.3             |
| WLTP - EC (miles/kWh) - Comb - TEH                | 2.1             |
| WLTP - EC (miles/kWh) - Comb - TEL                | 2.5             |
| WLTP - Pure Electric Range (km) - City            | 457             |
| WLTP - Pure Electric Range (km) - City - TEH      | 377             |
| WLTP - Pure Electric Range (km) - City - TEL      | 477             |
| WLTP - Pure Electric Range (km) - Comb            | 325             |
| WLTP - Pure Electric Range (km) - Comb - TEH      | 285             |
| WLTP - Pure Electric Range (km) - Comb - TEL      | 339             |
| WLTP - Pure Electric Range (miles) - City         | 284             |
| WLTP - Pure Electric Range (miles) - City - TEH   | 234             |
| WLTP - Pure Electric Range (miles) - City - TEL   | 296             |

|                                                        |     |
|--------------------------------------------------------|-----|
| <b>WLTP - Pure Electric Range (miles) - Comb</b>       | 202 |
| <b>WLTP - Pure Electric Range (miles) - Comb - TEH</b> | 177 |
| <b>WLTP - Pure Electric Range (miles) - Comb - TEL</b> | 211 |

## Emissions - ICE

|                           |               |
|---------------------------|---------------|
| <b>CO</b>                 | Not Available |
| <b>HC</b>                 | Not Available |
| <b>HC+NOx</b>             | Not Available |
| <b>Noise Level dB(A)</b>  | Not Available |
| <b>NOx</b>                | Not Available |
| <b>Particles</b>          | Not Available |
| <b>Standard Emissions</b> | Not Available |

## Engine and Drive Train

|                               |               |
|-------------------------------|---------------|
| <b>Automatic Transmission</b> | Yes           |
| <b>Bore</b>                   | Not Available |
| <b>Catalytic Convertor</b>    | Not Available |
| <b>CC</b>                     | 1             |
| <b>Compression Ratio</b>      | Not Available |
| <b>Cooling System</b>         | Not Available |
| <b>Cylinder Layout</b>        | Not Available |
| <b>Cylinders</b>              | Not Available |
| <b>Engine Codes</b>           | Not Available |
| <b>Engine Layout</b>          | Not Available |
| <b>Engine Make</b>            | Not Available |
| <b>Fuel Delivery</b>          | Not Available |
| <b>Fuel Type</b>              | ELECTRIC      |
| <b>Gears</b>                  | 1 SPEED       |
| <b>Manual Transmission</b>    | No            |
| <b>Number of Valves</b>       | Not Available |
| <b>Stroke</b>                 | Not Available |
| <b>Valve gear</b>             | Not Available |

## Fuel Consumption - ICE

|                       |               |
|-----------------------|---------------|
| <b>EC</b>             | Not Available |
| <b>EC Combined</b>    | Not Available |
| <b>EC Extra Urban</b> | Not Available |
| <b>EC Urban</b>       | Not Available |

## General

|                                                                                |                  |
|--------------------------------------------------------------------------------|------------------|
| <b>Alternative Fuel Qualifying</b>                                             | Yes              |
| <b>Alternator Amps</b>                                                         | Not Available    |
| <b>Did at least one aspect of this vehicles safety give cause for concern?</b> | No               |
| <b>Engine Power CC</b>                                                         | 136              |
| <b>Based On ID</b>                                                             | Not Available    |
| <b>Chassis Engine Number</b>                                                   | Not Available    |
| <b>Clutch</b>                                                                  | Not Available    |
| <b>Coin Description</b>                                                        | Not Available    |
| <b>Coin Gross Vehicle Weight Code</b>                                          | Not Available    |
| <b>Coin Power Output Code</b>                                                  | Not Available    |
| <b>Coin Series</b>                                                             | Not Available    |
| <b>Coin Wheelbase Description Code</b>                                         | Not Available    |
| <b>Coin Wheelbase Name Code</b>                                                | Not Available    |
| <b>Exhaust System</b>                                                          | Not Available    |
| <b>Front Brakes</b>                                                            | VENTILATED DISCS |
| <b>Front Suspension</b>                                                        | MCPHERSON STRUTS |
| <b>Ghost model for valuation purposes</b>                                      | No               |
| <b>Hand Brake</b>                                                              | REAR             |
| <b>Insurance Group 1</b>                                                       | Not Available    |
| <b>Insurance Group 2</b>                                                       | Not Available    |
| <b>Manufacturers Corrosion Perforation Guarantee - Years</b>                   | 8                |

|                                                   |                     |
|---------------------------------------------------|---------------------|
| Manufacturers Paintwork Guarantee - Years         | 3                   |
| NCAP Adult Occupant Protection %                  | Not Available       |
| NCAP Child Occupant Protection %                  | Not Available       |
| NCAP Overall Rating - Effective February 09       | Not Available       |
| NCAP Overall Rating - LCV                         | Not Available       |
| NCAP Pedestrian Protection %                      | Not Available       |
| NCAP Safety Assist %                              | Not Available       |
| Rear Brakes                                       | DISCS               |
| Rear Suspension                                   | TWIN LEAF           |
| Relative Height                                   | H1                  |
| Relative Length                                   | L1                  |
| Running Cost League Headings                      | MEDIUM              |
| Service Interval Frequency - Months               | 24                  |
| Service Interval Mileage                          | 24000               |
| Special Edition                                   | No                  |
| Special Order                                     | No                  |
| Steering                                          | PAS RACK AND PINION |
| This vehicle is classed as a car for VED purposes | No                  |
| Timing Belt Interval Frequency - Months           | Not Available       |
| Timing Belt Interval Mileage                      | Not Available       |
| Vehicle Homologation Class                        | N1                  |
| Vin/Frame No.                                     | Not Available       |

## Performance

|                      |      |
|----------------------|------|
| 0 to 62 mph (secs)   | 14.3 |
| BHP                  | 136  |
| Engine Power KW      | 100  |
| Engine Power RPM     | 5500 |
| Engine Torque LBS.FT | 192  |
| Engine Torque MKG    | 26.5 |
| Engine Torque NM     | 260  |
| Engine Torque RPM    | 3674 |
| Top Speed            | 81   |

## Test Cycles

|                         |               |
|-------------------------|---------------|
| Emissions Test Cycle    | WLTP          |
| RDE Certification Level | Not Available |

## Tyres

|                  |               |
|------------------|---------------|
| Alloys?          | No            |
| Automatic Clutch | Yes           |
| Plated 3rd Axle  | Not Available |
| Plated 4th Axle  | Not Available |
| Space Saver?     | No            |
| Tyre Size Front  | 215/65 R16    |
| Tyre Size Rear   | 215/65 R16    |
| Tyre Size Spare  | FULL SIZE     |
| Wheel Style      | Not Available |
| Wheel Type       | 16" STEEL     |

## Vehicle Dimensions

|                                       |      |
|---------------------------------------|------|
| Front Overhang                        | 881  |
| Height                                | 1904 |
| Length                                | 4959 |
| Load Height                           | 1397 |
| Load Length                           | 2512 |
| Load Space Width Between Wheel Arches | 1258 |
| Load Width                            | 1636 |
| Rear Door Height                      | 1220 |
| Rear Overhang                         | 803  |
| Side Load Door Height                 | 1241 |

|                                      |      |
|--------------------------------------|------|
| <b>Side Load Door Width</b>          | 935  |
| <b>Turning Circle - Kerb to Kerb</b> | 12   |
| <b>Wheelbase</b>                     | 3275 |
| <b>Width (excluding mirrors)</b>     | 1920 |
| <b>Width (including mirrors)</b>     | 2204 |

## Weight and Capacities

|                                      |      |
|--------------------------------------|------|
| <b>Fuel Tank Capacity (Litres)</b>   | 70   |
| <b>Gross Train Weight</b>            | 4025 |
| <b>Gross Vehicle Weight</b>          | 3025 |
| <b>Load Space Volume</b>             | 5.3  |
| <b>Max. Towing Weight - Braked</b>   | 1000 |
| <b>Max. Towing Weight - Unbraked</b> | 750  |
| <b>Minimum Kerbweight</b>            | 2025 |
| <b>No. of Seats</b>                  | 2    |
| <b>Payload</b>                       | 1000 |
| <b>Plated 2nd Axle</b>               | 1800 |
| <b>Plated Front Axle</b>             | 1500 |

## Standard equipment – Driver Convenience

- Cruise control and speed limiter
- PAS
- Rear parking sensors
- TPMS (Tyre pressure monitoring system)
- Trip odometer and speedometer
- ZEV 3,5" coloured matrix instrument panel

## Standard equipment – Exterior Features

- 2 manual sliding doors
- Automatic wipers and acoustic windscreen
- Front electric windows with one touch operation and anti-pinch
- Headlights with integrated bulbs
- No central rearview mirror
- Predisposition for towing hook

## Standard equipment – Interior Features

- 12v socket in cabin and load area
- Driver's seat armrest
- Driver's seat with height, rake, reach and lumbar adjustment
- Dual front passenger bench seat
- Fabric upholstery
- Full steel bulkhead
- Opened central and passenger side storage

## Standard equipment – Passive Safety

- Automatic fuel cut-off and door unlocking in event of accident
- Front passenger and driver airbags

## Standard equipment – Security

- 2x 3-button keys, without keyless
- Remote central locking with deadlocking and separate locking for cab

## Standard equipment – Technical

- ABS
- Charge cable MODE 2 - Plug G
- EBA
- Electronic brake force distribution (EBFD)
- ESC
- Hill climb assist
- MODE 3 Charging cable for WALLBOX
- Vehicle charging socket

## Standard equipment – Wheels

---

- Black hubcap. Tyre 215/65 R16, class B

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/flat/scudo/e-scudo-l1/100kw-75kwh-van-auto-202375>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.