

Citroën e-Relay 40 Heavy L4 88kW 70kWh H2 Window Van Enterprise Auto

Citroën Citroën Relay · e-Relay 40 Heavy L4

The Citroën e-Relay 40 Heavy L4 88kW 70kWh H2 Window Van Enterprise Auto is a electric, automatic large from Citroën's Relay range. It offers a load length of 4070mm, load width of 1870mm, load height of 1932mm. Charging: 150kW Charger 28m 100kW Charger 42m 50kW Charger 1hrs 24m 7kW Charger 10hrs. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Automatic
Fuel Type	Electric
Bodytype	Large
Load Height	1932mm
Load Length	4070mm
Load Width	1870mm
Load length	4070mm
Load width	1870mm
Load height	1932mm
Charging	Charging Times 150kW Charger 28m 100kW Charger 42m 50kW Charger 1hrs 24m 7kW Charger 10hrs

Electric Vehicle Data

Battery Capacity in kWh	70
Battery Charging Scenario 1 - Charge Time (Mins)	720
Battery Charging Scenario 1 - Percentage Change	0-100
Battery Charging Scenario 1 - Power Supply - kW	7.4
Battery Charging Scenario 2 - Charge Time (Mins)	540
Battery Charging Scenario 2 - Percentage Change	0-100
Battery Charging Scenario 2 - Power Supply - kW	22
Battery Charging Scenario 3 - Charge Time (Mins)	60
Battery Charging Scenario 3 - Percentage Change	0-80
Battery Charging Scenario 3 - Power Supply - kW	50
Battery Charging Scenario 4 - Charge Time (Mins)	Not Available
Battery Charging Scenario 4 - Percentage Change	Not Available
Battery Charging Scenario 4 - Power Supply - kW	Not Available
Battery Leased	No
Battery Type	Lithium-ion
Coupler/Connector Type	Type 2
Standard manufacturers Battery warranty - Mileage	100000
Standard manufacturers Battery warranty - Years	8
WLTP - Pure Electric Range (km) - Comb	224
WLTP - Pure Electric Range (miles) - Comb	139

Emissions - ICE

CO	Not Available
CO2	0
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	Not Available

Engine and Drive Train

Automatic Transmission	Yes
Bore	Not Available
Catalytic Convertor	Not Available
CC	1
Compression Ratio	Not Available
Cooling System	Not Available
Cylinder Layout	Not Available
Cylinders	Not Available
Engine Codes	Not Available
Engine Layout	Not Available
Engine Make	Not Available
Fuel Delivery	Not Available
Fuel Type	Not Available
Gears	1 SPEED
Manual Transmission	No
Number of Valves	Not Available
Stroke	Not Available

Fuel Consumption - ICE

EC	Not Available
EC Combined	Not Available
EC Extra Urban	Not Available
EC Urban	Not Available

General

Alternative Fuel Qualifying	Yes
Alternator Amps	Not Available
Did at least one aspect of this vehicles safety give cause for concern?	No
Engine Power	120
Based On ID	Not Available
Battery AH	Not Available
Battery Volts	12
Chassis Engine Number	Not Available
Clutch	Not Available
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	Not Available
Front Brakes	VENTILATED DISCS
Front Suspension	MACPHERSON STRUTS
Generation Mark	2
Ghost model for valuation purposes	No
Hand Brake	REAR DRUMS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
Manufacturers Corrosion Perforation Guarantee - Years	6
Manufacturers Paintwork Guarantee - Years	1
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Front/Side Impact - Discontinued February 09	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	Not Available
NCAP Pedestrian - Discontinued February 09	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	DISCS
Rear Suspension	TWIN LEAF

Relative Height	H2
Relative Length	L4
Running Cost League Headings	LARGE
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	Unlimited
Standard manufacturers warranty - Years	2
Steering	PAS RACK AND PINION
Timing Belt Interval Frequency - Months	Not Available
Timing Belt Interval Mileage	Not Available
Vehicle Homologation Class	N2
Vin/Frame No.	Not Available

Performance

BHP	120
Engine Power KW	88
Engine Power RPM	5500
Engine Torque LBS.FT	258
Engine Torque MKG	35.7
Engine Torque NM	350
Top Speed	75

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	Not Available

Tyres

Alloys?	No
Automatic Clutch	Yes
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	215/75 R16
Tyre Size Rear	215/75 R16
Tyre Size Spare	FULL SIZE
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Front Overhang	948
Height	2522
Height (including roof rails)	Not Available
Length	6363
Load Height	1932
Load Length	4070
Load Space Width Between Wheel Arches	1422
Load Width	1870
Lower Rear Door Width	1562
Rear Door Height	1790
Rear Overhang	1380
Side Load Door Height	1755
Side Load Door Width	1250
Turning Circle - Kerb to Kerb	14.24
Turning Circle - Wall to Wall	14.46
Upper Rear Door Width	1562
Wheelbase	4035
Width (excluding mirrors)	2050
Width (including mirrors)	2508

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	Not Available
Gross Vehicle Weight	4005
Load Space Volume	15
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	150
Minimum Kerbweight	2855
No. of Seats	3
Payload	1150
Plated 2nd Axle	2400
Plated Front Axle	2100

Standard equipment – Driver Convenience

- Display screen in rear view mirror with traction battery charge level, battery
- Door open warning for cab doors
- Handbrake on warning light
- Power steering (non variable)
- Rear parking distance sensor
- Seatbelt warning indicator

Standard equipment – Entertainment

- USB charging socket on dashboard

Standard equipment – Exterior Features

- Electric front windows
- Fixed windows row 2
- Glazed rear doors with heated windows and internal rear view mirror
- Halogen headlights with clear polycarbonate lenses
- Laminated windscreen
- Nearside sliding side loading door
- Remote headlight adjustment from facia
- Side protection rubbing strips
- Tinted windows
- Twin lens door mirrors with electrically adjustable and heated upper mirror

Standard equipment – Interior Features

- 10 tie-down hooks
- Bulb out side light, headlamp indicator and battery charge warning
- Central dash folding clipboard
- Driver seat armrest, lumbar adjustable and under seat storage
- Driver seat height adjuster
- Ladder frame bulkhead
- Lower central glovebox
- Magnet cloth upholstery
- Non illuminated lockable glove box
- Non slip hardwearing front cabin floor covering
- Passenger grab handle
- Reach adjustable steering column
- Thermostatic heating control
- Two load area lights

Standard equipment – Packs

- Touch screen navigation pack - Relay

Standard equipment – Passive Safety

- Driver's airbag

Standard equipment – Security

- High frequency remote control central locking with 3 button plip
- Lights on alarm
- Locking for cab
- Perimetric alarm and deadlocks
- Thatcham rolling transponder immobiliser
- Visible Vehicle Identification Number (VIN)

Standard equipment – Technical

- 12V socket in load area
- ABS
- Electric Charging Cable Mode 3 Type 2 for Wallbox
- Electrical connections interface box
- Electronic brake force distribution (EBFD)
- Electronic Stability Control (ESC)
- Emergency brake assist
- Hill start assist
- On board charger-compatible with both single and three phase power supply
- Reinforced twin leaf rear suspension

Standard equipment – Wheels

- Full size steel spare wheel
- Steel wheel centre cap

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/citroen/relay/e-relay-40-heavy-l4/88kw-70kwh-h2-window-van-enterprise-auto-2022>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.