

# Citroën e-Relay 40 Heavy L4 88kW 75kWh H2 Window Van Enterprise Auto

Citroën Citroën Relay · e-Relay 40 Heavy L4

The Citroën e-Relay 40 Heavy L4 88kW 75kWh H2 Window Van Enterprise Auto is a electric, automatic large from Citroën's Relay range. It offers a load length of 4070mm, load width of 1870mm, load height of 1932mm. Charging: 150kW Charger 30m 100kW Charger 45m 50kW Charger 1hrs 30m 7kW Charger 10hrs 42m. Ask us for a personalised quote with free UK delivery.

## Key specification

|              |                                                                                                |
|--------------|------------------------------------------------------------------------------------------------|
| Transmission | Automatic                                                                                      |
| Fuel Type    | Electric                                                                                       |
| Bodytype     | Large                                                                                          |
| Load Height  | 1932mm                                                                                         |
| Load Length  | 4070mm                                                                                         |
| Load Width   | 1870mm                                                                                         |
| Load length  | 4070mm                                                                                         |
| Load width   | 1870mm                                                                                         |
| Load height  | 1932mm                                                                                         |
| Charging     | Charging Times 150kW Charger 30m 100kW Charger 45m 50kW Charger 1hrs 30m 7kW Charger 10hrs 42m |

## Electric Vehicle Data

|                                                   |                 |
|---------------------------------------------------|-----------------|
| Battery Capacity % guaranteed under warranty      | 70              |
| Battery Capacity in kWh                           | 75              |
| Battery Charging Scenario 1 - Charge Time (Mins)  | 720             |
| Battery Charging Scenario 1 - Percentage Change   | 0-100           |
| Battery Charging Scenario 1 - Power Supply - kW   | 7.4             |
| Battery Charging Scenario 2 - Charge Time (Mins)  | 300             |
| Battery Charging Scenario 2 - Percentage Change   | 0-100           |
| Battery Charging Scenario 2 - Power Supply - kW   | 22              |
| Battery Charging Scenario 3 - Charge Time (Mins)  | 60              |
| Battery Charging Scenario 3 - Percentage Change   | 0-80            |
| Battery Charging Scenario 3 - Power Supply - kW   | 50              |
| Battery Charging Scenario 4 - Charge Time (Mins)  | Not Available   |
| Battery Charging Scenario 4 - Percentage Change   | Not Available   |
| Battery Charging Scenario 4 - Power Supply - kW   | Not Available   |
| Battery Leased                                    | No              |
| Battery Type                                      | Lithium-ion     |
| Charging Port Location                            | Left Side Front |
| Coupler/Connector Type                            | Type 2          |
| Maximum Charging Rate - kW                        | 50              |
| Standard manufacturers Battery warranty - Mileage | 100000          |
| Standard manufacturers Battery warranty - Years   | 8               |
| Usable Battery Capacity                           | Not Available   |
| WLTP - Pure Electric Range (km) - Comb            | 240             |
| WLTP - Pure Electric Range (miles) - Comb         | 149             |

## Emissions - ICE

|                   |               |
|-------------------|---------------|
| CO                | Not Available |
| CO2               | 0             |
| HC                | Not Available |
| HC+NOx            | Not Available |
| Noise Level dB(A) | Not Available |
| NOx               | Not Available |
| Particles         | Not Available |

**Standard Emissions**

Not Available

**Engine and Drive Train**

|                        |               |
|------------------------|---------------|
| Automatic Transmission | Yes           |
| Bore                   | Not Available |
| Catalytic Convertor    | Not Available |
| CC                     | 1             |
| Compression Ratio      | Not Available |
| Cooling System         | Not Available |
| Cylinder Layout        | Not Available |
| Cylinders              | Not Available |
| Engine Codes           | Not Available |
| Engine Layout          | Not Available |
| Engine Make            | Not Available |
| Fuel Delivery          | Not Available |
| Fuel Type              | Not Available |
| Gears                  | 1 SPEED       |
| Manual Transmission    | No            |
| Number of Valves       | Not Available |
| Stroke                 | Not Available |

**Fuel Consumption - ICE**

|                |               |
|----------------|---------------|
| EC             | Not Available |
| EC Combined    | Not Available |
| EC Extra Urban | Not Available |
| EC Urban       | Not Available |

**General**

|                                                                      |                   |
|----------------------------------------------------------------------|-------------------|
| Alternative Fuel Qualifying                                          | Yes               |
| Alternator Amps                                                      | Not Available     |
| Did at least one aspect of this vehicles safety give badge engineer? | No                |
| Badge Engine CO?                                                     | 0.0               |
| Badge Power                                                          | 120               |
| Based On ID                                                          | Not Available     |
| Battery AH                                                           | Not Available     |
| Battery Volts                                                        | 12                |
| Chassis Engine Number                                                | Not Available     |
| Clutch                                                               | Not Available     |
| Coin Description                                                     | Not Available     |
| Coin Gross Vehicle Weight Code                                       | Not Available     |
| Coin Power Output Code                                               | Not Available     |
| Coin Series                                                          | Not Available     |
| Coin Wheelbase Description Code                                      | Not Available     |
| Coin Wheelbase Name Code                                             | Not Available     |
| Exhaust System                                                       | Not Available     |
| Front Brakes                                                         | VENTILATED DISCS  |
| Front Suspension                                                     | MACPHERSON STRUTS |
| Generation Mark                                                      | 2                 |
| Ghost model for valuation purposes                                   | No                |
| Hand Brake                                                           | REAR DRUMS        |
| Insurance Group 1                                                    | Not Available     |
| Insurance Group 2                                                    | Not Available     |
| Manufacturers Corrosion Perforation Guarantee - Years                | 6                 |
| Manufacturers Paintwork Guarantee - Years                            | 1                 |
| NCAP Adult Occupant Protection %                                     | Not Available     |
| NCAP Child Occupant Protection %                                     | Not Available     |
| NCAP Front/Side Impact - Discontinued February 09                    | Not Available     |
| NCAP Overall Rating - Effective February 09                          | Not Available     |
| NCAP Overall Rating - LCV                                            | Not Available     |
| NCAP Pedestrian - Discontinued February 09                           | Not Available     |
| NCAP Pedestrian Protection %                                         | Not Available     |
| NCAP Safety Assist %                                                 | Not Available     |

|                                           |                     |
|-------------------------------------------|---------------------|
| Rear Brakes                               | DISCS               |
| Rear Suspension                           | TWIN LEAF           |
| Relative Height                           | H2                  |
| Relative Length                           | L4                  |
| Running Cost League Headings              | LARGE               |
| Special Edition                           | No                  |
| Special Order                             | No                  |
| Standard manufacturers warranty - Mileage | Unlimited           |
| Standard manufacturers warranty - Years   | 2                   |
| Steering                                  | PAS RACK AND PINION |
| Timing Belt Interval Frequency - Months   | Not Available       |
| Timing Belt Interval Mileage              | Not Available       |
| Vehicle Homologation Class                | N2                  |
| Vin/Frame No.                             | Not Available       |

## Performance

|                      |      |
|----------------------|------|
| BHP                  | 120  |
| Engine Power KW      | 88   |
| Engine Power RPM     | 5500 |
| Engine Torque LBS.FT | 258  |
| Engine Torque MKG    | 35.7 |
| Engine Torque NM     | 350  |
| Top Speed            | 75   |

## Test Cycles

|                         |               |
|-------------------------|---------------|
| Emissions Test Cycle    | WLTP          |
| RDE Certification Level | Not Available |

## Tyres

|                  |               |
|------------------|---------------|
| Alloys?          | No            |
| Automatic Clutch | Yes           |
| Plated 3rd Axle  | Not Available |
| Plated 4th Axle  | Not Available |
| Space Saver?     | No            |
| Tyre Make        | Not Available |
| Tyre Size Front  | 225/75 R16    |
| Tyre Size Rear   | 225/75 R16    |
| Tyre Size Spare  | FULL SIZE     |
| Wheel Style      | Not Available |
| Wheel Type       | 16" STEEL     |

## Vehicle Dimensions

|                                       |               |
|---------------------------------------|---------------|
| Front Overhang                        | 948           |
| Height                                | 2522          |
| Height (including roof rails)         | Not Available |
| Length                                | 6363          |
| Load Height                           | 1932          |
| Load Length                           | 4070          |
| Load Space Width Between Wheel Arches | 1422          |
| Load Width                            | 1870          |
| Lower Rear Door Width                 | 1562          |
| Rear Door Height                      | 1790          |
| Rear Overhang                         | 1380          |
| Side Load Door Height                 | 1755          |
| Side Load Door Width                  | 1250          |
| Turning Circle - Kerb to Kerb         | 14.24         |
| Turning Circle - Wall to Wall         | 14.46         |
| Upper Rear Door Width                 | 1562          |
| Wheelbase                             | 4035          |
| Width (excluding mirrors)             | 2050          |
| Width (including mirrors)             | 2508          |

## Weight and Capacities

---

|                                          |               |
|------------------------------------------|---------------|
| Boot Capacity Saloons                    | Not Available |
| Fuel Tank Capacity (Litres)              | Not Available |
| Gross Vehicle Weight                     | 4005          |
| Load Space Volume                        | 15            |
| Luggage Capacity (Seats Down)            | Not Available |
| Luggage Capacity (Seats Up)              | Not Available |
| Luggage Capacity - 2nd Row Seats Removed | Not Available |
| Luggage Capacity - 2nd Row Seats Up      | Not Available |
| Luggage Capacity - 3rd Row Seats Down    | Not Available |
| Luggage Capacity - 3rd Row Seats Removed | Not Available |
| Luggage Capacity - 3rd Row Seats Up      | Not Available |
| Max. Roof Load                           | 150           |
| Minimum Kerbweight                       | 2905          |
| No. of Seats                             | 3             |
| Payload                                  | 1100          |
| Plated 2nd Axle                          | 2400          |
| Plated Front Axle                        | 2100          |

## Standard equipment – Driver Convenience

---

- Battery charge warning
- Display screen in rear view mirror with traction battery charge level, battery status and range
- Door open warning for cab doors
- Handbrake on warning light
- Power steering (non variable)
- Rear parking distance sensor
- Seatbelt warning indicator

## Standard equipment – Entertainment

---

- 5" Colour touchscreen with integrated stellite navigation, Bluetooth handsfree controls
- USB charging socket on dashboard

## Standard equipment – Exterior Features

---

- Electric front windows
- Fixed windows row 2
- Glazed rear doors with heated windows and internal rear view mirror
- Halogen headlights with clear polycarbonate lenses
- Laminated windscreen
- Nearside sliding side loading door
- Remote headlight adjustment from facia
- Side protection rubbing strips
- Tinted windows
- Twin lens door mirrors with electrically adjustable and heated upper mirror

## Standard equipment – Interior Features

---

- 10 tie-down hooks
- Bulb out warning for side light, headlamp and indicators
- Central dash folding clipboard
- Driver seat armrest, lumbar adjustable and under seat storage
- Ladder frame bulkhead
- Lower central glovebox
- Magnet cloth upholstery
- Non illuminated lockable glove box
- Non slip hardwearing front cabin floor covering
- Passenger grab handle
- Reach adjustable steering column
- Thermostatic heating control
- Two load area lights
- USB charger in load area

## Standard equipment – Passive Safety

---

- Driver's airbag

## Standard equipment – Security

---

- High frequency remote control central locking with 3 button plip
- Lights on alarm
- Locking for cab
- Perimetric alarm and deadlocks
- Thatcham rolling transponder immobiliser
- Visible Vehicle Identification Number (VIN)

## Standard equipment – Technical

---

- 12V socket in load area
- 22 kW electric Charging Cable Mode 3 Type 2 for Wallbox
- ABS
- Electrical connections interface box
- Electronic brake force distribution (EBFD)
- Electronic Stability Control (ESC)
- Emergency brake assist
- Hill start assist
- On board charger-compatible with both single and three phase power supply
- Reinforced twin leaf rear suspension

## Standard equipment – Wheels

---

- 16" steel wheels
- Full size steel spare wheel
- Steel wheel centre cap

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/citroen/relay/e-relay-40-heavy-l4/88kw-75kwh-h2-window-van-enterprise-auto-202275>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.