

# Citroën Relay 35 Heavy L2 Diesel 2.2 BlueHDi H2 Van 140ps Enterprise

Citroën Citroën Relay · Relay 35 Heavy L2 Diesel

The Citroën Relay 35 Heavy L2 Diesel 2.2 BlueHDi H2 Van 140ps Enterprise is a diesel, manual large from Citroën's Relay range. It offers a load length of 3705mm, load width of 1870mm, load height of 1932mm. Ask us for a personalised quote with free UK delivery.

## Key specification

|              |           |
|--------------|-----------|
| Transmission | Manual    |
| Fuel Type    | Diesel    |
| Bodytype     | Large     |
| Engine Size  | 2.2 litre |
| Load Height  | 1932mm    |
| Load Length  | 3705mm    |
| Load Width   | 1870mm    |
| Load length  | 3705mm    |
| Load width   | 1870mm    |
| Load height  | 1932mm    |
| Engine       | 2.2 litre |

## Emissions - ICE

|                                      |               |
|--------------------------------------|---------------|
| CO                                   | 0.014         |
| CO2                                  | 166           |
| HC                                   | Not Available |
| HC+NOx                               | 0.039         |
| Noise Level dB(A)                    | 70            |
| NOx                                  | 0.035         |
| Particles                            | 0.001         |
| Standard Emissions                   | EURO 6        |
| WLTP - CO2 (g/km) - Comb             | 241           |
| WLTP - CO2 (g/km) - Comb - TEH       | 289           |
| WLTP - CO2 (g/km) - Comb - TEL       | 185           |
| WLTP - CO2 (g/km) - Extra High - TEH | 336           |
| WLTP - CO2 (g/km) - Extra High - TEL | 184           |
| WLTP - CO2 (g/km) - High - TEH       | 262           |
| WLTP - CO2 (g/km) - High - TEL       | 181           |
| WLTP - CO2 (g/km) - Low - TEH        | 275           |
| WLTP - CO2 (g/km) - Low - TEL        | 203           |
| WLTP - CO2 (g/km) - Medium - TEH     | 260           |
| WLTP - CO2 (g/km) - Medium - TEL     | 179           |

## Engine and Drive Train

|                        |                  |
|------------------------|------------------|
| Automatic Transmission | No               |
| Bore                   | 85               |
| Catalytic Convertor    | Yes              |
| CC                     | 2179             |
| Compression Ratio      | 16.1:1           |
| Cooling System         | WATER            |
| Cylinder Layout        | IN-LINE          |
| Cylinders              | 4                |
| Engine Codes           | DW12RUD          |
| Engine Layout          | FRONT TRANSVERSE |
| Engine Make            | Not Available    |
| Fuel Delivery          | COMMON RAIL      |
| Fuel Type              | DIESEL           |

|                     |         |
|---------------------|---------|
| Gears               | 6 SPEED |
| Manual Transmission | Yes     |
| Number of Valves    | 16      |
| Stroke              | 96      |
| Valve gear          | DOHC    |

## Fuel Consumption - ICE

|                                        |      |
|----------------------------------------|------|
| EC                                     | No   |
| WLTP - FC (l/100km) - Comb             | 9    |
| WLTP - FC (l/100km) - Comb - TEH       | 11   |
| WLTP - FC (l/100km) - Comb - TEL       | 7    |
| WLTP - FC (l/100km) - Extra High - TEH | 12.8 |
| WLTP - FC (l/100km) - Extra High - TEL | 7    |
| WLTP - FC (l/100km) - High - TEH       | 10   |
| WLTP - FC (l/100km) - High - TEL       | 6.9  |
| WLTP - FC (l/100km) - Low - TEH        | 10.5 |
| WLTP - FC (l/100km) - Low - TEL        | 7.7  |
| WLTP - FC (l/100km) - Medium - TEH     | 9.9  |
| WLTP - FC (l/100km) - Medium - TEL     | 6.8  |
| WLTP - MPG - Comb                      | 31.4 |
| WLTP - MPG - Comb - TEH                | 25.6 |
| WLTP - MPG - Comb - TEL                | 40.1 |
| WLTP - MPG - Extra High - TEH          | 22   |
| WLTP - MPG - Extra High - TEL          | 40.3 |
| WLTP - MPG - High - TEH                | 28.3 |
| WLTP - MPG - High - TEL                | 40.9 |
| WLTP - MPG - Low - TEH                 | 26.9 |
| WLTP - MPG - Low - TEL                 | 36.5 |
| WLTP - MPG - Medium - TEH              | 28.5 |
| WLTP - MPG - Medium - TEL              | 41.4 |

## General

|                                                                         |                     |
|-------------------------------------------------------------------------|---------------------|
| Alternative Fuel Qualifying                                             | No                  |
| Did at least one aspect of this vehicles safety give cause for concern? | No                  |
| Badge Engine CC                                                         | 2.2                 |
| Badge Power                                                             | 140                 |
| Based On ID                                                             | Not Available       |
| Battery Volts                                                           | 12                  |
| Chassis Engine Number                                                   | Not Available       |
| Clutch                                                                  | SINGLE DRY PLATE    |
| Coin Description                                                        | Not Available       |
| Coin Gross Vehicle Weight Code                                          | Not Available       |
| Coin Power Output Code                                                  | Not Available       |
| Coin Series                                                             | Not Available       |
| Coin Wheelbase Description Code                                         | Not Available       |
| Coin Wheelbase Name Code                                                | Not Available       |
| Exhaust System                                                          | CATALYTIC CONVERTER |
| Front Brakes                                                            | VENTILATED DISCS    |
| Front Suspension                                                        | MACPHERSON STRUTS   |
| Generation Mark                                                         | 2                   |
| Ghost model for valuation purposes                                      | No                  |
| Hand Brake                                                              | REAR DRUMS          |
| Insurance Group 1                                                       | Not Available       |
| Insurance Group 2                                                       | Not Available       |
| Manufacturers Corrosion Perforation Guarantee - Years                   | 6                   |
| Manufacturers Paintwork Guarantee - Years                               | 1                   |
| NCAP Adult Occupant Protection %                                        | Not Available       |
| NCAP Child Occupant Protection %                                        | Not Available       |
| NCAP Overall Rating - Effective February 09                             | Not Available       |
| NCAP Overall Rating - LCV                                               | Bronze              |
| NCAP Pedestrian Protection %                                            | Not Available       |
| NCAP Safety Assist %                                                    | 20                  |

|                                           |                     |
|-------------------------------------------|---------------------|
| Rear Brakes                               | DISCS               |
| Rear Suspension                           | LEAF SPRINGS        |
| Relative Height                           | H2                  |
| Relative Length                           | L3                  |
| Running Cost League Headings              | LARGE               |
| Service Interval Frequency - Months       | 24                  |
| Service Interval Mileage                  | 32000               |
| Special Edition                           | No                  |
| Special Order                             | No                  |
| Standard manufacturers warranty - Mileage | Unlimited           |
| Standard manufacturers warranty - Years   | 2                   |
| Steering                                  | PAS RACK AND PINION |
| Vehicle Homologation Class                | N1                  |
| Vin/Frame No.                             | Not Available       |

## Performance

|                      |               |
|----------------------|---------------|
| 0 to 62              | Not Available |
| BHP                  | 140           |
| Engine Power KW      | 103           |
| Engine Power RPM     | 3750          |
| Engine Torque LBS.FT | 251           |
| Engine Torque MKG    | 34.7          |
| Engine Torque NM     | 340           |
| Engine Torque RPM    | 1750          |
| Top Speed            | 99            |

## Test Cycles

|                         |       |
|-------------------------|-------|
| Emissions Test Cycle    | WLTP  |
| RDE Certification Level | RDE 2 |

## Tyres

|                  |               |
|------------------|---------------|
| Alloys?          | No            |
| Automatic Clutch | No            |
| Plated 3rd Axle  | Not Available |
| Plated 4th Axle  | Not Available |
| Space Saver?     | No            |
| Tyre Make        | Not Available |
| Tyre Size Front  | 215/75 R16    |
| Tyre Size Rear   | 215/75 R16    |
| Tyre Size Spare  | FULL SIZE     |
| Wheel Style      | Not Available |
| Wheel Type       | 16" STEEL     |

## Vehicle Dimensions

|                                       |               |
|---------------------------------------|---------------|
| Front Overhang                        | 948           |
| Height                                | 2522          |
| Height (including roof rails)         | Not Available |
| Length                                | 5998          |
| Load Height                           | 1932          |
| Load Length                           | 3705          |
| Load Space Width Between Wheel Arches | 1422          |
| Load Width                            | 1870          |
| Lower Rear Door Width                 | 1562          |
| Rear Door Height                      | 1790          |
| Rear Overhang                         | 1015          |
| Side Load Door Height                 | 1755          |
| Side Load Door Width                  | 1250          |
| Turning Circle - Kerb to Kerb         | 14.24         |
| Turning Circle - Wall to Wall         | 14.46         |
| Upper Rear Door Width                 | 1562          |
| Wheelbase                             | 4035          |

|                           |      |
|---------------------------|------|
| Width (excluding mirrors) | 2050 |
| Width (including mirrors) | 2508 |

## Weight and Capacities

|                                          |               |
|------------------------------------------|---------------|
| Boot Capacity Saloons                    | Not Available |
| Fuel Tank Capacity (Litres)              | 90            |
| Gross Train Weight                       | 6500          |
| Gross Vehicle Weight                     | 3500          |
| Load Space Volume                        | 13            |
| Luggage Capacity (Seats Down)            | Not Available |
| Luggage Capacity (Seats Up)              | Not Available |
| Luggage Capacity - 2nd Row Seats Removed | Not Available |
| Luggage Capacity - 2nd Row Seats Up      | Not Available |
| Luggage Capacity - 3rd Row Seats Down    | Not Available |
| Luggage Capacity - 3rd Row Seats Removed | Not Available |
| Luggage Capacity - 3rd Row Seats Up      | Not Available |
| Max. Roof Load                           | 150           |
| Max. Towing Weight - Braked              | 3000          |
| Max. Towing Weight - Unbraked            | 750           |
| Minimum Kerbweight                       | 2045          |
| No. of Seats                             | 3             |
| Payload                                  | 1455          |
| Plated 2nd Axle                          | 2400          |
| Plated Front Axle                        | 2100          |

## Standard equipment – Driver Convenience

- Cruise control with programmable speed limiter
- Door open warning for cab doors
- Gearshift indicator
- Handbrake on warning light
- Locking fuel cap
- Low fuel warning light
- Oil level indicator
- Power steering (non variable)
- Rev counter, trip computer, water temperature and fuel gauge
- Seatbelt warning indicator
- Telematics box for Free2Move Connect Fleet services including 4G connection

## Standard equipment – Entertainment

- 5" Colour touchscreen with integrated stellite navigation, Bluetooth handsfree controls
- USB charging socket on dashboard

## Standard equipment – Exterior Features

- Electric front windows
- Halogen headlights with clear polycarbonate lenses
- Laminated windscreen
- Nearside sliding side loading door
- Remote headlight adjustment from fascia
- Side protection rubbing strips
- Tinted windows
- Twin lens door mirrors with electrically adjustable and heated upper mirror

## Standard equipment – Interior Features

- 10 tie-down hooks
- Bulb out side light, headlamp indicator and battery charge warning
- Central dash folding clipboard
- Driver seat armrest, lumbar adjustable and under seat storage
- Driver's seat armrest
- Driver's seat with height, rake, reach and lumbar adjustment
- Lower central glovebox with dashboard tablet holder
- Magnet cloth upholstery
- Non illuminated lockable glove box
- Non slip hardwearing front cabin floor covering
- Passenger grab handle
- Reach adjustable steering column
- Two load area lights

- USB charger in load area

---

### Standard equipment – Passive Safety

---

- Driver's airbag

---

### Standard equipment – Security

---

- High frequency remote control central locking with 3 button plip
- Lights on alarm
- Locking for cab
- Perimetric alarm and deadlocks
- Thatcham rolling transponder immobiliser
- Visible Vehicle Identification Number (VIN)

---

### Standard equipment – Technical

---

- 12V socket in load area
- ABS
- Electronic brake force distribution (EBFD)
- Electronic Stability Control (ESC)
- Emergency brake assist
- Hill start assist

---

### Standard equipment – Wheels

---

- 16" steel wheels
- Full size steel spare wheel
- Steel wheel centre cap

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/citroen/relay/relay-35-heavy-l3-diesel/22-bluehdi-h2-van-140ps-enterprise-202275>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.