

Citroën e-Relay 40 L4 200kW 110kWh H2 Van Enterprise Auto

Citroën Citroën Relay · e-Relay 40 L4

The Citroën e-Relay 40 L4 200kW 110kWh H2 Van Enterprise Auto is a electric, automatic van from Citroën's Relay range. It offers a load length of 4070mm, load width of 1870mm, load height of 1932mm. Charging: 150kW Charger 44m 100kW Charger 1hrs 6m 50kW Charger 2hrs 12m 7kW Charger 15hrs 42m. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Automatic
Fuel Type	Electric
Load Height	1932mm
Load Length	4070mm
Load Width	1870mm
Load length	4070mm
Load width	1870mm
Load height	1932mm
Charging	Charging Times 150kW Charger 44m 100kW Charger 1hrs 6m 50kW Charger 2hrs 12m 7kW Charger 15hrs 42m

Electric Vehicle Data

Battery Capacity % guaranteed under warranty	70
Battery Capacity in kWh	110.6
Battery Charging Scenario 1 - Charge Time (Mins)	1000
Battery Charging Scenario 1 - Percentage Change	0-100
Battery Charging Scenario 1 - Power Supply - kW	7.4
Battery Charging Scenario 2 - Charge Time (Mins)	705
Battery Charging Scenario 2 - Percentage Change	0-100
Battery Charging Scenario 2 - Power Supply - kW	11
Battery Charging Scenario 3 - Charge Time (Mins)	55
Battery Charging Scenario 3 - Percentage Change	0-80
Battery Charging Scenario 3 - Power Supply - kW	150
Battery Charging Scenario 4 - Charge Time (Mins)	Not Available
Battery Charging Scenario 4 - Percentage Change	Not Available
Battery Charging Scenario 4 - Power Supply - kW	Not Available
Battery Leased	No
Battery Type	Lithium-ion
Charging Port Location	Left Side Front
Coupler/Connector Type	CCS Type 2
Maximum Charging Rate - kW	150
Standard manufacturers Battery warranty - Mileage	100000
Standard manufacturers Battery warranty - Years	8
Usable Battery Capacity	97.8
WLTP - EC (kWh/100km) - City	22.2
WLTP - EC (kWh/100km) - Comb	26.3
WLTP - EC (kWh/100km) - Comb - TEH	31.1
WLTP - EC (kWh/100km) - Comb - TEL	22.2
WLTP - EC (miles/kWh) - City	2.8
WLTP - EC (miles/kWh) - Comb	2.4
WLTP - EC (miles/kWh) - Comb - TEH	2
WLTP - EC (miles/kWh) - Comb - TEL	2.8
WLTP - Pure Electric Range (km) - City	501
WLTP - Pure Electric Range (km) - Comb	422
WLTP - Pure Electric Range (miles) - City	311
WLTP - Pure Electric Range (miles) - Comb	262

Emissions - ICE

CO	Not Available
CO2	0
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	Not Available

Engine and Drive Train

Automatic Transmission	Yes
Bore	Not Available
Catalytic Convertor	Not Available
CC	1
Compression Ratio	Not Available
Cooling System	Not Available
Cylinder Layout	Not Available
Cylinders	Not Available
Engine Codes	Not Available
Engine Layout	Not Available
Engine Make	Not Available
Fuel Delivery	Not Available
Fuel Type	ELECTRIC
Gears	1 SPEED
Manual Transmission	No
Number of Valves	Not Available
Stroke	Not Available
Valve gear	Not Available

Fuel Consumption - ICE

EC	Not Available
EC Combined	Not Available
EC Extra Urban	Not Available
EC Urban	Not Available

General

Did at least one aspect of this vehicles safety give	No
Based On ID	279
Battery AH	Not Available
Battery Volts	Not Available
Chassis Engine Number	12
Clutch	Not Available
Coin Description	SINGLE DRY PLATE
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER
Front Brakes	VENTILATED DISCS
Front Suspension	MACPHERSON STRUTS
Generation Mark	3
Ghost model for valuation purposes	No
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	Gold
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	78

Rear Brakes	DISCS
Rear Suspension	LEAF SPRINGS
Relative Height	H2
Relative Length	L4
Running Cost League Headings	LARGE
Service Interval Frequency - Months	12
Service Interval Mileage	16000
Special Edition	No
Special Order	No
Steering	PAS RACK AND PINION
Vehicle Homologation Class	N2
Vin/Frame No.	Not Available

Performance

0 to 62 mph (secs)	10
BHP	279
Engine Power KW	205
Engine Torque LBS.FT	302
Engine Torque MKG	41.8
Engine Torque NM	410
Top Speed	56

Test Cycles

Emissions Test Cycle	WLTP
----------------------	------

Tyres

Alloys?	No
Automatic Clutch	Yes
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	215/75 R16
Tyre Size Rear	215/75 R16
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Front Overhang	948
Height	2522
Length	6363
Load Deck Height	535
Load Height	1932
Load Length	4070
Load Space Width Between Wheel Arches	1422
Load Width	1870
Lower Rear Door Width	1562
Rear Door Height	1790
Rear Overhang	1380
Side Load Door Height	1755
Side Load Door Width	1250
Wheelbase	4035
Width (excluding mirrors)	2050

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	Not Available
Gross Train Weight	5500
Gross Vehicle Weight	4250
Load Space Volume	15
Luggage Capacity (Seats Down)	Not Available

Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Towing Weight - Braked	2400
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	2835
No. of Seats	3
Payload	1415
Plated 2nd Axle	2400
Plated Front Axle	2100

Standard equipment – Driver Convenience

- Advanced emergency braking system - Pedestrian and cyclist
- Blind spot Information System (BLIS)
- Connected services
- Driver drowsiness detection
- Electric power steering
- Full 7" digital instrument cluster
- Global telematics box module
- Intelligent Speed Assist
- Lane support system
- Moving off information system
- Rear parking sensors
- Smart tachograph
- Traffic sign recognition
- Tyre pressure monitor

Standard equipment – Entertainment

- Steering wheel mounted controls

Standard equipment – Exterior Features

- Aerodynamic kit - Central spoiler, air guides, active grille shutter
- Electric front windows
- LED Daytime running lights
- Nearside sliding side loading door
- Side protection rubbing strips
- Twin lens door mirrors with electrically adjustable and heated upper mirror

Standard equipment – Interior Features

- 6 way driver's seat with lumbar and armrest
- Dual front passenger bench seat
- Two cup holders and mobile phone storage in centre or lower dashboard

Standard equipment – Passive Safety

- Double passengers airbag
- Driver's airbag

Standard equipment – Security

- Deadlocks
- Perimeter alarm

Standard equipment – Technical

- Speed limiter 56mph

Standard equipment – Wheels

- Fix and go kit
- Steel wheel centre cap