

Ford Transit 350 L3 Diesel AWD 2.0 EcoBlue 130ps H2 Leader Van

Ford Ford Transit · Transit 350 L3 Diesel AWD

From £446 per month ex VAT

BCH · 60 months · 12 months initial rental (£5350) · 5000 miles per year. Prices shown are indicative, exclude VAT for business users and are subject to status and a personalised quote.

The Ford Transit 350 L3 Diesel AWD 2.0 EcoBlue 130ps H2 Leader Van is a diesel, manual large from Ford's Transit range. It offers a load length of 3494mm, load width of 1784mm, load height of 1786mm. Available from £446 a month ex VAT on business contract hire (60 months, 12 months initial rental, 5,000 miles a year) with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Bodytype	Large
Engine Size	2.0 litre
Load Height	1786mm
Load Length	3494mm
Load Width	1784mm
Load length	3494mm
Load width	1784mm
Load height	1786mm
Engine	2.0 litre

Emissions - ICE

CO	Not Available
CO2	250
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb	265
WLTP - CO2 (g/km) - Comb - TEH	306
WLTP - CO2 (g/km) - Comb - TEL	265
WLTP - CO2 (g/km) - Extra High	300
WLTP - CO2 (g/km) - High	223
WLTP - CO2 (g/km) - Low	281
WLTP - CO2 (g/km) - Medium	231

Engine and Drive Train

Automatic Transmission	No
Catalytic Convertor	Yes
CC	1996
Cooling System	WATER
Cylinder Layout	IN-LINE
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
EC Combined	29.7
EC Extra Urban	33.6
EC Urban	24.8
WLTP - FC (l/100km) - Comb	9.9
WLTP - FC (l/100km) - Comb - TEH	11.4
WLTP - FC (l/100km) - Comb - TEL	9.9
WLTP - FC (l/100km) - Extra High	11.5
WLTP - FC (l/100km) - High	8.5
WLTP - FC (l/100km) - High - TEH	12
WLTP - FC (l/100km) - High - TEL	8.5
WLTP - FC (l/100km) - Low	10.7
WLTP - FC (l/100km) - Low - TEH	10.7
WLTP - FC (l/100km) - Low - TEL	8.8
WLTP - FC (l/100km) - Medium	8.8
WLTP - MPG - Comb	28.5
WLTP - MPG - Comb - TEH	24.8
WLTP - MPG - Comb - TEL	28.5
WLTP - MPG - Extra High	24.6
WLTP - MPG - High	33.2
WLTP - MPG - High - TEH	23.5
WLTP - MPG - High - TEL	33.2
WLTP - MPG - Low	26.4
WLTP - MPG - Low - TEH	26.4
WLTP - MPG - Low - TEL	32.1
WLTP - MPG - Medium	32.1

General

Alternative Fuel Qualifying	No
Did at least one aspect of this vehicles safety give	No
Badge Engineer?	2.0
Badge Power	130
Based On ID	Not Available
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	EGR
Front Brakes	DISCS
Front Suspension	MACPHERSON STRUTS
Generation Mark	4
Ghost model for valuation purposes	No
Hand Brake	REAR WHEELS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	Gold
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	60
Rear Brakes	DISCS
Rear Suspension	LEAF SPRINGS
Relative Height	H2
Relative Length	L3
Running Cost League Headings	LARGE
Service Interval Frequency - Months	24

Service Interval Mileage	25000
Special Edition	No
Special Order	No
Steering	RACK AND PINION
Timing Belt Interval Frequency - Months	120
Timing Belt Interval Mileage	150000
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

0 to 62	Not Available
BHP	130
Engine Power KW	96
Engine Torque LBS.FT	266
Engine Torque MKG	36.7
Engine Torque NM	360
Top Speed	Not Available

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	No
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	235/65 R16
Tyre Size Rear	235/65 R16
Tyre Size Spare	TYRE REPAIR KIT
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Front Overhang	1023
Height	2533
Height (including roof rails)	2533
Length	5981
Load Deck Height	695
Load Height	1786
Load Length	3494
Load Space Width Between Wheel Arches	1392
Load Width	1784
Rear Door Height	1648
Rear Overhang	1208
Side Load Door Height	1600
Side Load Door Width	1300
Turning Circle - Kerb to Kerb	13.3
Upper Rear Door Width	1565
Wheelbase	3750
Width (excluding mirrors)	2059
Width (including mirrors)	2474

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	70
Gross Train Weight	6000
Gross Vehicle Weight	3500
Load Space Volume	11

Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Towing Weight - Braked	2800
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	2287
No. of Seats	3
Payload	1213
Plated 2nd Axle	2250
Plated Front Axle	1850

Standard equipment – Driver Convenience

- Curvature Control
- Emergency brake warning
- PAS
- Selectable drive mode
- Trip computer
- Vehicle maintenance monitor
- Warning lights

Standard equipment – Entertainment

- Audio controls mounted on steering wheel

Standard equipment – Exterior Features

- High mounted stop lamp
- Kerbside side load doors
- Medium roof line
- Power windows
- Rear bumper with integral step
- Wide bodyside mouldings

Standard equipment – Interior Features

- Dual passenger seat tray and table
- Glovebox with A4 file storage
- Radio with remote stalks
- Reach and rake adjustable steering column
- Storage box under dual passenger seat

Standard equipment – Passive Safety

- Seatbelt reminder on front seats and fixed rear seats

Standard equipment – Technical

- 2 x 12V power outlets
- ABS + ESP + Hill start assist
- Electronic dynamic cornering control
- Heavy duty front axle
- Side wind mitigation

Standard equipment – Wheels

- 16" steel wheels
- Single rear wheels