

Iveco Daily 35C14 Diesel 2.3 Tipper 3450 WB

Iveco Iveco Daily · Daily 35C14 Diesel

From £420 per month ex VAT

BCH · 60 months · 12 months initial rental (£5043) · 5000 miles per year. Prices shown are indicative, exclude VAT for business users and are subject to status and a personalised quote.

The Iveco Daily 35C14 Diesel 2.3 Tipper 3450 WB is a diesel, manual van from Iveco's Daily range. It offers a load length of 4110mm, load width of 2550mm. Available from £420 a month ex VAT on business contract hire (60 months, 12 months initial rental, 5,000 miles a year) with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Engine Size	2.3 litre
Load Length	4110mm
Load Width	2550mm
Load length	4110mm
Load width	2550mm
Engine	2.3 litre
CAP code	IVDA235C44TDTM2 5 L

Emissions - ICE

CO	Not Available
CO2	Not Available
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	EURO 6

Engine and Drive Train

Automatic Transmission	No
Bore	88
Catalytic Convertor	Yes
CC	2287
Compression Ratio	16.0:1
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	4
Engine Codes	F1A
Engine Layout	NORTH SOUTH
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Number of Valves	16
Stroke	94
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
EC Combined	Not Available
EC Extra Urban	Not Available
EC Urban	Not Available

General

Alternative Fuel Qualifying	No
Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Engine cc?	2.3
Badge Power	136
Based On ID	Not Available
Battery AH	105
Battery Volts	12
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER
Front Brakes	VENTILATED DISCS
Front Suspension	LEAF SPRINGS
Generation Mark	3
Ghost model for valuation purposes	No
Hand Brake	REAR WHEELS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Front/Side Impact - Discontinued February 09	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	5 Star
NCAP Pedestrian - Discontinued February 09	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	VENTILATED DISCS
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L2
Running Cost League Headings	LARGE
Service Interval Frequency - Months	24
Service Interval Mileage	30000
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	Unlimited
Standard manufacturers warranty - Years	2
Steering	PAS RACK AND PINION
This vehicle is classed as a car for VED purposes	No
Timing Belt Interval Frequency - Months	60
Timing Belt Interval Mileage	155350
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

0 to 62	Not Available
BHP	136
Engine Power KW	100
Engine Power RPM	3600
Engine Torque LBS.FT	273
Engine Torque MKG	37.7
Engine Torque NM	370
Engine Torque RPM	1600
Top Speed	80

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	No
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	225/75 R16
Tyre Size Rear	225/75 R16
Tyre Size Spare	TYRE REPAIR KIT
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Height	2206
Height (including roof rails)	Not Available
Length	5989
Load Deck Height	Not Available
Load Height	Not Available
Load Length	4110
Load Space Width Between Wheel Arches	Not Available
Load Width	2550
Lower Rear Door Width	Not Available
Rear Door Height	Not Available
Rear Overhang	1491
Side Load Door Height	Not Available
Side Load Door Width	Not Available
Turning Circle - Kerb to Kerb	12.8
Upper Rear Door Width	Not Available
Wheelbase	3450
Width (excluding mirrors)	2052
Width (including mirrors)	Not Available

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	63
Gross Vehicle Weight	3500
Load Space Volume	Not Available
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	Not Available
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750
No. of Seats	3
Payload	900

Standard equipment – Driver Convenience

- 10" Cluster with 3 graphic layouts, ADAS visualization, rear view camera view
- 12V - 13 pin provision
- 360 degree moulded plastic protection
- Acoustic comfort kit
- Advanced driver distraction warning camera
- Connectivity box 4G
- Data set standard

- Electric power steering with city function button for adjustable steering effort
- Emergency lane keeping assist
- Intelligent speed assist and traffic sign recognition
- Radar integration
- Trip computer
- Without E-call

Standard equipment – Entertainment

- Aux input socket
- Mp3 player with tweeter

Standard equipment – Exterior Features

- 3 Piece bumper
- Cab guard
- Cab rear window
- Central exhaust pipe
- Delete rear marker lights
- Fuel filler pipe roof cover
- No electric taillift provisions
- Radiator in aluminium
- Removable rear ladder rack
- Side underun protection
- Split/wide angle rear view mirror
- Standard chassis
- Trailer sway control
- Width admitted 2000

Standard equipment – Interior Features

- 2 spotlights
- 4 loud speakers
- Arm rests on the doors
- Ergonomic storage with upto 18 storage compartments
- Full steel bulkhead
- Interior lights
- Rake, height and reach adjustable drivers seat
- Redesigned dash with open storages on the top of the dashboard with anti-glare
- Shelves at floor level below seats
- Standard temperature climate
- Storage compartments with bottle holder

Standard equipment – Passive Safety

- Delete provision fire extinguisher
- Without emergency switch
- Without retarder

Standard equipment – Technical

- 6 speed gearbox with gearshift indicator
- ABS
- Central parking brake
- Charged battery
- EBD
- Front crash box and chassis reinforcement
- Hill holder system
- Increased oil sump
- PTO Preparation
- PTO Provision
- Roll movement intervention
- Without cross axle differential lock

Standard equipment – Wheels

- 16" steel wheels