

Citroën Relay 35 L3 Diesel 2.0 BlueHDi Car Transporter 130ps

Citroën Citroën Relay · Relay 35 L3 Diesel

The Citroën Relay 35 L3 Diesel 2.0 BlueHDi Car Transporter 130ps is a diesel, manual large from Citroën's Relay range. It offers a load length of 3674mm, load width of 2026mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Bodytype	Large
Engine Size	2.0 litre
Load Length	3674mm
Load Width	2026mm
Load length	3674mm
Load width	2026mm
Engine	2.0 litre

Emissions - ICE

CO	Not Available
CO2	173
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	EURO 6

Engine and Drive Train

Automatic Transmission	No
Bore	85
Catalytic Convertor	Yes
CC	1997
Compression Ratio	Not Available
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	4
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Number of Valves	16
Stroke	88
Valve gear	DOHC

Fuel Consumption - ICE

EC	Not Available
EC Combined	42.8
EC Extra Urban	44.8
EC Urban	39.8

General

Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Engine cc	2.0
Badge Power	130
Based On ID	Not Available
Battery Volts	12
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER
Front Brakes	VENTILATED DISCS
Front Suspension	MACPHERSON STRUTS
Generation Mark	2
Ghost model for valuation purposes	No
Hand Brake	REAR DRUMS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
Manufacturers Corrosion Perforation Guarantee - Years	6
Manufacturers Paintwork Guarantee - Years	1
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	DISCS
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L3
Running Cost League Headings	LARGE
Service Interval Frequency - Months	24
Service Interval Mileage	30000
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	Unlimited
Standard manufacturers warranty - Years	2
Steering	PAS RACK AND PINION
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

0 to 62	Not Available
BHP	130
Engine Power KW	96
Engine Power RPM	3750
Engine Torque LBS.FT	236
Engine Torque MKG	33
Engine Torque NM	350
Engine Torque RPM	1750
Top Speed	96

Tyres

Alloys?	No
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No

Tyre Make	Not Available
Tyre Size Front	215/70 R15
Tyre Size Rear	215/70 R15
Tyre Size Spare	FULL SIZE
Wheel Style	Not Available
Wheel Type	15" STEEL

Vehicle Dimensions

Front Overhang	948
Height	2254
Height (including roof rails)	Not Available
Length	6230
Load Deck Height	Not Available
Load Height	Not Available
Load Length	3674
Load Space Width Between Wheel Arches	Not Available
Load Width	2026
Lower Rear Door Width	Not Available
Rear Door Height	Not Available
Rear Overhang	960
Side Load Door Height	Not Available
Side Load Door Width	Not Available
Turning Circle - Kerb to Kerb	14.24
Turning Circle - Wall to Wall	Not Available
Upper Rear Door Width	Not Available
Wheelbase	4035
Width (excluding mirrors)	2050
Width (including mirrors)	2508

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	90
Gross Train Weight	6000
Gross Vehicle Weight	3500
Load Space Volume	Not Available
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	Not Available
Max. Towing Weight - Braked	2500
Minimum Kerbweight	1959
No. of Seats	3
Payload	1541
Plated 2nd Axle	2000
Plated Front Axle	1850

Standard equipment – Driver Convenience

- Bluetooth with USB box
- Handbrake on warning light
- Locking fuel cap
- Low fuel warning light
- Programmable overspeed warning
- Rev counter
- Seatbelt warning indicator
- Variable PAS

Standard equipment – Entertainment

- Radio/CD and mp3 player
- Steering wheel controls for remote audio

Standard equipment – Exterior Features

- Dipping rear view mirror
- Electric front windows
- Electrically adjustable + heated door mirrors
- Indicators in front door mirrors
- Internally adjustable headlights
- Side window demisters
- Tinted windows

Standard equipment – Interior Features

- Anti-submarining seats
- Auto illumination of cab light via ceiling mount button
- Collapsible document clipboard
- Courtesy light
- Cup holder
- Darko cloth upholstery
- Driver and passenger sun visors
- Driver seat height adjuster
- Dual passenger seat
- Front door bins
- Height adjustable front headrests
- Height adjustable steering wheel
- Lockable central glovebox - can accommodate laptop
- Overhead storage compartment
- Passenger grab handle
- Passengers underseat storage tray
- Portable storage container on central dashboard console
- Storage bin in top of dashboard

Standard equipment – Passive Safety

- 3 point inertia reel seatbelts with pretensioners
- Brake pad wear indicator
- Driver's airbag

Standard equipment – Security

- Auto door locking
- Central locking with remote control
- Deadlocks
- Immobiliser

Standard equipment – Technical

- 12V socket on central dashboard console
- ABS
- Convertor socket
- EBA
- ESP
- Heavy duty reinforced twin leaf rear suspension

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/citroen/relay/relay-35-l3-diesel/20-bluehdi-car-transporter-130ps-2017>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.