

Mercedes-Benz Sprinter 519CDI L3 Diesel AWD 5.5t H2 Pro Crew Van 9G-Tronic

Mercedes-Benz Mercedes-Benz Sprinter · Sprinter 519CDI L2 Diesel AWD

The Mercedes-Benz Sprinter 519CDI L3 Diesel AWD 5.5t H2 Pro Crew Van 9G-Tronic is a diesel, automatic van from Mercedes-Benz's Sprinter range. It offers load width of 1787mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Automatic
Fuel Type	Diesel
Engine Size	2.0 litre
Load Width	1787mm
Load width	1787mm
Engine	2.0 litre

Emissions - ICE

CO	Not Available
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	EURO 6

Engine and Drive Train

Automatic Transmission	Yes
Catalytic Convertor	Yes
CC	1950
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	4
Engine Codes	Not Available
Engine Layout	NORTH SOUTH
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	9 SPEED
Manual Transmission	No
Number of Valves	16
Valve gear	DOHC

General

Alternative Fuel Qualifying	No
Alternator Amps	180
Did at least one aspect of this vehicles safety give	No
Badge Engine cc?	2.0
Badge Power	190
Based On ID	Not Available
Battery AH	92
Battery Volts	12
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available

Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER
Front Brakes	VENTILATED DISCS
Front Suspension	LEAF SPRINGS
Generation Mark	3
Ghost model for valuation purposes	No
Hand Brake	REAR WHEELS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	5 Star
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	DISCS
Rear Suspension	PARABOLIC SPRINGS
Relative Height	H2
Relative Length	L3
Running Cost League Headings	LARGE
Special Edition	No
Special Order	No
Steering	PAS RACK AND PINION
This vehicle is classed as a car for VED purposes	No
Vehicle Homologation Class	N2
Vin/Frame No.	No

Performance

BHP	190
Engine Power KW	140
Engine Power RPM	3800
Engine Torque LBS.FT	332
Engine Torque MKG	45.9
Engine Torque NM	450
Engine Torque RPM	1400

Test Cycles

Emissions Test Cycle	WLTP
----------------------	------

Tyres

Alloys?	No
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	205/75 R16
Tyre Size Rear	205/75 R16
Tyre Size Spare	FULL SIZE
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Front Overhang	1021
Height	2782
Height (including roof rails)	Not Available
Length	6967
Load Deck Height	783
Load Space Width Between Wheel Arches	978

Load Width	1787
Lower Rear Door Width	1350
Rear Door Height	1846
Rear Overhang	1621
Side Load Door Height	1818
Side Load Door Width	1260
Turning Circle - Kerb to Kerb	16.1
Upper Rear Door Width	1555
Wheelbase	4325
Width (excluding mirrors)	2020
Width (including mirrors)	2345

Weight and Capacities

Fuel Tank Capacity (Litres)	93
Gross Train Weight	7000
Gross Vehicle Weight	5500
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
No. of Seats	6
Payload	2645

Standard equipment – Driver Convenience

- 4th generation SCR emission control system
- Blind spot assist
- Change year G4-I
- Controls for tachograph at front under roof liner
- Cruise control
- Digital owner's manual
- Electrical components for trailer socket
- Engine oil level display at cold start
- Front tachograph control under roof liner
- Instrument cluster with colour display
- Intelligent Speed Assist
- Moving off information system
- National version for EU - EFTA - UK
- Off road operation
- Outside temperature gauge
- PAS
- Sideguard assist
- Tyre pressure monitoring front/rear, wireless
- VIN encoded vehicle data with check digit

Standard equipment – Entertainment

- MBUX multimedia system

Standard equipment – Exterior Features

- Adaptive brake lights
- Bodyshell, additional measures 2
- Delete parking lamp
- Directional indicators on front wings
- Electric folding door mirrors with electrically heated and adjustable door mirrors
- Electric front windows
- Entrance handle on left rear corner pillar
- Exterior mirrors no indicators
- Headlight assistant
- Lights for left hand traffic
- Longitudinal member reinforcement
- Noise reduction
- Partial LED tail lights
- Rain sensor
- Rear step
- Rear towing eye

- Side marker lights
- Third rear brake light

Standard equipment – Interior Features

- Cable duct on rear portal
- Cable duct on side wall
- Coat hook
- Full length partition
- Grab handle at load compartment sliding door partition
- Height and reach adjustable steering wheel
- Interior lights - load/passenger compartment with door cont
- Multi function steering wheel
- Qualification N2
- Tempmatic semi-automatic controlled air conditioning

Standard equipment – Packs

- Acoustic package - Sprinter
- Sprinter crew van pack - Sprinter

Standard equipment – Passive Safety

- Attention assist
- Breakdown management
- Crosswind assist
- Driver's airbag
- Mercedes-Benz emergency call system
- Passenger airbag

Standard equipment – Security

- Double locking
- Emergency glass breaking system
- Integration of alcolock interface in electronic ignition key lock
- VIN visible from outside

Standard equipment – Technical

- 4x4 all wheel drive with torque on demand
- 9G-Tronic automatic gearbox
- ABS
- ASR traction control
- Axle ratio i - 4727
- EBD
- ECO Duplicate Code 1
- Emissions standard E (Heavy duty commercial vehicles)
- Fuel tank (93 litres)
- Heavy duty - Euro 6
- Hill start assist
- HOLD function
- Reference mass of at least 2611kg required
- Starting aid contact
- Vehicle HVO-capable

Standard equipment – Wheels

- 205/75 R16 tyres
- Continental Tyres
- Make of tyres as optional extra
- Spare wheel bracket below frame end
- Wheel chocks