

Ford Transit 350 L2 Diesel AWD 2.0 EcoBlue 170ps H2 Trail Van

Ford Ford Transit · Transit 350 L2 Diesel AWD

The Ford Transit 350 L2 Diesel AWD 2.0 EcoBlue 170ps H2 Trail Van is a diesel, manual large from Ford's Transit range. It offers a load length of 3044mm, load width of 1784mm, load height of 1786mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Bodytype	Large
Engine Size	2.0 litre
Load Height	1786mm
Load Length	3044mm
Load Width	1784mm
Load length	3044mm
Load width	1784mm
Load height	1786mm
Engine	2.0 litre

Emissions - ICE

CO	Not Available
CO2	250
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb	257
WLTP - CO2 (g/km) - Comb - TEH	299
WLTP - CO2 (g/km) - Comb - TEL	257
WLTP - CO2 (g/km) - Extra High	297
WLTP - CO2 (g/km) - High	221
WLTP - CO2 (g/km) - Low	280
WLTP - CO2 (g/km) - Medium	229

Engine and Drive Train

Automatic Transmission	No
Catalytic Convertor	Yes
CC	1996
Cooling System	WATER
Cylinder Layout	IN-LINE
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
EC Combined	9.5
EC Extra Urban	8.4

EC Urban	11.4
WLTP - FC (l/100km) - Comb	9.8
WLTP - FC (l/100km) - Comb - TEH	11.4
WLTP - FC (l/100km) - Comb - TEL	9.8
WLTP - FC (l/100km) - Extra High	11.3
WLTP - FC (l/100km) - High	8.4
WLTP - FC (l/100km) - High - TEH	12
WLTP - FC (l/100km) - High - TEL	8.4
WLTP - FC (l/100km) - Low	10.7
WLTP - FC (l/100km) - Low - TEH	10.7
WLTP - FC (l/100km) - Low - TEL	8.8
WLTP - FC (l/100km) - Medium	8.7
WLTP - MPG - Comb	28.8
WLTP - MPG - Comb - TEH	24.8
WLTP - MPG - Comb - TEL	28.8
WLTP - MPG - Extra High	25
WLTP - MPG - High	33.6
WLTP - MPG - High - TEH	23.5
WLTP - MPG - High - TEL	33.6
WLTP - MPG - Low	26.4
WLTP - MPG - Low - TEH	26.4
WLTP - MPG - Low - TEL	32.1
WLTP - MPG - Medium	32.5

General

Alternative Fuel Qualifying	No
Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Engine cc?	2.0
Badge Power	170
Based On ID	Not Available
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	EGR
Front Brakes	DISCS
Front Suspension	MACPHERSON STRUTS
Generation Mark	4
Ghost model for valuation purposes	No
Hand Brake	REAR WHEELS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	Gold
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	60
Rear Brakes	DISCS
Rear Suspension	LEAF SPRINGS
Relative Height	H2
Relative Length	L2
Running Cost League Headings	LARGE
Service Interval Frequency - Months	24
Service Interval Mileage	25000
Special Edition	No
Special Order	No
Steering	RACK AND PINION

Timing Belt Interval Frequency - Months	120
Timing Belt Interval Mileage	150000
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

0 to 62	Not Available
BHP	170
Engine Power KW	125
Engine Torque LBS.FT	288
Engine Torque MKG	39.8
Engine Torque NM	390
Top Speed	Not Available

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	Yes
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	235/65 R16
Tyre Size Rear	235/65 R16
Tyre Size Spare	TYRE REPAIR KIT
Wheel Style	10 SPOKE
Wheel Type	16" ALLOY

Vehicle Dimensions

Front Overhang	1023
Height	2534
Height (including roof rails)	Not Available
Length	5531
Load Deck Height	706
Load Height	1786
Load Length	3044
Load Space Width Between Wheel Arches	1392
Load Width	1784
Rear Door Height	1648
Rear Overhang	1208
Side Load Door Height	1600
Side Load Door Width	1300
Turning Circle - Kerb to Kerb	11.9
Upper Rear Door Width	1565
Wheelbase	3300
Width (excluding mirrors)	2059
Width (including mirrors)	2474

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	70
Gross Train Weight	6000
Gross Vehicle Weight	3500
Load Space Volume	9.5
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available

Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Towing Weight - Braked	2800
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	2241
No. of Seats	3
Payload	1259
Plated 2nd Axle	2150
Plated Front Axle	1850

Standard equipment – Driver Convenience

- Curvature Control
- Emergency brake warning
- PAS
- Selectable drive mode
- Speed limiter, leather steering wheel and trip computer
- Vehicle maintenance monitor
- Warning lights

Standard equipment – Entertainment

- Audio controls mounted on steering wheel

Standard equipment – Exterior Features

- 180 degree opening rear doors
- Contrast cladding
- FORD grille
- Heated windscreen
- High mounted stop lamp
- Kerbside side load doors
- Medium roof line
- Power windows
- Rear bumper with integral step
- Rear mudflaps
- Rear splash guards
- Trail badging
- Wide bodyside mouldings

Standard equipment – Interior Features

- Glovebox with A4 file storage
- Lockable glove box
- Radio with remote stalks
- Reach and rake adjustable steering column
- Storage box under dual passenger seat

Standard equipment – Passive Safety

- Seatbelt reminder on front seats and fixed rear seats

Standard equipment – Security

- 2nd remote key

Standard equipment – Technical

- 2 x 12V power outlets
- ABS + ESP + Hill start assist
- Electronic dynamic cornering control
- Extra heavy duty alternator
- Heavy duty front axle
- Side wind mitigation

Standard equipment – Wheels

- 16" 10 spoke black alloy wheels
- Ful wheel covers
- Single rear wheels