

Citroën Berlingo XS Diesel 1000 1.5 BlueHDi 100 Van Enterprise

Citroën Citroën Dispatch · Berlingo XS Diesel

The Citroën Berlingo XS Diesel 1000 1.5 BlueHDi 100 Van Enterprise is a diesel, manual medium from Citroën's Dispatch range. It offers a load length of 2162mm, load width of 1628mm, load height of 1397mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Bodytype	Medium
Engine Size	1.5 litre
Load Height	1397mm
Load Length	2162mm
Load Width	1628mm
Load length	2162mm
Load width	1628mm
Load height	1397mm
Engine	1.5 litre

Emissions - ICE

CO	0.104
CO2	130
HC	Not Available
HC+NOx	0.072
Noise Level dB(A)	68
NOx	0.069
Particles	0.0011
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb	177
WLTP - CO2 (g/km) - Comb - TEH	192
WLTP - CO2 (g/km) - Comb - TEL	177
WLTP - CO2 (g/km) - Extra High - TEH	218
WLTP - CO2 (g/km) - Extra High - TEL	193
WLTP - CO2 (g/km) - High - TEH	168
WLTP - CO2 (g/km) - High - TEL	145
WLTP - CO2 (g/km) - Low - TEH	191
WLTP - CO2 (g/km) - Low - TEL	175
WLTP - CO2 (g/km) - Medium - TEH	184
WLTP - CO2 (g/km) - Medium - TEL	153

Engine and Drive Train

Automatic Transmission	No
Bore	75
Catalytic Convertor	Yes
CC	1499
Compression Ratio	Not Available
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	4
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED

Manual Transmission	Yes
Number of Valves	16
Stroke	84.8
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
EC Combined	51.4
EC Extra Urban	54.3
EC Urban	47.1
WLTP - FC (l/100km) - Comb - TEH	7.3
WLTP - FC (l/100km) - Comb - TEL	6.4
WLTP - FC (l/100km) - Extra High - TEH	8.3
WLTP - FC (l/100km) - Extra High - TEL	7.4
WLTP - FC (l/100km) - High - TEH	6.4
WLTP - FC (l/100km) - High - TEL	5.5
WLTP - FC (l/100km) - Low - TEH	7.3
WLTP - FC (l/100km) - Low - TEL	6.7
WLTP - FC (l/100km) - Medium - TEH	7
WLTP - FC (l/100km) - Medium - TEL	5.8
WLTP - MPG - Comb - TEH	38.6
WLTP - MPG - Comb - TEL	44.2
WLTP - MPG - Extra High - TEH	34
WLTP - MPG - Extra High - TEL	38.3
WLTP - MPG - High - TEH	44.2
WLTP - MPG - High - TEL	51.2
WLTP - MPG - Low - TEH	38.9
WLTP - MPG - Low - TEL	42.4
WLTP - MPG - Medium - TEH	40.2
WLTP - MPG - Medium - TEL	48.3

General

Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Engine CC	1.5
Badge Power	100
Based On ID	Not Available
Battery Volts	12
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER AND EGR
Front Brakes	VENTILATED DISCS
Front Suspension	MACPHERSON STRUTS
Generation Mark	3
Ghost model for valuation purposes	No
Hand Brake	REAR WHEELS
Manufacturers Corrosion Perforation Guarantee - Years	6
Manufacturers Paintwork Guarantee - Years	1
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Front/Side Impact - Discontinued February 09	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Pedestrian - Discontinued February 09	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	DISCS
Rear Suspension	COIL SPRINGS

Relative Height	H1
Relative Length	L1
Running Cost League Headings	MEDIUM
Service Interval Frequency - Months	12
Service Interval Mileage	25000
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	Unlimited
Standard manufacturers warranty - Years	2
Steering	PAS
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

0 to 62 mph (secs)	15.5
BHP	100
Engine Power KW	74
Engine Power RPM	3500
Engine Torque LBS.FT	199
Engine Torque MKG	27.5
Engine Torque NM	270
Engine Torque RPM	1600
Top Speed	90

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	No
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Spare	FULL SIZE
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Front Overhang	881
Height	1910
Height (including roof rails)	Not Available
Length	4609
Load Deck Height	545
Load Height	1397
Load Length	2162
Load Space Width Between Wheel Arches	1258
Load Width	1628
Lower Rear Door Width	1282
Rear Door Height	1220
Rear Overhang	803
Side Load Door Height	1238
Side Load Door Width	745
Turning Circle - Kerb to Kerb	11.3
Turning Circle - Wall to Wall	11.8
Upper Rear Door Width	1282
Wheelbase	2925
Width (excluding mirrors)	1920
Width (including mirrors)	2204

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	70
Gross Train Weight	4230
Gross Vehicle Weight	2620
Load Space Volume	4.6
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	140
Max. Towing Weight - Braked	1800
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	1660
No. of Seats	3
Payload	960
Plated 2nd Axle	1500
Plated Front Axle	1500

Standard equipment – Driver Convenience

- Battery charge warning
- Citroen connect box with emergency and assistance system
- Clock
- Lights on warning buzzer
- Multi-function on-board trip computer
- Oil level warning light
- Outside temperature gauge
- PAS
- Rev counter with maintenance and gear efficiency indicators (GEI)
- Service indicator
- Side indicator warning
- Speedometer with digital odometer and digital trip recorder

Standard equipment – Exterior Features

- 2 speed intermittent front wipers
- Black door mirrors
- Electric front windows with one touch & anti pinch function
- Front windows tinted to 30 percentage opacity
- High level third brake light
- Laminated acoustic windscreen
- Reversing lights
- Towbar preparation
- Visible VIN at windscreen base

Standard equipment – Interior Features

- 12V socket in cabin
- 6x Load tie-down hooks in load area
- Closed upper and open lower gloveboxes
- Cup holders for driver and passenger in top of dashboard
- Dashboard storage areas
- Driver and passenger sun visors
- Driver's seat with lumbar adjustment and armrest
- Drivers seat with height, reach and rake adjustment
- Front door pockets with 1.5L bottle holder
- Hard plastic floor protection in cabin
- Heater with 4 dashboard air vents
- Height adjustable head restraints for driver and front passengers seats
- Height and reach adjustable steering wheel
- Large courtesy lights
- Load compartment interior light
- Mica cloth/Vinyl upholstery
- Moduwork - Dual passenger seat, foldup outer seat, folding table in central with lumbar adj & armrest
- Storage under squab of central passenger seat

- Under dash storage areas

Standard equipment – Packs

- Visibility Pack with automatic lights - Dispatch

Standard equipment – Passive Safety

- Automatic fuel cut off & door unlocking
- Door opening warning and audible lights on warning
- Driver and front passenger's airbags with passenger's airbag deactivate switch
- Height-adjustable 3-point pre-tensioner seat belts with force limiter
- Unfastened seat belt warning for driver and passengers

Standard equipment – Security

- Dashboard mounted central locking push button and auto locking above 7mph
- Perimeter and volumetric thatcham category 1 approved alarm
- Remote central locking with deadlocking, selective cab and load area locking
- Rolling code transponder immobiliser

Standard equipment – Technical

- 12V socket in cargo area
- Electronic Stability Control and ABS with hill start assist, EBA and EBFD

Standard equipment – Wheels

- Full size spare wheel

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/citroen/dispatch/dispatch-xs-diesel/1000-15-bluehdi-100-van-enterprise-202125>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.