

Vauxhall Vivaro L2 Diesel 3100 2.0d 145PS Prime H1 D/Cab

Vauxhall Vauxhall Vivaro · Vivaro L2 Diesel

The Vauxhall Vivaro L2 Diesel 3100 2.0d 145PS Prime H1 D/Cab is a diesel, manual crew from Vauxhall's Vivaro range. It offers a load length of 2365mm, load width of 1636mm, load height of 1397mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Bodytype	Crew
Engine Size	2.0 litre
Load Height	1397mm
Load Length	2365mm
Load Width	1636mm
Load length	2365mm
Load width	1636mm
Load height	1397mm
Engine	2.0 litre
CAP code	VAVI2021P4ZDTM2 3 L

Emissions - ICE

HC	Not Available
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb	197
WLTP - CO2 (g/km) - Comb - TEH	221
WLTP - CO2 (g/km) - Comb - TEL	192

Engine and Drive Train

Automatic Transmission	No
Bore	85
Catalytic Convertor	Yes
CC	1997
Cylinder Layout	IN-LINE
Cylinders	4
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	DIRECT INJECTION TURBO INTERCOOLER
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Number of Valves	16
Stroke	88
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
WLTP - FC (l/100km) - Comb	7.5
WLTP - FC (l/100km) - Comb - TEH	8.4
WLTP - FC (l/100km) - Comb - TEL	7.3
WLTP - MPG - Comb	37.6
WLTP - MPG - Comb - TEH	33.6
WLTP - MPG - Comb - TEL	38.7

General

Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Engine cc	2.0
Badge Power	145
Based On ID	Not Available
Battery Volts	12
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER
Front Suspension	MACPHERSON STRUTS
Generation Mark	2
Ghost model for valuation purposes	No
Insurance Group 1	Not Available
Insurance Group 2	Not Available
Manufacturers Corrosion Perforation Guarantee - Years	6
Manufacturers Paintwork Guarantee - Years	6
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	Bronze
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	30
Relative Height	H1
Relative Length	L2
Running Cost League Headings	MEDIUM
Service Interval Frequency - Months	24
Service Interval Mileage	30000
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	100000
Standard manufacturers warranty - Years	3
Steering	PAS RACK AND PINION
Timing Belt Interval Frequency - Months	120
Timing Belt Interval Mileage	100000
Vehicle Homologation Class	N1

Performance

BHP	145
Engine Power KW	107
Engine Power RPM	3750
Engine Torque LBS.FT	251
Engine Torque MKG	34.7
Engine Torque NM	340
Engine Torque RPM	2000
Top Speed	106

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	No
Automatic Clutch	No
Space Saver?	No
Tyre Size Front	215/65 R16
Tyre Size Rear	215/65 R16

Tyre Size Spare
Wheel Style
Wheel Type

TYRE REPAIR KIT
Not Available
16" STEEL

Vehicle Dimensions

Front Overhang	881
Height	1935
Length	5309
Load Deck Height	600
Load Height	1397
Load Length	2365
Load Space Width Between Wheel Arches	1258
Load Width	1636
Lower Rear Door Width	1282
Rear Door Height	1220
Rear Overhang	1153
Side Load Door Height	1241
Side Load Door Width	935
Turning Circle - Kerb to Kerb	12.4
Upper Rear Door Width	1282
Wheelbase	3275
Width (excluding mirrors)	1920
Width (including mirrors)	2204

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	70
Gross Train Weight	5440
Gross Vehicle Weight	2940
Load Space Volume	4
Max. Roof Load	170
Max. Towing Weight - Braked	2500
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	1770
No. of Seats	6
Payload	1170
Plated 2nd Axle	1800
Plated Front Axle	1500

Standard equipment – Driver Convenience

- e-Call and b-Call
- Hydraulic power assisted rack and pinion system
- Multi function trip computer, trip odometer, vehicle range, average speed, economy
- PAS
- Tyre pressure monitor
- Vauxhall connect

Standard equipment – Exterior Features

- Daytime running lights
- Electric front windows with one touch up/down facility
- Flexible roof mounted aerial
- Glazed nearside and offside sliding side access door
- Halogen headlights
- Lights on audible warning, reversing light, hazard warning, rear fog light, hi
- Side protection mouldings

Standard equipment – Interior Features

- Curitiba cloth upholstery
- Driver seat - Height, reach, backrest recline, lumbar adjustment, driver's seat adjustable drivers seat
- Facia storage-upper glovebox, open lower glovebox with 12v socket and aux holders, pocket in gear lever
- Fixed dual front passenger bench seat and backrest with underseat storage
- Fixed floor mounted load restraint lashing eyes x8

- Front door pockets - three separate compartments in each door
- Full height ABS plastic bulkhead with window
- Mistral Black/Grey facia and door trim
- Reach and rake adjustable steering wheel and facia mounted gear lever
- Three individual contoured rear seats with inertia reel-lap and diagonal seatbelts

Standard equipment – Passive Safety

- 3 point seat belts
- Driver and front passenger airbag
- Driver and front passengers side impact, curtain airbags and front passenger airbag
- Height adjustable outer front seatbelts
- Seatbelt remainder for driver and passenger

Standard equipment – Security

- Electronic engine deadlock immobiliser, steering column lock, lockable fuel tank
- Remote control door locking, selective door locking, two keys with integral fobs

Standard equipment – Technical

- 22.5 litres AdBlue tank
- 70L fuel tank
- Electronic brake force distribution
- ESP plus + traction control
- Floor mounted handbrake lever
- Four channel Anti lock braking system
- Front ventilated and rear disc brakes
- Hill start assist
- Six speed manual gearbox

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/vauxhall/vivaro/vivaro-l2-diesel/3100-20d-145ps-prime-h1-d-cab-20235>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.