

Vauxhall Movano 3500 L2 Diesel FWD 2.3 Turbo D 180ps H3 Van Tecshift

Vauxhall Vauxhall Movano · Movano 3500 L2 Diesel FWD

The Vauxhall Movano 3500 L2 Diesel FWD 2.3 Turbo D 180ps H3 Van Tecshift is a diesel, automatic large from Vauxhall's Movano range. It offers a load length of 3083mm, load width of 1765mm, load height of 2144mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Automatic
Fuel Type	Diesel
Bodytype	Large
Engine Size	2.3 litre
Load Height	2144mm
Load Length	3083mm
Load Width	1765mm
Load length	3083mm
Load width	1765mm
Load height	2144mm
Engine	2.3 litre

Emissions - ICE

CO	Not Available
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb - TEH	275
WLTP - CO2 (g/km) - Comb - TEL	259

Engine and Drive Train

Automatic Transmission	Yes
Catalytic Convertor	Yes
CC	2298
Compression Ratio	15.5:1
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	4
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	No
Number of Valves	16
Valve gear	DOHC

Fuel Consumption - ICE

EC	Yes
WLTP - FC (l/100km) - Comb - TEH	10.5
WLTP - FC (l/100km) - Comb - TEL	9.9
WLTP - FC (l/100km) - Extra High - TEH	13.1
WLTP - FC (l/100km) - Extra High - TEL	11.3
WLTP - FC (l/100km) - High - TEH	8.8

WLTP - FC (l/100km) - High - TEL	7.5
WLTP - FC (l/100km) - Low - TEH	10.5
WLTP - FC (l/100km) - Low - TEL	8.4
WLTP - FC (l/100km) - Medium - TEH	8.7
WLTP - FC (l/100km) - Medium - TEL	7.4
WLTP - MPG - Comb - TEH	26.9
WLTP - MPG - Comb - TEL	28.5
WLTP - MPG - Extra High - TEH	21.6
WLTP - MPG - Extra High - TEL	25
WLTP - MPG - High - TEH	32.1
WLTP - MPG - High - TEL	37.7
WLTP - MPG - Low - TEH	26.9
WLTP - MPG - Low - TEL	33.6
WLTP - MPG - Medium - TEH	32.5
WLTP - MPG - Medium - TEL	38.2

General

Alternative Fuel Qualifying	No
Alternator Amps	105
Did at least one aspect of this vehicles safety give	No
Badge Engineer?	2.3
Badge Power	180
Based On ID	Not Available
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER
Front Brakes	DISCS
Front Suspension	COIL SPRINGS
Generation Mark	2
Ghost model for valuation purposes	No
Hand Brake	REAR WHEELS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Front/Side Impact - Discontinued February 09	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Pedestrian - Discontinued February 09	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	DISCS
Rear Suspension	SINGLE LEAF SPRINGS
Relative Height	H3
Relative Length	L2
Running Cost League Headings	LARGE
Service Interval Frequency - Months	24
Service Interval Mileage	25000
Special Edition	No
Special Order	No
Steering	PAS RACK AND PINION
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

BHP	180
Engine Power KW	132
Engine Power RPM	3500
Engine Torque LBS.FT	295
Engine Torque MKG	40.8
Engine Torque NM	400
Engine Torque RPM	1500

Test Cycles

Emissions Test Cycle	WLTP
----------------------	------

Tyres

Alloys?	No
Automatic Clutch	Yes
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	Yes
Tyre Make	Not Available
Tyre Size Front	225/65 R16
Tyre Size Rear	225/65 R16
Tyre Size Spare	SPACE SAVER
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Front Overhang	842
Height	2749
Height (including roof rails)	Not Available
Length	5548
Load Deck Height	562
Load Height	2144
Load Length	3083
Load Space Width Between Wheel Arches	1380
Load Width	1765
Lower Rear Door Width	1577
Rear Door Height	1820
Rear Overhang	1024
Side Load Door Height	1780
Side Load Door Width	1270
Turning Circle - Kerb to Kerb	13.6
Turning Circle - Wall to Wall	14.1
Upper Rear Door Width	1577
Wheelbase	3682
Width (excluding mirrors)	2070
Width (including mirrors)	2470

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	80
Gross Train Weight	6000
Gross Vehicle Weight	3500
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Towing Weight - Braked	2500
Max. Towing Weight - Unbraked	750

Minimum Kerbweight	2069
No. of Seats	3
Payload	1431
Plated 2nd Axle	2100
Plated Front Axle	1850

Standard equipment – Driver Convenience

- Central facia display - audio information, digital clock with automatic RDS traffic information warning function
- Coolant temperature gauge with warning light
- Digital fuel gauge with low fuel warning light
- Door open indicator
- Fuel filter indicator
- Lights on audible warning
- Low AdBlue level indicator
- Low brake fluid indicator
- Low oil level indicator
- Monochrome display in instrument cluster with odometer, service due indicator
- Power steering
- Rev counter
- Seatbelt warning indicator
- Speedometer

Standard equipment – Entertainment

- Steering column mounted audio controls

Standard equipment – Exterior Features

- Automatic lighting control with tunnel detection
- Body side protection mouldings
- Centre rear brake light
- Electric screenwash
- Electrically operated front windows
- Flexible roof mounted aerial
- Foldable electrically adjustable/heated door mirrors, wide angle mirror on offside
- Front bumper with integrated steps
- Hazard warning lights
- Internal lockable rear and sliding side access doors
- Laminated windscreen
- LED Daytime running lights
- Manual dipping interior rear view mirror
- Manual headlamp control leveling system
- Nearside blind spot/junction mirror in front passenger sun visor
- Rain sensitive windscreen wipers
- Rear fog lamps
- Twin reversing lights

Standard equipment – Interior Features

- 12V gearshift console power outlet
- Cab heating system
- Driver sun visor with clip
- Facia mounted gear lever
- Facia storage at driver's coin, ticket, card holder, oddments storage, glovebox
- Fixed floor-mounted load restraint lashing eyes x 8
- Front large door pockets with capacity for a 2 litre drink bottle and oddments
- Front passenger seat access handle
- Height adjustable steering wheel
- Illuminated load area
- Nearside/offside rear door column load restraint lashing eyes
- Overhead storage compartment
- Passenger sunvisor
- Under floor spare wheel storage
- Vinyl floor covering

Standard equipment – Passive Safety

- Driver's airbag
- Height adjustable outer front seatbelts
- Inertia-reel lap and diagonal seatbelts

Standard equipment – Security

- Battery indicator
- Electronic engine deadlock immobiliser, steering column lock and secure fuel filler flap
- Remote control selective door locking with two integrated key and door deadlocks

Standard equipment – Technical

- 105Ah battery and 105A alternator
- 26 litres AdBlue tank
- Brake disc wear sensor
- Electronic brake force distribution (EBD)
- Electronic stability programme plus with traction control and side wind assist
- Emergency brake assist
- Engine start/stop system
- Floor mounted handbrake lever
- Four channel Anti lock braking system
- Front and rear brake disc
- Hill start assist
- MacPherson front suspension with independent double wishbones, coil spring and telescopic dampers
- Tubular axle rear suspension with telescopic dampers, variable rate leaf springs

Standard equipment – Wheels

- 16" steel wheels
- 225/65 R16 Tyres
- Wheel centre covers

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/vauxhall/movano/movano-3500-l2-diesel-fwd/23-turbo-d-180ps-h3-van-tecshift-2021>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.