

Land Rover Defender 110 Diesel 3.0 D250 Hard Top X-Dynamic SE Auto

Land Rover Land Rover Defender · Rover Defender 110 Diesel

From £491 per month ex VAT

BCH · 60 months · 12 months initial rental (£5888) · 5000 miles per year. Prices shown are indicative, exclude VAT for business users and are subject to status and a personalised quote.

The Land Rover Defender 110 Diesel 3.0 D250 Hard Top X-Dynamic SE Auto is a diesel, automatic van from Land Rover's Defender range. It offers a load length of 1472mm, load width of 1423mm, load height of 937mm. Available from £491 a month ex VAT on business contract hire (60 months, 12 months initial rental, 5,000 miles a year) with free UK delivery.

Key specification

Transmission	Automatic
Fuel Type	Diesel
Engine Size	3.0 litre
Load Height	937mm
Load Length	1472mm
Load Width	1423mm
Load length	1472mm
Load width	1423mm
Load height	937mm
Engine	3.0 litre
CAP code	LRDE301DE5ADTA4 2 L

Emissions - ICE

CO	Not Available
CO2	Not Available
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb	227
WLTP - CO2 (g/km) - Comb - TEH	241
WLTP - CO2 (g/km) - Comb - TEL	227

Engine and Drive Train

Automatic Transmission	Yes
Bore	83
Catalytic Convertor	Yes
CC	2997
Compression Ratio	15.5:1
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	6
Engine Layout	NORTH SOUTH
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	8 SPEED
Manual Transmission	No
Number of Valves	24
Stroke	92.3

Valve gear

DOHC

Fuel Consumption - ICE

EC	No
WLTP - FC (l/100km) - Comb	8.6
WLTP - FC (l/100km) - Comb - TEH	9.2
WLTP - FC (l/100km) - Comb - TEL	8.6
WLTP - MPG - Comb	32.7
WLTP - MPG - Comb - TEH	30.7
WLTP - MPG - Comb - TEL	32.7

General

Alternative Fuel Qualifying	No
Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Engine CO ₂	3.0
Badge Power	250
Based On ID	Not Available
Battery AH	90
Battery Volts	12
Chassis Engine Number	Not Available
Clutch	Not Available
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER
Front Brakes	VENTILATED DISCS
Front Suspension	COIL SPRINGS
Generation Mark	2
Ghost model for valuation purposes	No
Hand Brake	REAR WHEELS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
Manufacturers Corrosion Perforation Guarantee - Years	6
Manufacturers Paintwork Guarantee - Years	3
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	VENTILATED DISCS
Rear Suspension	COIL SPRINGS
Relative Height	H1
Relative Length	L2
Running Cost League Headings	MEDIUM
Service Interval Frequency - Months	24
Service Interval Mileage	21000
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	Unlimited
Standard manufacturers warranty - Years	3
Steering	PAS RACK AND PINION
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

0 to 62 mph (secs)	8.4
BHP	249
Engine Power KW	183

Engine Power RPM	4000
Engine Torque LBS.FT	420
Engine Torque MKG	58.1
Engine Torque NM	570
Engine Torque RPM	1250
Top Speed	117

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	Yes
Automatic Clutch	Yes
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	255/60 R20
Tyre Size Rear	255/60 R20
Tyre Size Spare	FULL SIZE
Wheel Style	STYLE 5094
Wheel Type	20" ALLOY

Vehicle Dimensions

Front Overhang	845
Height	1972
Height (including roof rails)	Not Available
Length	5018
Load Height	937
Load Length	1472
Load Width	1423
Rear Overhang	1151
Side Load Door Height	Not Available
Side Load Door Width	Not Available
Turning Circle - Kerb to Kerb	12.8
Turning Circle - Wall to Wall	13.1
Wheelbase	3022
Width (excluding mirrors)	1996
Width (including mirrors)	2105

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	89
Gross Train Weight	6650
Gross Vehicle Weight	3150
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	300
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	2393
No. of Seats	2
Payload	757
Plated 2nd Axle	1800
Plated Front Axle	1530

Standard equipment – Driver Convenience

- Customer Configurable Autolock
- 11.4" touchscreen
- 360 parking aid
- 3D Surround Camera with 360 View, 180 Rear View, Front Traffic Detection, Forward Vehicle Guidance, Tow Hitch Assist and clear sight Ground View
- Adaptive cruise control
- Blind spot assist
- Brake Hold
- Driver condition monitor
- Electric power assisted steering (EPAS)
- Interactive Driver display
- Lane keep assist
- Low traction launch
- Pivi pro connected
- Rear collision monitor
- Rear traffic monitor
- Traffic sign recognition adaptive speed limiter
- Trip computer
- Tyre pressure monitor

Standard equipment – Entertainment

- Android Auto
- Apple CarPlay
- DAB Radio (Digital Audio Broadcasting)
- Meridian 280W sound audio system with 7 speakers with subwoofer

Standard equipment – Exterior Features

- Alpine lights
- Assisted tailgate
- Auto High Beam Assist
- Automatic headlight levelling
- Automatic headlights and rain sensitive front wipers
- Body coloured bonnet
- Body coloured exterior Utility Panel
- Centre high mounted stop light
- Electric heated/power fold door mirrors with approach lights and auto dimming driver side
- Electric windows with one touch open/close and anti-trap
- Follow me home lighting
- Heated rear window with timer
- Heated windscreen
- LED tail light
- Privacy glass
- Puddle lights
- Rear fog lights
- Rear wash wiper
- Side-hinged tailgate
- Standard roof
- Standard tail door
- Standard tread plates

Standard equipment – Interior Features

- Additional lashing points
- Black exposed rear recovery eyes
- Configurable cabin lighting
- Dual zone climate control
- Durable rubber cabin flooring
- Footwell lights
- Front passenger seat ISOFIX points
- Full height bulkhead behind row 1 seats
- Glovebox storage
- High sided rubber mats
- Loadspace cover
- Loadspace hooks
- Loadspace rubber mat
- Lockable and illuminated underfloor storage compartment (x1 under boot floor and x1 accessible via rear doors)
- Overhead stowage for sunglasses
- Rear centre headrest
- Rear reading light
- Standard interior

- Standard seating configuration
- Sunvisors with illuminated vanity mirrors
- Upgraded loadspace LED lighting

Standard equipment – Packs

- Online pack - Defender with data plan

Standard equipment – Passive Safety

- Brake pad wear indicator
- Electronic traction control
- Emergency braking
- Front airbags, with passenger seat occupant detector
- Power operated child locks
- Remote for (e-Call, Optimised assistance call, InControl app, Climate, beep and flash and door)
- Seat belt reminder

Standard equipment – Security

- Intrusion sensor
- Keyless entry system
- Locking wheel nuts

Standard equipment – Technical

- 8 speed automatic transmission
- ABS and EBA
- All wheel drive
- CBC - (Cornering brake control)
- Dynamic stability control
- Electronic brake force distribution
- Electronic park brake
- Gradient acceleration control
- Hill Descent Control
- Hill start assist
- Particulate filter (DPF)
- Push button start
- Roll stability control
- Trailer stability assist
- Twin speed transfer box (high/low range)

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/land-rover/defender/defender-110-diesel/30-d250-hard-top-x-dynamic-se-auto-20255>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.