

Fiat Ducato 35 Maxi L2 Diesel 2.2 Multijet 140 Tipper

Fiat Fiat Ducato · Ducato 35 Maxi L2 Diesel

The Fiat Ducato 35 Maxi L2 Diesel 2.2 Multijet 140 Tipper is a diesel, manual van from Fiat's Ducato range. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Engine Size	2.2 litre
Engine	2.2 litre

Emissions - ICE

HC	Not Available
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb - TEH	306
WLTP - CO2 (g/km) - Comb - TEL	169

Engine and Drive Train

Automatic Transmission	No
Bore	83.8
Catalytic Convertor	Yes
CC	2184
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	4
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Number of Valves	16
Stroke	99
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
WLTP - FC (l/100km) - Comb - TEH	11.6
WLTP - FC (l/100km) - Comb - TEL	6.4
WLTP - MPG - Comb - TEH	24.3
WLTP - MPG - Comb - TEL	44

General

Alternative Fuel Qualifying	No
Did at least one aspect of this vehicles safety give	No
Badge Engine CO2?	2.2
Badge Power	140
Based On ID	Not Available
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available

Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER
Front Brakes	VENTILATED DISCS
Front Suspension	MCPHERSON STRUTS
Generation Mark	3
Ghost model for valuation purposes	No
Hand Brake	REAR
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	Gold
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	78
Rear Brakes	DISCS
Rear Suspension	TWIN LEAF
Relative Height	H1
Relative Length	L2
Running Cost League Headings	LARGE
Service Interval Frequency - Months	24
Service Interval Mileage	32000
Special Edition	No
Special Order	No
Steering	PAS RACK AND PINION
This vehicle is classed as a car for VED purposes	No
Timing Belt Interval Frequency - Months	72
Timing Belt Interval Mileage	90000
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

BHP	140
Engine Power KW	103
Engine Power RPM	3500
Engine Torque LBS.FT	258
Engine Torque MKG	35.7
Engine Torque NM	350
Engine Torque RPM	1400

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	No
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	215/70 R15
Tyre Size Rear	215/70 R15
Tyre Size Spare	TYRE REPAIR KIT
Wheel Style	Not Available
Wheel Type	15" STEEL

Vehicle Dimensions

Front Overhang	948
Height	2376
Length	5742

Load Height	Not Available
Load Length	Not Available
Load Space Width Between Wheel Arches	Not Available
Load Width	Not Available
Lower Rear Door Width	Not Available
Rear Door Height	Not Available
Rear Overhang	1344
Side Load Door Height	Not Available
Side Load Door Width	Not Available
Wheelbase	3450
Width (excluding mirrors)	2100

Weight and Capacities

Fuel Tank Capacity (Litres)	90
Gross Train Weight	6000
Gross Vehicle Weight	3500
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	120
Max. Towing Weight - Braked	3000
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	2355
No. of Seats	3
Payload	1145
Plated 2nd Axle	2400
Plated Front Axle	2100

Standard equipment – Driver Convenience

- Advanced emergency braking system - Pedestrian and cyclist
- Cruise control and variable speed limiter
- Driver drowsiness detection
- Electric power steering
- Global telematics box module
- Intelligent Speed Assist
- Lane support system
- Service indicator
- TPMS (Tyre pressure monitoring system)
- Traffic sign recognition

Standard equipment – Exterior Features

- Aerodynamic kit - Central spoiler, air guides, active grille shutter
- Electric front windows
- External rear view mirrors for body size kit 2.35m
- Fixed towing hook
- Frame and cross members in powder coated high strength steel
- High anodised aluminium opening 180 degree side panels and tipping pins hooks
- Non-protruding 4-stage telescopic cylinder hydraulic ram, Control unit feature
- Powder coated high strength steel integrated cabin protection with perforated
- Rear plastic mudguards
- Tailboard features dual-mode hinge enabling both tip-through and tip-over with patented locking mechanism
- Tipping angle of 45 degree with lifting time of 30-40 seconds
- Twin lens door mirrors with electrically adjustable and heated upper mirror

Standard equipment – Interior Features

- 12V system compliant to 2006/42/EC and 2009/19/EC with a pressure of 1
- 6 way driver's seat with lumbar adjustment and armrest
- Crepe cloth upholstery
- Fixed full width steel bulkhead
- Powder coated high strength steel load floor with curved protection at the rear

- Six integrated load lashing rings resistant to 800 daN
- Two cup holders and mobile phone storage in centre of lower dashboard

Standard equipment – Passive Safety

-
- Driver's airbag
 - Dual passenger airbag

Standard equipment – Security

-
- Perimetric alarm and deadlocks
 - Remote control central deadlocking with immobiliser

Standard equipment – Technical

-
- 4 sensor ABS + EBD
 - Electrical interface supply socket
 - Electronic Stability Control (ESC)
 - Non standard cables

Standard equipment – Wheels

-
- 15" steel wheels with half wheel cover
 - Fix and go kit

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/fiat/ducato/ducato-35-maxi-l2-diesel/22-multijet-140-tipper-20255>.
Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.