

# Citroën Berlingo XS Diesel 1400 2.0 BlueHDi 120 Van Enterprise

Citroën Citroën Dispatch · Berlingo XS Diesel

The Citroën Berlingo XS Diesel 1400 2.0 BlueHDi 120 Van Enterprise is a diesel, manual medium from Citroën's Dispatch range. It offers a load length of 2162mm, load width of 1628mm, load height of 1397mm. Ask us for a personalised quote with free UK delivery.

## Key specification

|              |           |
|--------------|-----------|
| Transmission | Manual    |
| Fuel Type    | Diesel    |
| Bodytype     | Medium    |
| Engine Size  | 2.0 litre |
| Load Height  | 1397mm    |
| Load Length  | 2162mm    |
| Load Width   | 1628mm    |
| Load length  | 2162mm    |
| Load width   | 1628mm    |
| Load height  | 1397mm    |
| Engine       | 2.0 litre |

## Emissions - ICE

|                                      |               |
|--------------------------------------|---------------|
| CO                                   | 0.149         |
| CO2                                  | 142           |
| HC                                   | Not Available |
| HC+NOx                               | 0.037         |
| Noise Level dB(A)                    | 70            |
| NOx                                  | 0.032         |
| Particles                            | 0.0011        |
| Standard Emissions                   | EURO 6        |
| WLTP - CO2 (g/km) - Comb             | 191           |
| WLTP - CO2 (g/km) - Comb - TEH       | 203           |
| WLTP - CO2 (g/km) - Comb - TEL       | 191           |
| WLTP - CO2 (g/km) - Extra High - TEH | 226           |
| WLTP - CO2 (g/km) - Extra High - TEL | 206           |
| WLTP - CO2 (g/km) - High - TEH       | 180           |
| WLTP - CO2 (g/km) - High - TEL       | 161           |
| WLTP - CO2 (g/km) - Low - TEH        | 211           |
| WLTP - CO2 (g/km) - Low - TEL        | 190           |
| WLTP - CO2 (g/km) - Medium - TEH     | 193           |
| WLTP - CO2 (g/km) - Medium - TEL     | 171           |

## Engine and Drive Train

|                        |                  |
|------------------------|------------------|
| Automatic Transmission | No               |
| Bore                   | 85               |
| Catalytic Convertor    | Yes              |
| CC                     | 1997             |
| Compression Ratio      | Not Available    |
| Cooling System         | WATER            |
| Cylinder Layout        | IN-LINE          |
| Cylinders              | 4                |
| Engine Layout          | FRONT TRANSVERSE |
| Engine Make            | Not Available    |
| Fuel Delivery          | COMMON RAIL      |
| Fuel Type              | DIESEL           |
| Gears                  | 6 SPEED          |

|                     |      |
|---------------------|------|
| Manual Transmission | Yes  |
| Number of Valves    | 16   |
| Stroke              | 88   |
| Valve gear          | DOHC |

## Fuel Consumption - ICE

|                                        |      |
|----------------------------------------|------|
| EC                                     | No   |
| EC Combined                            | 53.5 |
| EC Extra Urban                         | 57.6 |
| EC Urban                               | 47.9 |
| WLTP - FC (l/100km) - Comb - TEH       | 7.7  |
| WLTP - FC (l/100km) - Comb - TEL       | 7    |
| WLTP - FC (l/100km) - Extra High - TEH | 8.6  |
| WLTP - FC (l/100km) - Extra High - TEL | 7.9  |
| WLTP - FC (l/100km) - High - TEH       | 6.9  |
| WLTP - FC (l/100km) - High - TEL       | 6.1  |
| WLTP - FC (l/100km) - Low - TEH        | 8    |
| WLTP - FC (l/100km) - Low - TEL        | 7.3  |
| WLTP - FC (l/100km) - Medium - TEH     | 7.4  |
| WLTP - FC (l/100km) - Medium - TEL     | 6.5  |
| WLTP - MPG - Comb - TEH                | 36.5 |
| WLTP - MPG - Comb - TEL                | 40.5 |
| WLTP - MPG - Extra High - TEH          | 32.7 |
| WLTP - MPG - Extra High - TEL          | 35.9 |
| WLTP - MPG - High - TEH                | 41.2 |
| WLTP - MPG - High - TEL                | 46.1 |
| WLTP - MPG - Low - TEH                 | 35.1 |
| WLTP - MPG - Low - TEL                 | 38.9 |
| WLTP - MPG - Medium - TEH              | 38.4 |
| WLTP - MPG - Medium - TEL              | 43.3 |

## General

|                                                                         |                             |
|-------------------------------------------------------------------------|-----------------------------|
| Did at least one aspect of this vehicles safety give cause for concern? | No                          |
| Badge Engine CC                                                         | 2.0                         |
| Badge Power                                                             | 120                         |
| Based On ID                                                             | Not Available               |
| Battery Volts                                                           | 12                          |
| Chassis Engine Number                                                   | Not Available               |
| Clutch                                                                  | SINGLE DRY PLATE            |
| Coin Description                                                        | Not Available               |
| Coin Gross Vehicle Weight Code                                          | Not Available               |
| Coin Power Output Code                                                  | Not Available               |
| Coin Series                                                             | Not Available               |
| Coin Wheelbase Description Code                                         | Not Available               |
| Coin Wheelbase Name Code                                                | Not Available               |
| Exhaust System                                                          | CATALYTIC CONVERTER AND EGR |
| Front Brakes                                                            | VENTILATED DISCS            |
| Front Suspension                                                        | MACPHERSON STRUTS           |
| Generation Mark                                                         | 3                           |
| Ghost model for valuation purposes                                      | No                          |
| Hand Brake                                                              | REAR WHEELS                 |
| Manufacturers Corrosion Perforation Guarantee - Years                   | 6                           |
| Manufacturers Paintwork Guarantee - Years                               | 1                           |
| NCAP Adult Occupant Protection %                                        | Not Available               |
| NCAP Child Occupant Protection %                                        | Not Available               |
| NCAP Front/Side Impact - Discontinued February 09                       | Not Available               |
| NCAP Overall Rating - Effective February 09                             | Not Available               |
| NCAP Pedestrian - Discontinued February 09                              | Not Available               |
| NCAP Pedestrian Protection %                                            | Not Available               |
| NCAP Safety Assist %                                                    | Not Available               |
| Rear Brakes                                                             | DISCS                       |
| Rear Suspension                                                         | COIL SPRINGS                |

|                                           |               |
|-------------------------------------------|---------------|
| Relative Height                           | H1            |
| Relative Length                           | L1            |
| Running Cost League Headings              | MEDIUM        |
| Service Interval Frequency - Months       | 12            |
| Service Interval Mileage                  | 32000         |
| Special Edition                           | No            |
| Special Order                             | No            |
| Standard manufacturers warranty - Mileage | Unlimited     |
| Standard manufacturers warranty - Years   | 2             |
| Steering                                  | PAS           |
| Vehicle Homologation Class                | N1            |
| Vin/Frame No.                             | Not Available |

## Performance

|                      |      |
|----------------------|------|
| 0 to 62 mph (secs)   | 13.3 |
| BHP                  | 120  |
| Engine Power KW      | 88   |
| Engine Power RPM     | 3750 |
| Engine Torque LBS.FT | 251  |
| Engine Torque MKG    | 34.7 |
| Engine Torque NM     | 340  |
| Engine Torque RPM    | 1750 |
| Top Speed            | 106  |

## Test Cycles

|                         |       |
|-------------------------|-------|
| Emissions Test Cycle    | WLTP  |
| RDE Certification Level | RDE 2 |

## Tyres

|                  |               |
|------------------|---------------|
| Alloys?          | No            |
| Automatic Clutch | No            |
| Plated 3rd Axle  | Not Available |
| Plated 4th Axle  | Not Available |
| Space Saver?     | No            |
| Tyre Make        | Not Available |
| Tyre Size Spare  | FULL SIZE     |
| Wheel Style      | Not Available |
| Wheel Type       | 16" STEEL     |

## Vehicle Dimensions

|                                       |               |
|---------------------------------------|---------------|
| Front Overhang                        | 881           |
| Height                                | 1950          |
| Height (including roof rails)         | Not Available |
| Length                                | 4609          |
| Load Deck Height                      | 545           |
| Load Height                           | 1397          |
| Load Length                           | 2162          |
| Load Space Width Between Wheel Arches | 1258          |
| Load Width                            | 1628          |
| Lower Rear Door Width                 | 1282          |
| Rear Door Height                      | 1220          |
| Rear Overhang                         | 803           |
| Side Load Door Height                 | 1238          |
| Side Load Door Width                  | 745           |
| Turning Circle - Kerb to Kerb         | 11.3          |
| Turning Circle - Wall to Wall         | 11.8          |
| Upper Rear Door Width                 | 1282          |
| Wheelbase                             | 2925          |
| Width (excluding mirrors)             | 1920          |
| Width (including mirrors)             | 2204          |

## Weight and Capacities

---

|                                          |               |
|------------------------------------------|---------------|
| Boot Capacity Saloons                    | Not Available |
| Fuel Tank Capacity (Litres)              | 70            |
| Gross Train Weight                       | 5000          |
| Gross Vehicle Weight                     | 3100          |
| Load Space Volume                        | 4.6           |
| Luggage Capacity (Seats Down)            | Not Available |
| Luggage Capacity (Seats Up)              | Not Available |
| Luggage Capacity - 2nd Row Seats Removed | Not Available |
| Luggage Capacity - 2nd Row Seats Up      | Not Available |
| Luggage Capacity - 3rd Row Seats Down    | Not Available |
| Luggage Capacity - 3rd Row Seats Removed | Not Available |
| Luggage Capacity - 3rd Row Seats Up      | Not Available |
| Max. Roof Load                           | 140           |
| Max. Towing Weight - Braked              | 2500          |
| Max. Towing Weight - Unbraked            | 750           |
| Minimum Kerbweight                       | 1631          |
| No. of Seats                             | 3             |
| Payload                                  | 1469          |
| Plated 2nd Axle                          | 1800          |
| Plated Front Axle                        | 1500          |

## Standard equipment – Driver Convenience

---

- Battery charge warning
- Citroen connect box with emergency and assistance system
- Clock
- Lights on warning buzzer
- Multi-function on-board trip computer
- Oil level warning light
- Outside temperature gauge
- PAS
- Rev counter with maintenance and gear efficiency indicators (GEI)
- Service indicator
- Side indicator warning
- Speedometer with digital odometer and digital trip recorder

## Standard equipment – Exterior Features

---

- 2 speed intermittent front wipers
- Black door mirrors
- Electric front windows with one touch & anti pinch function
- Front windows tinted to 30 percentage opacity
- High level third brake light
- Laminated acoustic windscreen
- Reversing lights
- Towbar preparation
- Visible VIN at windscreen base

## Standard equipment – Interior Features

---

- 12V socket in cabin
- 6x Load tie-down hooks in load area
- Closed upper and open lower gloveboxes
- Cup holders for driver and passenger in top of dashboard
- Dashboard storage areas
- Driver and passenger sun visors
- Driver's seat with lumbar adjustment and armrest
- Drivers seat with height, reach and rake adjustment
- Front door pockets with 1.5L bottle holder
- Hard plastic floor protection in cabin
- Heater with 4 dashboard air vents
- Height adjustable head restraints for driver and front passengers seats
- Height and reach adjustable steering wheel
- Large courtesy lights
- Load compartment interior light
- Mica cloth/Vinyl upholstery
- Moduwork - Dual passenger seat, foldup outer seat, folding table in central with lumbar adj & armrest
- Storage under squab of central passenger seat

- Under dash storage areas

---

### Standard equipment – Packs

---

- Visibility Pack with automatic lights - Dispatch

---

### Standard equipment – Passive Safety

---

- Automatic fuel cut off & door unlocking
- Door opening warning and audible lights on warning
- Driver and front passenger's airbags with passenger's airbag deactivate switch
- Height-adjustable 3-point pre-tensioner seat belts with force limiter
- Unfastened seat belt warning for driver and passengers

---

### Standard equipment – Security

---

- Dashboard mounted central locking push button and auto locking above 7mph
- Perimeter and volumetric thatcham category 1 approved alarm
- Remote central locking with deadlocking, selective cab and load area locking
- Rolling code transponder immobiliser

---

### Standard equipment – Technical

---

- 12V socket in cargo area
- Electronic Stability Control and ABS with hill start assist, EBA and EBFD

---

### Standard equipment – Wheels

---

- Full size spare wheel

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/citroen/dispatch/dispatch-xs-diesel/1400-20-bluehdi-120-van-enterprise-202125>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.