

# Citroën e-Dispatch XL 100kW 50kWh Van Enterprise Auto

Citroën Citroën Dispatch · e-Dispatch XL

## From £346 per month ex VAT

BCH · 60 months · 12 months initial rental (£4153) · 5000 miles per year. Prices shown are indicative, exclude VAT for business users and are subject to status and a personalised quote.

The Citroën e-Dispatch XL 100kW 50kWh Van Enterprise Auto is a electric, automatic van from Citroën's Dispatch range. It offers a load length of 2862mm, load width of 1636mm, load height of 1397mm. Charging: 150kW Charger 20m 100kW Charger 30m 50kW Charger 1hrs 7kW Charger 7hrs 8m. Available from £346 a month ex VAT on business contract hire (60 months, 12 months initial rental, 5,000 miles a year) with free UK delivery.

### Key specification

|              |                                                                                          |
|--------------|------------------------------------------------------------------------------------------|
| Transmission | Automatic                                                                                |
| Fuel Type    | Electric                                                                                 |
| Load Height  | 1397mm                                                                                   |
| Load Length  | 2862mm                                                                                   |
| Load Width   | 1636mm                                                                                   |
| Load length  | 2862mm                                                                                   |
| Load width   | 1636mm                                                                                   |
| Load height  | 1397mm                                                                                   |
| Charging     | Charging Times 150kW Charger 20m 100kW Charger 30m 50kW Charger 1hrs 7kW Charger 7hrs 8m |

### Electric Vehicle Data

|                                                   |                 |
|---------------------------------------------------|-----------------|
| Battery Capacity % guaranteed under warranty      | 70              |
| Battery Capacity in kWh                           | 49              |
| Battery Charging Scenario 1 - Charge Time (Mins)  | 1350            |
| Battery Charging Scenario 1 - Percentage Change   | 0-100           |
| Battery Charging Scenario 1 - Power Supply - kW   | 1.8             |
| Battery Charging Scenario 2 - Charge Time (Mins)  | 403             |
| Battery Charging Scenario 2 - Percentage Change   | 0-100           |
| Battery Charging Scenario 2 - Power Supply - kW   | 7.4             |
| Battery Charging Scenario 3 - Charge Time (Mins)  | 290             |
| Battery Charging Scenario 3 - Percentage Change   | 0-100           |
| Battery Charging Scenario 3 - Power Supply - kW   | 11              |
| Battery Charging Scenario 4 - Charge Time (Mins)  | 38              |
| Battery Charging Scenario 4 - Percentage Change   | 5-80            |
| Battery Charging Scenario 4 - Power Supply - kW   | 100             |
| Battery Leased                                    | No              |
| Battery Type                                      | Lithium-ion     |
| Charging Port Location                            | Left Side Front |
| Coupler/Connector Type                            | CCS Type 2      |
| Maximum Charging Rate - kW                        | 100             |
| Standard manufacturers Battery warranty - Mileage | 100000          |
| Standard manufacturers Battery warranty - Years   | 8               |
| Usable Battery Capacity                           | Not Available   |
| WLTP - EC (kWh/100km) - Comb - TEH                | 26.7            |
| WLTP - EC (kWh/100km) - Comb - TEL                | 22.4            |
| WLTP - EC (miles/kWh) - Comb - TEH                | 2.3             |
| WLTP - EC (miles/kWh) - Comb - TEL                | 2.8             |
| WLTP - Pure Electric Range (km) - City - TEH      | 277             |
| WLTP - Pure Electric Range (km) - City - TEL      | 339             |
| WLTP - Pure Electric Range (km) - Comb            | 224             |
| WLTP - Pure Electric Range (km) - Comb - TEH      | 196             |
| WLTP - Pure Electric Range (km) - Comb - TEL      | 234             |
| WLTP - Pure Electric Range (miles) - City - TEH   | 172             |
| WLTP - Pure Electric Range (miles) - City - TEL   | 211             |

|                                                        |     |
|--------------------------------------------------------|-----|
| <b>WLTP - Pure Electric Range (miles) - Comb</b>       | 139 |
| <b>WLTP - Pure Electric Range (miles) - Comb - TEH</b> | 122 |
| <b>WLTP - Pure Electric Range (miles) - Comb - TEL</b> | 145 |

## Emissions - ICE

|                           |               |
|---------------------------|---------------|
| <b>CO</b>                 | Not Available |
| <b>CO2</b>                | 0             |
| <b>HC</b>                 | Not Available |
| <b>HC+NOx</b>             | Not Available |
| <b>Noise Level dB(A)</b>  | Not Available |
| <b>NOx</b>                | Not Available |
| <b>Particles</b>          | Not Available |
| <b>Standard Emissions</b> | Not Available |

## Engine and Drive Train

|                               |               |
|-------------------------------|---------------|
| <b>Automatic Transmission</b> | Yes           |
| <b>Bore</b>                   | Not Available |
| <b>Catalytic Convertor</b>    | Not Available |
| <b>CC</b>                     | 1             |
| <b>Compression Ratio</b>      | Not Available |
| <b>Cooling System</b>         | Not Available |
| <b>Cylinder Layout</b>        | Not Available |
| <b>Cylinders</b>              | Not Available |
| <b>Engine Codes</b>           | Not Available |
| <b>Engine Layout</b>          | Not Available |
| <b>Engine Make</b>            | Not Available |
| <b>Fuel Delivery</b>          | Not Available |
| <b>Fuel Type</b>              | ELECTRIC      |
| <b>Gears</b>                  | 1 SPEED       |
| <b>Manual Transmission</b>    | No            |
| <b>Number of Valves</b>       | Not Available |
| <b>Stroke</b>                 | Not Available |
| <b>Valve gear</b>             | Not Available |

## Fuel Consumption - ICE

|                       |               |
|-----------------------|---------------|
| <b>EC</b>             | Not Available |
| <b>EC Combined</b>    | Not Available |
| <b>EC Extra Urban</b> | Not Available |
| <b>EC Urban</b>       | Not Available |

## General

|                                                                               |                   |
|-------------------------------------------------------------------------------|-------------------|
| <b>Alternative Fuel Qualifying</b>                                            | Yes               |
| <b>Alternator Amps</b>                                                        | Not Available     |
| <b>Did at least one aspect of this vehicles safety give badge engine eco?</b> | No                |
| <b>Badge Engine CO2</b>                                                       | 0.0               |
| <b>Badge Power</b>                                                            | 136               |
| <b>Based On ID</b>                                                            | Not Available     |
| <b>Battery AH</b>                                                             | Not Available     |
| <b>Battery Volts</b>                                                          | Not Available     |
| <b>Chassis Engine Number</b>                                                  | Not Available     |
| <b>Clutch</b>                                                                 | Not Available     |
| <b>Coin Description</b>                                                       | Not Available     |
| <b>Coin Gross Vehicle Weight Code</b>                                         | Not Available     |
| <b>Coin Power Output Code</b>                                                 | Not Available     |
| <b>Coin Series</b>                                                            | Not Available     |
| <b>Coin Wheelbase Description Code</b>                                        | Not Available     |
| <b>Coin Wheelbase Name Code</b>                                               | Not Available     |
| <b>Exhaust System</b>                                                         | Not Available     |
| <b>Front Brakes</b>                                                           | VENTILATED DISCS  |
| <b>Front Suspension</b>                                                       | MACPHERSON STRUTS |
| <b>Generation Mark</b>                                                        | 3                 |

|                                             |               |
|---------------------------------------------|---------------|
| Ghost model for valuation purposes          | No            |
| Insurance Group 1                           | Not Available |
| Insurance Group 2                           | Not Available |
| NCAP Adult Occupant Protection %            | Not Available |
| NCAP Child Occupant Protection %            | Not Available |
| NCAP Overall Rating - Effective February 09 | Not Available |
| NCAP Overall Rating - LCV                   | Gold          |
| NCAP Pedestrian Protection %                | Not Available |
| NCAP Safety Assist %                        | 67            |
| Relative Height                             | H1            |
| Relative Length                             | L2            |
| Running Cost League Headings                | MEDIUM        |
| Service Interval Frequency - Months         | 24            |
| Service Interval Mileage                    | 25000         |
| Special Edition                             | No            |
| Special Order                               | No            |
| Steering                                    | PAS           |
| Vehicle Homologation Class                  | N1            |
| Vin/Frame No.                               | Not Available |

## Performance

|                      |      |
|----------------------|------|
| 0 to 62 mph (secs)   | 13.2 |
| BHP                  | 136  |
| Engine Power KW      | 100  |
| Engine Power RPM     | 5500 |
| Engine Torque LBS.FT | 192  |
| Engine Torque MKG    | 26.5 |
| Engine Torque NM     | 260  |
| Engine Torque RPM    | 3674 |
| Top Speed            | 81   |

## Test Cycles

|                      |      |
|----------------------|------|
| Emissions Test Cycle | WLTP |
|----------------------|------|

## Tyres

|                  |                 |
|------------------|-----------------|
| Alloys?          | No              |
| Automatic Clutch | Yes             |
| Space Saver?     | No              |
| Tyre Make        | Michelin        |
| Tyre Size Front  | 215/65 R16      |
| Tyre Size Rear   | 215/65 R16      |
| Tyre Size Spare  | TYRE REPAIR KIT |
| Wheel Type       | 16" STEEL       |

## Vehicle Dimensions

|                                       |      |
|---------------------------------------|------|
| Front Overhang                        | 904  |
| Height                                | 1935 |
| Length                                | 5331 |
| Load Deck Height                      | 633  |
| Load Height                           | 1397 |
| Load Length                           | 2862 |
| Load Space Width Between Wheel Arches | 1258 |
| Load Width                            | 1636 |
| Lower Rear Door Width                 | 1282 |
| Rear Door Height                      | 1220 |
| Rear Overhang                         | 1152 |
| Side Load Door Height                 | 1241 |
| Side Load Door Width                  | 935  |
| Turning Circle - Kerb to Kerb         | 12   |
| Wheelbase                             | 3275 |
| Width (excluding mirrors)             | 1920 |

Width (including mirrors)

2204

## Weight and Capacities

|                               |               |
|-------------------------------|---------------|
| Fuel Tank Capacity (Litres)   | Not Available |
| Gross Train Weight            | 4100          |
| Gross Vehicle Weight          | 3100          |
| Load Space Volume             | 6.1           |
| Max. Towing Weight - Braked   | 1000          |
| Max. Towing Weight - Unbraked | 750           |
| Minimum Kerbweight            | 1858          |
| No. of Seats                  | 3             |
| Payload                       | 1242          |
| Plated 2nd Axle               | 1800          |
| Plated Front Axle             | 1500          |

## Standard equipment – Driver Convenience

- 10" digital instrumental cluster
- Citroen connect box with emergency and assistance system
- Driver Attention Alert, level - 3
- E-Remote - Remote check of battery level, programming and charge management
- Electronic power steering (EPS)
- Intelligent speed assistant
- Lane keeping assist
- Multi-function on-board trip computer
- Rear parking distance sensor
- Steering wheel paddles for regenerative braking selection - light, medium and full
- TPMS (Tyre pressure monitoring system)

## Standard equipment – Entertainment

- 10" Colour touchscreen + Citroen connect DAB radio, Apple CarPlay and Android Auto
- bituner, coffee break alert
- Audio controls mounted on steering wheel
- Flexible short antenna (200mm)
- Two speakers and two tweeters

## Standard equipment – Exterior Features

- Automatic headlamps on/off
- Automatic two speed and intermittent front wipers
- Black front and rear bumpers, side rubbing strips and exterior door handles
- Electrically adjustable + heated door mirrors
- Front electric windows with one touch operation and anti-pinch
- Front windows tinted to 30 percentage opacity
- Halogen headlamp with integrated daytime running lights
- High beam assist
- High level third brake light
- Laminated acoustic windscreen
- Offside and nearside sliding side access doors
- Preparation for towbar-wiring and connector for towbar interface
- Rain sensitive windscreen wipers

## Standard equipment – Interior Features

- 12V socket in cabin
- 12V socket in load area (LHS at bottom of D-pillar)
- 12V socket in lower glove box (1 only in cabin)
- Air recirculation facility
- Chilled glovebox facility
- Closed upper and open lower gloveboxes
- Cloth upholstery
- Cup holders for driver and passenger in top of dashboard
- Dashboard storage areas
- Ergonomic 6-way adjustable driver's seat with reach, rake, height and lumbar
- Fixed floor mounted load restraint lashing eyes x8
- Front door pockets with 1.5L bottle holder
- Hard plastic floor protection in cabin
- Height adjustable head restraints for driver and front passengers seats
- Height and reach adjustable steering wheel
- Interior roof trim
- Manual air conditioning

- Overhead console with 1 ceiling lamp (dome type and 3 lamps)
- TPO plastic flooring
- USB socket in cabin (dashboard)

---

### Standard equipment – Passive Safety

- Acoustic vehicle alerting system
- Automatic unlocking system in case of crash
- Door opening warning and audible lights on warning
- Driver and front passenger's airbags with passenger's airbag deactivate switch
- Height-adjustable 3-point pre-tensioner seat belts with force limiter
- Unfastened seat belt warning for driver and passengers

---

### Standard equipment – Security

- Dashboard mounted central locking push button and auto locking above 7mph
- Remote central locking with deadlocking, selective cab and load area locking
- Rolling code transponder immobiliser

---

### Standard equipment – Technical

- ABS
- Advance emergency braking system
- Auto shifting by e-Toggle and shift paddles including in steering wheel
- EBA
- Electronic brake force distribution (EBFD)
- ESC
- Hill start assist

---

### Standard equipment – Trim

- Mistral black dashboard trim with liquid paladium decor strip in mid-section

---

### Standard equipment – Wheels

- Michelin Agilis 3 tyres - 215/65 R16C