

Toyota Proace L1 Electric 100kW Icon 50kWh Van Auto

Toyota Toyota Proace · Proace L1 Electric

The Toyota Proace L1 Electric 100kW Icon 50kWh Van Auto is a electric, automatic van from Toyota's Proace range. It offers a load length of 3674mm, load width of 1636mm, load height of 1397mm. Charging: 150kW Charger 20m 100kW Charger 30m 50kW Charger 1hrs 7kW Charger 7hrs 8m. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Automatic
Fuel Type	Electric
Load Height	1397mm
Load Length	3674mm
Load Width	1636mm
Load length	3674mm
Load width	1636mm
Load height	1397mm
Charging	Charging Times 150kW Charger 20m 100kW Charger 30m 50kW Charger 1hrs 7kW Charger 7hrs 8m

Electric Vehicle Data

Battery Capacity % guaranteed under warranty	70
Battery Capacity in kWh	50
Battery Charging Scenario 1 - Charge Time (Mins)	1305
Battery Charging Scenario 1 - Percentage Change	0-100
Battery Charging Scenario 1 - Power Supply - kW	2.3
Battery Charging Scenario 2 - Charge Time (Mins)	430
Battery Charging Scenario 2 - Percentage Change	0-100
Battery Charging Scenario 2 - Power Supply - kW	7
Battery Charging Scenario 3 - Charge Time (Mins)	270
Battery Charging Scenario 3 - Percentage Change	0-100
Battery Charging Scenario 3 - Power Supply - kW	11
Battery Charging Scenario 4 - Charge Time (Mins)	30
Battery Charging Scenario 4 - Percentage Change	0-80
Battery Charging Scenario 4 - Power Supply - kW	100
Battery Leased	No
Battery Type	Lithium-ion
Charging Port Location	Left Side Front
Coupler/Connector Type	CCS Type 2
Maximum Charging Rate - kW	100
Standard manufacturers Battery warranty - Mileage	100000
Standard manufacturers Battery warranty - Years	8
Usable Battery Capacity	50
WLTP - EC (kWh/100km) - City	17.7
WLTP - EC (kWh/100km) - City - TEH	19.5
WLTP - EC (kWh/100km) - City - TEL	16
WLTP - EC (kWh/100km) - Comb	24.4
WLTP - EC (kWh/100km) - Comb - TEH	26.7
WLTP - EC (kWh/100km) - Comb - TEL	22.4
WLTP - EC (kWh/100km) - Extra High	33.1
WLTP - EC (kWh/100km) - Extra High - TEH	35.9
WLTP - EC (kWh/100km) - Extra High - TEL	30.8
WLTP - EC (kWh/100km) - High	21.1
WLTP - EC (kWh/100km) - High - TEH	23.3
WLTP - EC (kWh/100km) - High - TEL	19.5
WLTP - EC (kWh/100km) - Low	16.9
WLTP - EC (kWh/100km) - Low - TEH	18.7

WLTP - EC (kWh/100km) - Low - TEL	15
WLTP - EC (kWh/100km) - Medium	18.3
WLTP - EC (kWh/100km) - Medium - TEH	20
WLTP - EC (kWh/100km) - Medium - TEL	16.6
WLTP - EC (miles/kWh) - City	3.5
WLTP - EC (miles/kWh) - City - TEH	3.2
WLTP - EC (miles/kWh) - City - TEL	3.9
WLTP - EC (miles/kWh) - Comb	2.5
WLTP - EC (miles/kWh) - Comb - TEH	2.3
WLTP - EC (miles/kWh) - Comb - TEL	2.8
WLTP - EC (miles/kWh) - Extra High	1.9
WLTP - EC (miles/kWh) - Extra High - TEH	1.7
WLTP - EC (miles/kWh) - Extra High - TEL	2
WLTP - EC (miles/kWh) - High	2.9
WLTP - EC (miles/kWh) - High - TEH	2.7
WLTP - EC (miles/kWh) - High - TEL	3.2
WLTP - EC (miles/kWh) - Low	3.7
WLTP - EC (miles/kWh) - Low - TEH	3.3
WLTP - EC (miles/kWh) - Low - TEL	4.1
WLTP - EC (miles/kWh) - Medium	3.4
WLTP - EC (miles/kWh) - Medium - TEH	3.1
WLTP - EC (miles/kWh) - Medium - TEL	3.7
WLTP - Pure Electric Range (km) - City	298
WLTP - Pure Electric Range (km) - City - TEH	268
WLTP - Pure Electric Range (km) - City - TEL	327
WLTP - Pure Electric Range (km) - Comb	216
WLTP - Pure Electric Range (km) - Comb - TEH	196
WLTP - Pure Electric Range (km) - Comb - TEL	234
WLTP - Pure Electric Range (miles) - City	185
WLTP - Pure Electric Range (miles) - City - TEH	167
WLTP - Pure Electric Range (miles) - City - TEL	203
WLTP - Pure Electric Range (miles) - Comb	134
WLTP - Pure Electric Range (miles) - Comb - TEH	122
WLTP - Pure Electric Range (miles) - Comb - TEL	145

Emissions - ICE

CO	Not Available
CO2	0
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	67
NOx	Not Available
Particles	Not Available
Standard Emissions	Not Available

Engine and Drive Train

Automatic Transmission	Yes
Bore	Not Available
Catalytic Convertor	Not Available
CC	1
Compression Ratio	Not Available
Cooling System	Not Available
Cylinder Layout	Not Available
Cylinders	Not Available
Engine Layout	Not Available
Engine Make	Not Available
Fuel Delivery	Not Available
Fuel Type	ELECTRIC
Gears	1 SPEED
Manual Transmission	No
Number of Valves	Not Available
Stroke	Not Available

Valve gear Not Available

Fuel Consumption - ICE

EC	Not Available
EC Combined	Not Available
EC Extra Urban	Not Available
EC Urban	Not Available

General

Alternative Fuel Qualifying	Yes
Alternator Amps	Not Available
Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Power kW	136
Based On ID	Not Available
Battery AH	Not Available
Battery Volts	Not Available
Chassis Engine Number	Not Available
Clutch	Not Available
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	Not Available
Front Brakes	VENTILATED DISCS
Front Suspension	DOUBLE WISHBONE
Generation Mark	2
Ghost model for valuation purposes	No
Insurance Group 1	Not Available
Insurance Group 2	Not Available
Manufacturers Corrosion Perforation Guarantee - Years	6
Manufacturers Paintwork Guarantee - Years	3
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	4 Star
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	DISCS
Rear Suspension	LEAF SPRING
Relative Height	H1
Relative Length	L1
Running Cost League Headings	MEDIUM
Service Interval Frequency - Months	24
Service Interval Mileage	20000
Special Edition	No
Special Order	No
Standard manufacturers warranty - Years	5
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

BHP	136
Engine Power KW	100
Engine Torque LBS.FT	192
Engine Torque MKG	26.5
Engine Torque NM	260
Top Speed	81

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	Not Available

Tyres

Alloys?	No
Automatic Clutch	Not Available
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Size Front	215/65 R16
Tyre Size Rear	215/65 R16
Tyre Size Spare	FULL SIZE
Wheel Style	5 TRIPLE SPOKE
Wheel Type	16" STEEL

Vehicle Dimensions

Front Overhang	902
Height	1910
Length	4981
Load Height	1397
Load Length	2512
Load Width	1636
Rear Overhang	803
Turning Circle - Kerb to Kerb	12.4
Turning Circle - Wall to Wall	12.9
Wheelbase	3275
Width (excluding mirrors)	1924
Width (including mirrors)	2204

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	Not Available
Gross Train Weight	4100
Gross Vehicle Weight	3200
Load Space Volume	5.8
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Towing Weight - Braked	1000
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	1845
No. of Seats	3
Payload	1355
Plated 2nd Axle	1618
Plated Front Axle	1630

Standard equipment – Driver Convenience

- 10" Toyota pro-touch multimedia high with navigation
- Analogue speedometer
- Battery capacity indicator
- Bluetooth handsfree connectivity
- Colour multi-information display
- Cruise control
- Cruise control switch behind steering wheel
- Driver monitoring camera
- e call emergency call system
- Eco driving indicator
- Electric consumption indicator

- Electric system status indicator
- Intelligent Speed Assist
- Lane Departure Alert
- PAS
- Rear parking sensors
- Road sign assist
- Smart phone integration with Android auto & Apple CarPlay
- Tyre pressure warning system (TPWS)
- Wireless charger

Standard equipment – Entertainment

- 4 speakers
- Digital radio (DAB)
- Type C USB connector
- Wifi connectivity

Standard equipment – Exterior Features

- 180 degree opening rear doors
- Auto Headlights
- Auto up and down on power window
- Auto wipers
- Automatic high beam
- Black front and rear bumpers
- chrome insert on upper front grille
- Daytime running lights
- Electric heated door mirrors
- Front power windows
- Manually adjustable day/night rear view mirror
- Manually adjustable door mirrors
- Manually retractable door mirrors
- Multi reflector halogen headlights
- Noise reduction layer on front windows
- Panel rear wing doors
- Smoke tinted (30%) privacy glass on rear passenger window
- Two manual sliding side doors

Standard equipment – Interior Features

- 12v power outlet - Cargo area
- 12v power outlet - Front
- 2 seat front passenger bench
- Adjustable lumbar support on drivers seat
- Audio switches on steering wheel
- Cargo area room lights x2
- Cooler in upper glovebox
- Driver seat armrest
- Fabric upholstery
- Front cup holders
- Front door pockets
- Front room lights
- Heated driver seat
- Height adjustable drivers seat
- Lane departure alert switch on steering wheel
- LED Driver and front passenger personal lights
- Manual air conditioning
- Manually reclining and sliding driver and front passenger seats
- Open upper dashboard storage compartment
- Panel bulkhead
- Plastic floor trim and in driver cabin
- Rubber floor mats
- Smart cargo

Standard equipment – Passive Safety

- Driver and front passenger airbags
- Supplement restraint system (SRS) 2 airbags

Standard equipment – Security

- Anti tamper, glass breaking sensors, intrusion and motion sensor alarm
- Locking wheel bolts
- Remote power door lock

Standard equipment – Technical

- 11kW On Board Charger
- 32A Mennekes cable
- Anti lock braking system (ABS)
- Automatic emergency braking system
- Brake Assist (BA)
- Cable bag
- Electronic brake force distribution
- Hill start assist control
- Speed limiter
- Vehicle to load (V2L) function

Standard equipment – Wheels

- 16" 5 triple spoke steel wheels with wheel caps
- Full size temporary spare wheel

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/toyota/proace/proace-l1-electric/100kw-icon-50kwh-van-auto-2026>.
Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.