

Nissan Primastar 28 L1 Diesel 2.0 dCi 130ps H1 Acenta Crew Van

Nissan Nissan Primastar · Primastar 28 L1 Diesel

The Nissan Primastar 28 L1 Diesel 2.0 dCi 130ps H1 Acenta Crew Van is a diesel, manual crew from Nissan's Primastar range. It offers a load length of 1914mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Bodytype	Crew
Engine Size	2.0 litre
Load Length	1914mm
Load length	1914mm
Engine	2.0 litre

Emissions - ICE

Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb	187
WLTP - CO2 (g/km) - Comb - TEH	188
WLTP - CO2 (g/km) - Comb - TEL	187
WLTP - CO2 (g/km) - Extra High - TEH	208
WLTP - CO2 (g/km) - Extra High - TEL	208
WLTP - CO2 (g/km) - High - TEH	163
WLTP - CO2 (g/km) - High - TEL	163
WLTP - CO2 (g/km) - Low - TEH	204
WLTP - CO2 (g/km) - Low - TEL	203
WLTP - CO2 (g/km) - Medium - TEH	177
WLTP - CO2 (g/km) - Medium - TEL	177

Engine and Drive Train

Automatic Transmission	No
Bore	85
Catalytic Convertor	Yes
CC	1997
Cylinder Layout	IN-LINE
Cylinders	4
Engine Codes	M920DDCg5
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Number of Valves	16
Stroke	88
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
WLTP - FC (l/100km) - Comb - TEH	7.1
WLTP - FC (l/100km) - Comb - TEL	7.1
WLTP - FC (l/100km) - Extra High - TEH	7.9
WLTP - FC (l/100km) - Extra High - TEL	7.9
WLTP - FC (l/100km) - High - TEH	6.2
WLTP - FC (l/100km) - High - TEL	6.2

WLTP - FC (l/100km) - Low - TEH	7.8
WLTP - FC (l/100km) - Low - TEL	7.8
WLTP - FC (l/100km) - Medium - TEH	6.8
WLTP - FC (l/100km) - Medium - TEL	6.7
WLTP - MPG - Comb - TEH	39.8
WLTP - MPG - Comb - TEL	39.8
WLTP - MPG - Extra High - TEH	35.8
WLTP - MPG - Extra High - TEL	35.8
WLTP - MPG - High - TEH	45.6
WLTP - MPG - High - TEL	45.6
WLTP - MPG - Low - TEH	36.2
WLTP - MPG - Low - TEL	36.2
WLTP - MPG - Medium - TEH	41.5
WLTP - MPG - Medium - TEL	42.2

General

Badge Engine CC	2.0
Badge Power	130
Based On ID	Not Available
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Generation Mark	1
Ghost model for valuation purposes	No
Insurance Group 1	Not Available
Insurance Group 2	Not Available
Manufacturers Corrosion Perforation Guarantee - Years	12
Manufacturers Paintwork Guarantee - Years	5
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	Silver
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	45
Relative Height	H1
Relative Length	L1
Running Cost League Headings	MEDIUM
Service Interval Frequency - Months	24
Service Interval Mileage	25000
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	100000
Standard manufacturers warranty - Years	5
Steering	PAS
This vehicle is classed as a car for VED purposes	No
VAT qualifying vehicle - Seek advice from HMRC	No
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

0 to 62 mph (secs)	14.3
BHP	130
Engine Power KW	96
Engine Power RPM	3500
Engine Torque LBS.FT	243
Engine Torque MKG	33.7
Engine Torque NM	330
Engine Torque RPM	1500
Top Speed	105

Test Cycles

Emissions Test Cycle

WLTP

Tyres

Alloys?	No
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	205/65 R16
Tyre Size Rear	205/65 R16
Tyre Size Spare	FULL SIZE
Wheel Style	Wheel cover
Wheel Type	16" STEEL

Vehicle Dimensions

Height	Not Available
Height (including roof rails)	1971
Length	5080
Load Length	1914
Wheelbase	3098
Width (excluding mirrors)	1956
Width (including mirrors)	2312

Weight and Capacities

Fuel Tank Capacity (Litres)	80
Gross Vehicle Weight	2900
Load Space Volume	3.2
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	200
Max. Towing Weight - Braked	2000
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	1907
No. of Seats	6
Payload	993

Standard equipment – Driver Convenience

- Audio remote control switches on steering wheel
- Bluetooth
- Car phone pre installed
- Cruise control
- Low fuel level warning light
- PAS
- Rear parking sensor
- Service indicator
- Trip computer

Standard equipment – Entertainment

- Aux port
- Digital radio (DAB)
- Radio/CD player
- USB socket/iPod interface

Standard equipment – Exterior Features

- 180 degree unglazed rear french doors
- Automatic headlights and wipers
- Blind spot mirror
- Body coloured exterior mirrors
- Daytime running lights
- Electric door mirrors
- Electric front windows with one touch drivers window
- Fog lights
- Glazed left side sliding door
- Glazed right sliding side door
- Heated exterior mirror with temperature sensor
- LED headlights

Standard equipment – Interior Features

- 12V socket
- 2nd row (3 seats)
- Cloth upholstery
- Foldable passenger seat with fixed table
- Front armrest
- Front head restraints
- Front manual AC
- Height adjustable driver seat with lumbar support
- Leather gear lever
- Leather steering wheel
- Passenger bench with underseat storage
- Steering wheel rake adjustment
- Steering wheel reach adjustment

Standard equipment – Passive Safety

- Driver's airbag
- Passenger airbag

Standard equipment – Security

- 3 button key with single door opening
- Alarm
- Remote central locking
- Superlocking

Standard equipment – Technical

- ABS + EBD
- ESP

Standard equipment – Wheels

- 16" steel wheels
- Full size spare wheel

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/nissan/primastar/primastar-28-l1-diesel/20-dci-130ps-h1-acenta-crew-van-2022>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.