

Toyota HILUX DIESEL Icon D/Cab Pick Up 2.8 D 48V Auto

Toyota Toyota Hilux · HILUX DIESEL

The Toyota HILUX DIESEL Icon D/Cab Pick Up 2.8 D 48V Auto is a diesel, automatic van from Toyota's Hilux range. It offers a load length of 1676mm, load width of 1438mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Automatic
Fuel Type	Diesel
Engine Size	2.8 litre
Load Length	1676mm
Load Width	1438mm
Load length	1676mm
Load width	1438mm
Engine	2.8 litre

Emissions - ICE

CO	0.034
HC	Not Available
HC+NOx	0.03
Noise Level dB(A)	69
NOx	0.023
Particles	0.0015
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb	254
WLTP - CO2 (g/km) - Comb - TEH	268
WLTP - CO2 (g/km) - Comb - TEL	250
WLTP - CO2 (g/km) - Extra High	260
WLTP - CO2 (g/km) - Extra High - TEH	275
WLTP - CO2 (g/km) - Extra High - TEL	253
WLTP - CO2 (g/km) - High	216
WLTP - CO2 (g/km) - High - TEH	230
WLTP - CO2 (g/km) - High - TEL	212
WLTP - CO2 (g/km) - Low	332
WLTP - CO2 (g/km) - Low - TEH	348
WLTP - CO2 (g/km) - Low - TEL	330
WLTP - CO2 (g/km) - Medium	252
WLTP - CO2 (g/km) - Medium - TEH	262
WLTP - CO2 (g/km) - Medium - TEL	250

Engine and Drive Train

Automatic Transmission	Yes
Bore	92
Catalytic Convertor	Yes
CC	2755
Compression Ratio	15.6:1
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	4
Engine Codes	1GD-FTV
Engine Layout	NORTH SOUTH
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	No
Number of Valves	16

Stroke	103.6
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
WLTP - FC (l/100km) - Comb	9.7
WLTP - FC (l/100km) - Comb - TEH	10.2
WLTP - FC (l/100km) - Comb - TEL	9.5
WLTP - FC (l/100km) - Extra High	9.9
WLTP - FC (l/100km) - Extra High - TEH	10.5
WLTP - FC (l/100km) - Extra High - TEL	9.6
WLTP - FC (l/100km) - High	8.2
WLTP - FC (l/100km) - High - TEH	8.8
WLTP - FC (l/100km) - High - TEL	8.1
WLTP - FC (l/100km) - Low	12.7
WLTP - FC (l/100km) - Low - TEH	13.2
WLTP - FC (l/100km) - Low - TEL	12.6
WLTP - FC (l/100km) - Medium	9.6
WLTP - FC (l/100km) - Medium - TEH	10
WLTP - FC (l/100km) - Medium - TEL	9.5
WLTP - MPG - Comb	29.1
WLTP - MPG - Comb - TEH	27.7
WLTP - MPG - Comb - TEL	29.7
WLTP - MPG - Extra High	28.5
WLTP - MPG - Extra High - TEH	26.9
WLTP - MPG - Extra High - TEL	29.4
WLTP - MPG - High	34.4
WLTP - MPG - High - TEH	32.1
WLTP - MPG - High - TEL	34.9
WLTP - MPG - Low	22.2
WLTP - MPG - Low - TEH	21.4
WLTP - MPG - Low - TEL	22.4
WLTP - MPG - Medium	29.4
WLTP - MPG - Medium - TEH	28.2
WLTP - MPG - Medium - TEL	29.7

General

Alternative Fuel Qualifying	No
Alternator Amps	Not Available
Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Engine CO ₂	2.8
Badge Power	204
Based On ID	Not Available
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER
Front Brakes	VENTILATED DISCS
Front Suspension	DOUBLE WISHBONE
Generation Mark	9
Ghost model for valuation purposes	No
Hand Brake	REAR
Manufacturers Corrosion Perforation Guarantee - Years	6
Manufacturers Paintwork Guarantee - Years	3
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available

NCAP Overall Rating - LCV	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	VENTILATED DISCS
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L1
Running Cost League Headings	MEDIUM
Service Interval Frequency - Months	12
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	100000
Standard manufacturers warranty - Years	5
Steering	PAS RACK AND PINION
This vehicle is classed as a car for VED purposes	No
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

0 to 62 mph (secs)	12.6
BHP	204
Engine Power KW	150
Engine Power RPM	2800
Engine Torque LBS.FT	369
Engine Torque MKG	51
Engine Torque NM	500
Engine Torque RPM	1600
Top Speed	109

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	Yes
Automatic Clutch	Yes
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	265/65 R17
Tyre Size Rear	265/65 R17
Tyre Size Spare	FULL SIZE
Wheel Style	6 DOUBLE SPOKE
Wheel Type	17" ALLOY

Vehicle Dimensions

Front Overhang	990
Height	1865
Height (including roof rails)	Not Available
Length	5320
Load Deck Height	480
Load Height	1165
Load Length	1676
Load Width	1438
Lower Rear Door Width	Not Available
Rear Door Height	Not Available
Rear Overhang	1245
Side Load Door Height	Not Available
Side Load Door Width	Not Available
Turning Circle - Kerb to Kerb	6.3

Turning Circle - Wall to Wall	6.8
Upper Rear Door Width	Not Available
Wheelbase	3085
Width (excluding mirrors)	1885
Width (including mirrors)	Not Available

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	80
Gross Train Weight	6300
Gross Vehicle Weight	3250
Load Space Volume	Not Available
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	140
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	2185
No. of Seats	5
Payload	1065
Plated 2nd Axle	1555
Plated Front Axle	1540

Standard equipment – Driver Convenience

- 12.3" Toyota Smart Connect multimedia system
- 4x4 - Multi-Terrain select
- 7" multi-information screen
- Blind spot monitor
- Bluetooth connectivity
- Digital speedometer
- Driver monitoring camera
- E-Call emergency call system
- Eco driving indicator
- Electric power steering
- Emergency driving stop system
- Front parking sensors with automatic object braking
- Fuel heater
- Full range adaptive cruise control
- Lane trace assist
- Light reminder warning
- Pre-collision system with pedestrian detection
- Rear parking sensors with automatic Pedestrian, car and object braking
- Rear vehicle alert indicator
- Road sign assist
- Safe exit assist
- Smartphone Integration (wireless Apple CarPlay and wireless Android Auto)
- Static guidelines on rear view camera
- Tyre pressure warning system (TPWS)
- Voice recognition switch on steering wheel
- Washer fluid level warning
- Wireless mobile phone charger

Standard equipment – Entertainment

- 2 Microphones
- 8 speakers
- Digital radio (DAB)
- Multimedia switches on steering wheel

Standard equipment – Exterior Features

- Automatic headlamp levelling
- Automatic high beam
- Automatic rear flashing hazard lights
- Black front bumper
- Black front under run
- Body-coloured TOYOTA logo on tailgate
- Electric front windows with one touch auto up & down function
- Electric heated door mirrors
- Front and rear mudguards
- Front and rear wheel arch moulding
- Front wiper De-icer
- Gloss Black door handles
- Gloss black door mirrors
- Headlight washers
- Honeycomb upper front grille
- LED dual beam projector headlights
- LED front fog lights
- LED Indicators
- LED rear combination lights
- LED rear fog lights
- Manual day/night rear-view mirror
- Power adjustable door mirrors
- Power retractable door mirrors
- Rear side step
- Rear side window privacy glass
- Rear tailgate
- Rear window defogger system
- Rear window privacy glass
- Rear step on bumper
- Shark fin antenna
- Side steps
- Silver lower front grille
- Tachograph Sticker
- Tailgate damper
- Trailer sway control

Standard equipment – Interior Features

- 12v power outlet - Front
- 12v power socket - Rear passenger
- 2 rear coat hooks
- 3 spoke leather steering wheel
- 60/40 split tip-up rear bench seat
- Black upper dashboard
- Dark grey central console
- Driver and passenger seatback pockets
- Dual zone automatic air conditioning
- Embossed fabric upholstery
- Front 220V-400W power outlet
- Front cup holders
- Front USB-C connectors x 2
- Heated driver and front passenger seats
- Heated steering wheel
- Key-lockable cargo deck
- Large centre console box
- Leather gearshift
- Manual telescopic steering wheel
- Manual tilt steering wheel
- Manually height adjustable driver seat
- Manually reclining and sliding driver seat
- Manually reclining and sliding front passenger seats
- PTC heating system
- Push-button start
- Rear armrest
- Rear cup holders
- Rear USB-C connectors x 2
- Silver interior door handles
- Soft-touch lid on centre console box
- Storage tray with lid on passenger dashboard
- Telephone switches on steering wheel
- USB-C Cable

Standard equipment – Passive Safety

- Driver and front passenger airbags
- Driver and passenger central airbags
- Driver and passenger side airbags
- Driver knee airbag
- Front and rear seatbelts reminder
- Front curtain shield airbag
- Passenger airbag on/off switch
- Passenger seat front occupant detection sensor
- Rear curtain shield airbag
- Rear seats occupant detection sensor
- Toyota safety sense 3

Standard equipment – Security

- Alarm self power siren with immobiliser
- Intrusion alarm
- Isofix child restraint system
- Locking wheel nuts
- Remote door lock with smart key
- Smartphone remote door lock
- Smartphone remote hazard lights system

Standard equipment – Technical

- 4x4 rear differential lock
- ABS with EBD
- Brake assist
- Double wishbone front suspension
- Downhill Assist Control (DAC)
- Electronic parking brake
- Hill start assist
- Leaf spring rear suspension
- Pitch and bounce control
- Stop/start function
- Traction control
- Vehicle stability control

Standard equipment – Trim

- silver deco line on upper dashboard

Standard equipment – Wheels

- 17" 6 double spoke matt black alloy wheels
- Full size alloy spare wheel

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/toyota/hilux/hilux-diesel/icon-d-cab-pick-up-28-d-48v-auto-2026>.
Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.