

# Citroën e-Relay 40 L4 200kW 110kWh H3 Van Enterprise Auto

Citroën Citroën Relay · e-Relay 40 L4

The Citroën e-Relay 40 L4 200kW 110kWh H3 Van Enterprise Auto is a electric, automatic van from Citroën's Relay range. It offers a load length of 4070mm, load width of 1870mm, load height of 2172mm. Charging: 150kW Charger 44m 100kW Charger 1hrs 6m 50kW Charger 2hrs 12m 7kW Charger 15hrs 42m. Ask us for a personalised quote with free UK delivery.

## Key specification

|              |                                                                                                    |
|--------------|----------------------------------------------------------------------------------------------------|
| Transmission | Automatic                                                                                          |
| Fuel Type    | Electric                                                                                           |
| Load Height  | 2172mm                                                                                             |
| Load Length  | 4070mm                                                                                             |
| Load Width   | 1870mm                                                                                             |
| Load length  | 4070mm                                                                                             |
| Load width   | 1870mm                                                                                             |
| Load height  | 2172mm                                                                                             |
| Charging     | Charging Times 150kW Charger 44m 100kW Charger 1hrs 6m 50kW Charger 2hrs 12m 7kW Charger 15hrs 42m |

## Electric Vehicle Data

|                                                   |                 |
|---------------------------------------------------|-----------------|
| Battery Capacity % guaranteed under warranty      | 70              |
| Battery Capacity in kWh                           | 110.6           |
| Battery Charging Scenario 1 - Charge Time (Mins)  | 1000            |
| Battery Charging Scenario 1 - Percentage Change   | 0-100           |
| Battery Charging Scenario 1 - Power Supply - kW   | 7.4             |
| Battery Charging Scenario 2 - Charge Time (Mins)  | 705             |
| Battery Charging Scenario 2 - Percentage Change   | 0-100           |
| Battery Charging Scenario 2 - Power Supply - kW   | 11              |
| Battery Charging Scenario 3 - Charge Time (Mins)  | 55              |
| Battery Charging Scenario 3 - Percentage Change   | 0-80            |
| Battery Charging Scenario 3 - Power Supply - kW   | 150             |
| Battery Charging Scenario 4 - Charge Time (Mins)  | Not Available   |
| Battery Charging Scenario 4 - Percentage Change   | Not Available   |
| Battery Charging Scenario 4 - Power Supply - kW   | Not Available   |
| Battery Leased                                    | No              |
| Battery Type                                      | Lithium-ion     |
| Charging Port Location                            | Left Side Front |
| Coupler/Connector Type                            | CCS Type 2      |
| Maximum Charging Rate - kW                        | 150             |
| Standard manufacturers Battery warranty - Mileage | 100000          |
| Standard manufacturers Battery warranty - Years   | 8               |
| Usable Battery Capacity                           | 97.8            |
| WLTP - EC (kWh/100km) - City                      | 22.6            |
| WLTP - EC (kWh/100km) - Comb                      | 27.3            |
| WLTP - EC (kWh/100km) - Comb - TEH                | 30.5            |
| WLTP - EC (kWh/100km) - Comb - TEL                | 22.6            |
| WLTP - EC (miles/kWh) - City                      | 2.7             |
| WLTP - EC (miles/kWh) - Comb                      | 2.3             |
| WLTP - EC (miles/kWh) - Comb - TEH                | 2               |
| WLTP - EC (miles/kWh) - Comb - TEL                | 2.7             |
| WLTP - Pure Electric Range (km) - City            | 491             |
| WLTP - Pure Electric Range (km) - Comb            | 406             |
| WLTP - Pure Electric Range (miles) - City         | 305             |
| WLTP - Pure Electric Range (miles) - Comb         | 252             |

## Emissions - ICE

|                    |               |
|--------------------|---------------|
| CO                 | Not Available |
| CO2                | 0             |
| HC                 | Not Available |
| HC+NOx             | Not Available |
| Noise Level dB(A)  | Not Available |
| NOx                | Not Available |
| Particles          | Not Available |
| Standard Emissions | Not Available |

## Engine and Drive Train

|                        |               |
|------------------------|---------------|
| Automatic Transmission | Yes           |
| Bore                   | Not Available |
| Catalytic Convertor    | Not Available |
| CC                     | 1             |
| Compression Ratio      | Not Available |
| Cooling System         | Not Available |
| Cylinder Layout        | Not Available |
| Cylinders              | Not Available |
| Engine Codes           | Not Available |
| Engine Layout          | Not Available |
| Engine Make            | Not Available |
| Fuel Delivery          | Not Available |
| Fuel Type              | ELECTRIC      |
| Gears                  | 1 SPEED       |
| Manual Transmission    | No            |
| Number of Valves       | Not Available |
| Stroke                 | Not Available |
| Valve gear             | Not Available |

## Fuel Consumption - ICE

|                |               |
|----------------|---------------|
| EC             | Not Available |
| EC Combined    | Not Available |
| EC Extra Urban | Not Available |
| EC Urban       | Not Available |

## General

|                                                                        |                     |
|------------------------------------------------------------------------|---------------------|
| Did at least one aspect of this vehicles safety give rise for concern? | No                  |
| Based On ID                                                            | 279                 |
| Battery AH                                                             | Not Available       |
| Battery Volts                                                          | Not Available       |
| Chassis Engine Number                                                  | 12                  |
| Clutch                                                                 | Not Available       |
| Coin Description                                                       | SINGLE DRY PLATE    |
| Coin Gross Vehicle Weight Code                                         | Not Available       |
| Coin Power Output Code                                                 | Not Available       |
| Coin Series                                                            | Not Available       |
| Coin Wheelbase Description Code                                        | Not Available       |
| Coin Wheelbase Name Code                                               | Not Available       |
| Exhaust System                                                         | CATALYTIC CONVERTER |
| Front Brakes                                                           | VENTILATED DISCS    |
| Front Suspension                                                       | MACPHERSON STRUTS   |
| Generation Mark                                                        | 3                   |
| Ghost model for valuation purposes                                     | No                  |
| NCAP Adult Occupant Protection %                                       | Not Available       |
| NCAP Child Occupant Protection %                                       | Not Available       |
| NCAP Overall Rating - Effective February 09                            | Not Available       |
| NCAP Overall Rating - LCV                                              | Gold                |
| NCAP Pedestrian Protection %                                           | Not Available       |
| NCAP Safety Assist %                                                   | 78                  |

|                                     |                     |
|-------------------------------------|---------------------|
| Rear Brakes                         | DISCS               |
| Rear Suspension                     | LEAF SPRINGS        |
| Relative Height                     | H3                  |
| Relative Length                     | L4                  |
| Running Cost League Headings        | LARGE               |
| Service Interval Frequency - Months | 12                  |
| Service Interval Mileage            | 16000               |
| Special Edition                     | No                  |
| Special Order                       | No                  |
| Steering                            | PAS RACK AND PINION |
| Vehicle Homologation Class          | N2                  |
| Vin/Frame No.                       | Not Available       |

## Performance

|                      |      |
|----------------------|------|
| 0 to 62 mph (secs)   | 10   |
| BHP                  | 279  |
| Engine Power KW      | 205  |
| Engine Torque LBS.FT | 302  |
| Engine Torque MKG    | 41.8 |
| Engine Torque NM     | 410  |
| Top Speed            | 56   |

## Test Cycles

|                      |      |
|----------------------|------|
| Emissions Test Cycle | WLTP |
|----------------------|------|

## Tyres

|                  |               |
|------------------|---------------|
| Alloys?          | No            |
| Automatic Clutch | Yes           |
| Plated 3rd Axle  | Not Available |
| Plated 4th Axle  | Not Available |
| Space Saver?     | No            |
| Tyre Make        | Not Available |
| Tyre Size Front  | 215/75 R16    |
| Tyre Size Rear   | 215/75 R16    |
| Wheel Style      | Not Available |
| Wheel Type       | 16" STEEL     |

## Vehicle Dimensions

|                                       |      |
|---------------------------------------|------|
| Front Overhang                        | 948  |
| Height                                | 2760 |
| Length                                | 6363 |
| Load Deck Height                      | 535  |
| Load Height                           | 2172 |
| Load Length                           | 4070 |
| Load Space Width Between Wheel Arches | 1422 |
| Load Width                            | 1870 |
| Lower Rear Door Width                 | 1562 |
| Rear Door Height                      | 2030 |
| Rear Overhang                         | 1380 |
| Side Load Door Height                 | 1755 |
| Side Load Door Width                  | 1250 |
| Wheelbase                             | 4035 |
| Width (excluding mirrors)             | 2050 |

## Weight and Capacities

|                               |               |
|-------------------------------|---------------|
| Boot Capacity Saloons         | Not Available |
| Fuel Tank Capacity (Litres)   | Not Available |
| Gross Train Weight            | 5500          |
| Gross Vehicle Weight          | 4250          |
| Load Space Volume             | 17            |
| Luggage Capacity (Seats Down) | Not Available |

|                                          |               |
|------------------------------------------|---------------|
| Luggage Capacity (Seats Up)              | Not Available |
| Luggage Capacity - 2nd Row Seats Removed | Not Available |
| Luggage Capacity - 2nd Row Seats Up      | Not Available |
| Luggage Capacity - 3rd Row Seats Down    | Not Available |
| Luggage Capacity - 3rd Row Seats Removed | Not Available |
| Luggage Capacity - 3rd Row Seats Up      | Not Available |
| Max. Towing Weight - Braked              | 2400          |
| Max. Towing Weight - Unbraked            | 750           |
| Minimum Kerbweight                       | 2865          |
| No. of Seats                             | 3             |
| Payload                                  | 1385          |
| Plated 2nd Axle                          | 2400          |
| Plated Front Axle                        | 2100          |

### Standard equipment – Driver Convenience

- Advanced emergency braking system - Pedestrian and cyclist
- Blind spot Information System (BLIS)
- Connected services
- Driver drowsiness detection
- Electric power steering
- Full 7" digital instrument cluster
- Global telematics box module
- Intelligent Speed Assist
- Lane support system
- Moving off information system
- Rear parking sensors
- Smart tachograph
- Traffic sign recognition
- Tyre pressure monitor

### Standard equipment – Entertainment

- Steering wheel mounted controls

### Standard equipment – Exterior Features

- Aerodynamic kit - Central spoiler, air guides, active grille shutter
- Electric front windows
- LED Daytime running lights
- Nearside sliding side loading door
- Side protection rubbing strips
- Twin lens door mirrors with electrically adjustable and heated upper mirror

### Standard equipment – Interior Features

- 6 way driver's seat with lumbar and armrest
- Dual front passenger bench seat
- Two cup holders and mobile phone storage in centre or lower dashboard

### Standard equipment – Passive Safety

- Double passengers airbag
- Driver's airbag

### Standard equipment – Security

- Deadlocks
- Perimeter alarm

### Standard equipment – Technical

- Speed limiter 56mph

### Standard equipment – Wheels

- Fix and go kit
- Steel wheel centre cap