

Mercedes-Benz Vito L2 Diesel RWD 119CDI Pro Crew Van 9G-Tronic

Mercedes-Benz Mercedes-Benz Vito · Vito L2 Diesel RWD

From £413 per month ex VAT

BCH · 60 months · 12 months initial rental (£4955) · 5000 miles per year. Prices shown are indicative, exclude VAT for business users and are subject to status and a personalised quote.

The Mercedes-Benz Vito L2 Diesel RWD 119CDI Pro Crew Van 9G-Tronic is a diesel, automatic van from Mercedes-Benz's Vito range. It offers a load length of 1294mm, load width of 1709mm, load height of 1337mm. Available from £413 a month ex VAT on business contract hire (60 months, 12 months initial rental, 5,000 miles a year) with free UK delivery.

Key specification

Transmission	Automatic
Fuel Type	Diesel
Engine Size	2.0 litre
Load Height	1337mm
Load Length	1294mm
Load Width	1709mm
Load length	1294mm
Load width	1709mm
Load height	1337mm
Engine	2.0 litre

Emissions - ICE

HC	Not Available
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb	195

Engine and Drive Train

Automatic Transmission	Yes
CC	1950
Cylinder Layout	IN-LINE
Cylinders	4
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	9 SPEED
Manual Transmission	No
Number of Valves	16

Fuel Consumption - ICE

EC	No
WLTP - FC (l/100km) - Comb	7.4
WLTP - FC (l/100km) - Extra High	7.6
WLTP - FC (l/100km) - High	6.3
WLTP - FC (l/100km) - Low	9.1
WLTP - FC (l/100km) - Medium	7.4
WLTP - MPG - Comb	38.2
WLTP - MPG - Extra High	37.2
WLTP - MPG - High	44.8
WLTP - MPG - Low	31
WLTP - MPG - Medium	38.2

General

Alternator Amps	250
Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Engine cc	2.0
Badge Power	190
Based On ID	Not Available
Battery AH	95
Battery Volts	12
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Generation Mark	3
Ghost model for valuation purposes	No
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	5 Star
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Relative Height	H1
Relative Length	L2
Running Cost League Headings	MEDIUM
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	Unlimited
Standard manufacturers warranty - Years	3
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

BHP	190
Engine Power KW	140
Engine Power RPM	3800
Engine Torque LBS.FT	325
Engine Torque MKG	44.9
Engine Torque NM	440
Engine Torque RPM	1350

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	Yes
Automatic Clutch	Yes
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	225/55 R17
Tyre Size Rear	225/55 R17
Tyre Size Spare	FULL SIZE
Wheel Style	20 SPOKE
Wheel Type	17" ALLOY

Vehicle Dimensions

Front Overhang	895
Height	1908
Length	5140
Load Deck Height	554
Load Height	1337
Load Length	1294
Load Space Width Between Wheel Arches	1270
Load Width	1709
Lower Rear Door Width	1391
Rear Door Height	1258
Rear Overhang	1045
Side Load Door Height	1252
Side Load Door Width	904
Turning Circle - Kerb to Kerb	11.8
Wheelbase	3200
Width (excluding mirrors)	1928
Width (including mirrors)	2244

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	70
Gross Train Weight	5000
Gross Vehicle Weight	3000
Load Space Volume	3.6
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Minimum Kerbweight	2166
No. of Seats	6
Payload	834

Standard equipment – Driver Convenience

-
- Active lane keeping assist
 - Blind spot assist
 - Comfort overhead control panel
 - Driver camera
 - Modern instrument cluster with 5.5" TFT color display
 - PAS
 - Wireless tyre pressure monitoring

Standard equipment – Entertainment

-
- 2 way front and rear loudspeakers
 - Digital radio (DAB)
 - MBUX multimedia system with 10.25" touchscreen

Standard equipment – Exterior Features

-
- Adaptive brake lights
 - Daytime running lights
 - Electrically heated and adjustable wing mirrors
 - Front fog lights
 - Headlight assistant
 - Heat insulating glass
 - Third rear brake light
 - Twin side loading doors
 - Weld nuts, sidewall for conversions
 - Window in tailgate with wipe-wash system

Standard equipment – Interior Features

- Ashtray
- Cigarette lighter
- Comfort driver's seat
- Driver's seat lumbar support
- Electrical component for trailer socket
- Front door storage pockets
- Grab handles in rear
- Height and rake adjustable steering wheel
- Interior panelling higher execution
- Leather steering wheel
- Locking glove compartment
- Multifunctional steering wheel
- Plastic flooring, TPO in passenger compartment
- Ventilation nozzles

Standard equipment – Packs

- Smartphone integration package - Vito/Vito Tourer

Standard equipment – Passive Safety

- 3 point seatbelts for all seats
- Accident recovery and breakdown management
- Attention assist
- Child safety locks on passenger compartment doors
- Co-driver airbag
- Crosswind assist
- Driver's airbag
- Mercedes-Benz emergency call system

Standard equipment – Security

- Alarm
- Central locking with remote control
- Double lock
- Immobiliser

Standard equipment – Technical

- 24 litre larger AdBlue tanks
- 70L fuel tank
- 9G tronic automatic gearbox
- ABS/ESP/ASR
- Active brake assist
- Diesel particulate filter
- EBV and BAS
- Hill start assist
- Mechanical parking brake
- Traction control

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/mercedes-benz/vito/vito-l2-diesel-rwd/119cdi-pro-crew-van-9g-tronic-2025>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.