

Iveco Daily 35S18 Diesel 3.0 Crew Cab Chassis 4100 WB

Iveco Iveco Daily · Daily 35S18 Diesel

From £401 per month ex VAT

BCH · 60 months · 12 months initial rental (£4812) · 5000 miles per year. Prices shown are indicative, exclude VAT for business users and are subject to status and a personalised quote.

The Iveco Daily 35S18 Diesel 3.0 Crew Cab Chassis 4100 WB is a diesel, manual van from Iveco's Daily range. Available from £401 a month ex VAT on business contract hire (60 months, 12 months initial rental, 5,000 miles a year) with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Engine Size	3.0 litre
Engine	3.0 litre

Emissions - ICE

Standard Emissions	EURO 6
--------------------	--------

Engine and Drive Train

Automatic Transmission	No
Bore	95.8
Catalytic Convertor	Yes
CC	2998
Compression Ratio	17.5:1
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	4
Engine Layout	NORTH SOUTH
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Number of Valves	16
Stroke	104
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
----	----

General

Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Engine cc	3.0
Badge Power	180
Based On ID	Not Available
Battery AH	105
Battery Volts	12
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available

Exhaust System	CATALYTIC CONVERTER
Front Brakes	VENTILATED DISCS
Front Suspension	LEAF SPRINGS
Generation Mark	3
Ghost model for valuation purposes	No
Hand Brake	REAR WHEELS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	5 Star
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	VENTILATED DISCS
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L4
Running Cost League Headings	LARGE
Service Interval Frequency - Months	24
Service Interval Mileage	50000
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	Unlimited
Standard manufacturers warranty - Years	2
Steering	PAS RACK AND PINION
This vehicle is classed as a car for VED purposes	No
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

0 to 62	Not Available
BHP	180
Engine Power KW	132
Engine Power RPM	3500
Engine Torque LBS.FT	317
Engine Torque MKG	43.8
Engine Torque NM	430
Engine Torque RPM	1600
Top Speed	80

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	No
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	225/75 R16
Tyre Size Rear	225/75 R16
Tyre Size Spare	TYRE REPAIR KIT
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Height	2193
Height (including roof rails)	Not Available

Length	6591
Load Deck Height	Not Available
Load Height	Not Available
Load Length	Not Available
Load Space Width Between Wheel Arches	Not Available
Load Width	Not Available
Lower Rear Door Width	Not Available
Rear Door Height	Not Available
Rear Overhang	1443
Side Load Door Height	Not Available
Side Load Door Width	Not Available
Turning Circle - Kerb to Kerb	13.8
Upper Rear Door Width	Not Available
Wheelbase	4100
Width (excluding mirrors)	2052
Width (including mirrors)	Not Available

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	63
Gross Vehicle Weight	3500
Load Space Volume	Not Available
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	Not Available
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	1994
No. of Seats	6
Payload	1506

Standard equipment – Driver Convenience

- 10" Cluster with 3 graphic layouts, ADAS visualization, rear view camera view
- 12V - 13 pin provision
- 360 degree moulded plastic protection
- Acoustic comfort kit
- Advanced driver distraction warning camera
- Back sensors
- Connectivity box 4G
- Data set standard
- Deletion of body
- Electric power steering with city function button for adjustable steering effort
- Electronic manual
- Emergency lane keeping assist
- Intelligent speed assist and traffic sign recognition
- Radar integration
- TPMS (Tyre pressure monitoring system)
- Trip computer
- Without E-call

Standard equipment – Entertainment

- Aux input socket
- Mp3 player with tweeter

Standard equipment – Exterior Features

- 3 Piece bumper
- Back panel without window
- Central exhaust pipe
- Delete radiator guard
- Delete Rear towing cross member

- Fuel filler pipe roof cover
- Predisposition towing
- Radiator in aluminium
- Split/wide angle rear view mirror
- Standard chassis
- Trailer sway control
- Width admitted 2000
- Without automatic tow hook

Standard equipment – Interior Features

- 2 spotlights
- 4 loud speakers
- Arm rests on the doors
- Double adjustable steering wheel
- Ergonomic storage with upto 18 storage compartments
- Full steel bulkhead
- Interior lights
- Rake, height and reach adjustable steering wheel with integrated function
- Redesigned dash with open storages on the top of the dashboard with anti
- Shelves at floor level below seats
- Standard temperature climate
- Storage compartments with bottle holder

Standard equipment – Passive Safety

- Delete provision fire extinguisher
- Without emergency switch
- Without retarder

Standard equipment – Technical

- 6 speed gearbox with gearshift indicator
- ABS
- Central parking brake
- Charged battery
- EBD
- Front crash box and chassis reinforcement
- Hill holder system
- PTO Preparation
- Roll movement intervention
- Standard cross front spring
- Standard oil sump
- Standard suspension
- Without cross axle differential lock