

## Vauxhall Combo Cargo L2 Electric 2300 100kW Sportive 50kWh H1 Van Auto

Vauxhall Vauxhall Combo Cargo · Combo Cargo L2 Electric

The Vauxhall Combo Cargo L2 Electric 2300 100kW Sportive 50kWh H1 Van Auto is a electric, automatic van from Vauxhall's Combo Cargo range. It offers a load length of 2167mm, load width of 1527mm, load height of 1243mm. Charging: 150kW Charger 20m 100kW Charger 30m 50kW Charger 1hrs 7kW Charger 7hrs 8m. Ask us for a personalised quote with free UK delivery.

### Key specification

|              |                                                                                          |
|--------------|------------------------------------------------------------------------------------------|
| Transmission | Automatic                                                                                |
| Fuel Type    | Electric                                                                                 |
| Load Height  | 1243mm                                                                                   |
| Load Length  | 2167mm                                                                                   |
| Load Width   | 1527mm                                                                                   |
| Load length  | 2167mm                                                                                   |
| Load width   | 1527mm                                                                                   |
| Load height  | 1243mm                                                                                   |
| Charging     | Charging Times 150kW Charger 20m 100kW Charger 30m 50kW Charger 1hrs 7kW Charger 7hrs 8m |

### Electric Vehicle Data

|                                                   |               |
|---------------------------------------------------|---------------|
| Battery Capacity % guaranteed under warranty      | 70            |
| Battery Capacity in kWh                           | 50            |
| Battery Charging Scenario 1 - Charge Time (Mins)  | 1305          |
| Battery Charging Scenario 1 - Percentage Change   | 0-100         |
| Battery Charging Scenario 1 - Power Supply - kW   | 2.3           |
| Battery Charging Scenario 2 - Charge Time (Mins)  | 450           |
| Battery Charging Scenario 2 - Percentage Change   | 0-100         |
| Battery Charging Scenario 2 - Power Supply - kW   | 7.4           |
| Battery Charging Scenario 3 - Charge Time (Mins)  | 30            |
| Battery Charging Scenario 3 - Percentage Change   | 0-80          |
| Battery Charging Scenario 3 - Power Supply - kW   | 100           |
| Battery Charging Scenario 4 - Charge Time (Mins)  | Not Available |
| Battery Charging Scenario 4 - Percentage Change   | Not Available |
| Battery Charging Scenario 4 - Power Supply - kW   | Not Available |
| Battery Leased                                    | No            |
| Battery Type                                      | Lithium-ion   |
| Coupler/Connector Type                            | Type 2        |
| Standard manufacturers Battery warranty - Mileage | 100000        |
| Standard manufacturers Battery warranty - Years   | 8             |
| WLTP - EC (kWh/100km) - Comb - TEH                | 23            |
| WLTP - EC (kWh/100km) - Comb - TEL                | 19.5          |
| WLTP - EC (miles/kWh) - Comb - TEH                | 2.7           |
| WLTP - EC (miles/kWh) - Comb - TEL                | 3.2           |
| WLTP - Pure Electric Range (km) - City            | 404           |
| WLTP - Pure Electric Range (km) - City - TEH      | 350           |
| WLTP - Pure Electric Range (km) - City - TEL      | 436           |
| WLTP - Pure Electric Range (km) - Comb            | 275           |
| WLTP - Pure Electric Range (km) - Comb - TEH      | 241           |
| WLTP - Pure Electric Range (km) - Comb - TEL      | 282           |
| WLTP - Pure Electric Range (miles) - City         | 251           |
| WLTP - Pure Electric Range (miles) - City - TEH   | 217           |
| WLTP - Pure Electric Range (miles) - City - TEL   | 271           |
| WLTP - Pure Electric Range (miles) - Comb         | 171           |
| WLTP - Pure Electric Range (miles) - Comb - TEH   | 150           |
| WLTP - Pure Electric Range (miles) - Comb - TEL   | 175           |

## Emissions - ICE

|                    |               |
|--------------------|---------------|
| CO                 | Not Available |
| CO2                | 0             |
| HC                 | Not Available |
| HC+NOx             | Not Available |
| Noise Level dB(A)  | Not Available |
| NOx                | Not Available |
| Particles          | Not Available |
| Standard Emissions | Not Available |

## Engine and Drive Train

|                        |                  |
|------------------------|------------------|
| Automatic Transmission | Yes              |
| Bore                   | Not Available    |
| Catalytic Convertor    | Not Available    |
| CC                     | 1                |
| Compression Ratio      | Not Available    |
| Cooling System         | Not Available    |
| Cylinder Layout        | Not Available    |
| Cylinders              | Not Available    |
| Engine Layout          | FRONT TRANSVERSE |
| Engine Make            | Not Available    |
| Fuel Delivery          | Not Available    |
| Fuel Type              | ELECTRIC         |
| Gears                  | 1 SPEED          |
| Manual Transmission    | No               |
| Number of Valves       | Not Available    |
| Stroke                 | Not Available    |
| Valve gear             | Not Available    |

## Fuel Consumption - ICE

|                |               |
|----------------|---------------|
| EC             | Not Available |
| EC Combined    | Not Available |
| EC Extra Urban | Not Available |
| EC Urban       | Not Available |

## General

|                                                      |                   |
|------------------------------------------------------|-------------------|
| Alternator Amps                                      | Not Available     |
| Did at least one aspect of this vehicles safety give | No                |
| Based On ID                                          | 136               |
| Battery AH                                           | Not Available     |
| Battery Volts                                        | Not Available     |
| Chassis Engine Number                                | Not Available     |
| Clutch                                               | Not Available     |
| Coin Description                                     | Not Available     |
| Coin Gross Vehicle Weight Code                       | Not Available     |
| Coin Power Output Code                               | Not Available     |
| Coin Series                                          | Not Available     |
| Coin Wheelbase Description Code                      | Not Available     |
| Coin Wheelbase Name Code                             | Not Available     |
| Exhaust System                                       | Not Available     |
| Front Suspension                                     | MACPHERSON STRUTS |
| Generation Mark                                      | 5                 |
| Ghost model for valuation purposes                   | No                |
| Hand Brake                                           | REAR WHEELS       |
| Insurance Group 1                                    | Not Available     |
| Insurance Group 2                                    | Not Available     |
| NCAP Adult Occupant Protection %                     | Not Available     |
| NCAP Child Occupant Protection %                     | Not Available     |
| NCAP Overall Rating - Effective February 09          | Not Available     |
| NCAP Pedestrian Protection %                         | Not Available     |

|                                                   |                     |
|---------------------------------------------------|---------------------|
| NCAP Safety Assist %                              | Not Available       |
| Rear Brakes                                       | DRUM                |
| Rear Suspension                                   | MINI BLOCK SPRINGS  |
| Relative Height                                   | H1                  |
| Relative Length                                   | L2                  |
| Running Cost League Headings                      | SMALL               |
| Service Interval Frequency - Months               | 24                  |
| Service Interval Mileage                          | 25000               |
| Special Edition                                   | No                  |
| Special Order                                     | No                  |
| Standard manufacturers warranty - Mileage         | 60000               |
| Standard manufacturers warranty - Years           | 3                   |
| Steering                                          | PAS RACK AND PINION |
| This vehicle is classed as a car for VED purposes | No                  |
| Timing Belt Interval Frequency - Months           | Not Available       |
| Timing Belt Interval Mileage                      | Not Available       |
| Vehicle Homologation Class                        | N1                  |
| Vin/Frame No.                                     | Not Available       |

## Performance

|                      |      |
|----------------------|------|
| 0 to 62 mph (secs)   | 11.7 |
| BHP                  | 136  |
| Engine Power KW      | 100  |
| Engine Torque LBS.FT | 192  |
| Engine Torque MKG    | 26.5 |
| Engine Torque NM     | 260  |
| Top Speed            | 81   |

## Test Cycles

|                         |               |
|-------------------------|---------------|
| Emissions Test Cycle    | WLTP          |
| RDE Certification Level | Not Available |

## Tyres

|                  |                 |
|------------------|-----------------|
| Alloys?          | No              |
| Automatic Clutch | Yes             |
| Space Saver?     | No              |
| Tyre Make        | Not Available   |
| Tyre Size Front  | 205/60 R16      |
| Tyre Size Rear   | 205/60 R16      |
| Tyre Size Spare  | TYRE REPAIR KIT |
| Wheel Style      | Not Available   |
| Wheel Type       | 16" STEEL       |

## Vehicle Dimensions

|                                       |               |
|---------------------------------------|---------------|
| Front Overhang                        | 892           |
| Height                                | 1860          |
| Height (including roof rails)         | Not Available |
| Length                                | 4753          |
| Load Deck Height                      | 610           |
| Load Height                           | 1243          |
| Load Length                           | 2167          |
| Load Space Width Between Wheel Arches | 1229          |
| Load Width                            | 1527          |
| Lower Rear Door Width                 | 1241          |
| Rear Door Height                      | 1196          |
| Rear Overhang                         | 886           |
| Side Load Door Height                 | 1072          |
| Side Load Door Width                  | 675           |
| Turning Circle - Kerb to Kerb         | 11.8          |
| Turning Circle - Wall to Wall         | Not Available |
| Upper Rear Door Width                 | Not Available |

|                                  |      |
|----------------------------------|------|
| <b>Wheelbase</b>                 | 2975 |
| <b>Width (excluding mirrors)</b> | 1848 |
| <b>Width (including mirrors)</b> | 2107 |

## Weight and Capacities

|                                                 |               |
|-------------------------------------------------|---------------|
| <b>Boot Capacity Saloons</b>                    | Not Available |
| <b>Fuel Tank Capacity (Litres)</b>              | Not Available |
| <b>Gross Train Weight</b>                       | 3150          |
| <b>Gross Vehicle Weight</b>                     | 2400          |
| <b>Load Space Volume</b>                        | 3.9           |
| <b>Luggage Capacity (Seats Down)</b>            | Not Available |
| <b>Luggage Capacity (Seats Up)</b>              | Not Available |
| <b>Luggage Capacity - 2nd Row Seats Removed</b> | Not Available |
| <b>Luggage Capacity - 2nd Row Seats Up</b>      | Not Available |
| <b>Luggage Capacity - 3rd Row Seats Down</b>    | Not Available |
| <b>Luggage Capacity - 3rd Row Seats Removed</b> | Not Available |
| <b>Luggage Capacity - 3rd Row Seats Up</b>      | Not Available |
| <b>Max. Roof Load</b>                           | 100           |
| <b>Max. Towing Weight - Braked</b>              | 750           |
| <b>Max. Towing Weight - Unbraked</b>            | 750           |
| <b>Minimum Kerbweight</b>                       | 1649          |
| <b>No. of Seats</b>                             | 3             |
| <b>Payload</b>                                  | 751           |
| <b>Plated 2nd Axle</b>                          | 1400          |
| <b>Plated Front Axle</b>                        | 1200          |

## Standard equipment – Driver Convenience

- Central fascia display with audio information, digital clock, outside temperature, infotainment system
- Centrally located instrument cluster with service due indicator and trip computer
- Cruise control with speed limiters
- Drive mode selector
- Instrumentation Speedometer, rev counter, fuel gauge with low fuel warning
- Lights on audible warning
- Multi-function trip computer with trip mileage, vehicle range, average speed
- Single-speed electronic drive selector
- Speed sensitive electric power assisted system
- Tyre pressure monitor
- Vauxhall connect

## Standard equipment – Entertainment

- Steering wheel mounted audio controls

## Standard equipment – Exterior Features

- Automatic lighting control
- Black door handles
- Black door mirrors
- Body colour front and rear bumpers
- Daytime running lights
- Electrically operated front windows with safety autoreverse one touch facility
- Front fog lights
- Glazed tailgate with heated window and wash/wipe facility
- Hazard warning lights
- Magic wash system
- Manual headlight beam levelling
- Rear fog lights
- Reversing lights
- Side protection moulding
- Solar heat absorbing windscreen
- Tinted windows
- Twin electrically adjustable, heated door mirrors and manually folding door mirrors
- Two speed windscreen wipers with variable intermittent wipe

## Standard equipment – Interior Features

---

- 12 volt electrical accessory socket centre console
- 6 way adjustable height and reach drivers seats with manual lumbar adjustment and armrest
- Cab heating system with six speed fan, Illuminated controls, four adjustable facia vents, windscreen demist vents and side window demist vents
- Driver and front passenger sun visor and vanity mirror on rear of drivers sunvisor
- Driver's top lidded glovebox
- Fabric upholstery
- Full width overhead storage shelf with ambient lighting
- Large open storage pocket behind infotainment screen
- Mistral grey fabric side bolsters
- Open storage compartment below glovebox
- Reach and rake adjustable steering column
- Six Fixed floor mounted load restraint lashing eyes
- Small open storage compartment behind gear lever
- Two drinks holders in centre console on front compartment
- Two facia mounted drinks holders on front compartment
- Two large and two small open door pockets

## Standard equipment – Passive Safety

---

- Deactivation switch for front passenger airbag and side impact airbag
- Drivers and front passengers lap belt pretensioner system
- Energy absorbing steering column, Side impact protection beams, Reinforced passenger safety cell and front and rear deformation zones
- Front body lock diagonal seatbelt pretensioner system
- Front seatbelt force limiters
- Height adjustable front seatbelts

## Standard equipment – Security

---

- 2 folding keys with integral remote control function
- Central locking activation switch on drivers door
- Electronically protected audio
- Engine deadlock immobiliser
- Locking wheel bolts
- Remote central locking and deadlocks
- Remote control ultrasonic security alarm system
- Visible Vehicle Identification Number (VIN)

## Standard equipment – Technical

---

- Anti-lock braking
- Anti-roll bar
- Corner stability control
- Electronic brake force distribution
- Electronic stability programme
- Energy recuperation
- Engine drag torque control
- Hill start assist
- Independent MacPherson front suspension with gas pressure dampers and linear-rate coil springs
- Onboard charger - 7kW
- Rear torsion beam with gas pressure dampers and variable rate coil springs
- Single foot driving experience
- Traction control

## Standard equipment – Wheels

---

- 16" steel wheels with full-diameter wheel trims

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/vauxhall/combo-cargo/combo-cargo-l2-electric/2300-100kw-sportive-50kwh-h1-van-auto-2023>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.