

## Citroën e-Dispatch M 1000 100kW 75kWh Van Enterprise Pro Auto [11kWCh]

Citroën Citroën Dispatch · e-Dispatch M

The Citroën e-Dispatch M 1000 100kW 75kWh Van Enterprise Pro Auto [11kWCh] is a electric, automatic medium from Citroën's Dispatch range. It offers a load length of 2512mm, load width of 1628mm, load height of 1397mm. Charging: 150kW Charger 30m 100kW Charger 45m 50kW Charger 1hrs 30m 7kW Charger 10hrs 42m. Ask us for a personalised quote with free UK delivery.

### Key specification

|              |                                                                                                |
|--------------|------------------------------------------------------------------------------------------------|
| Transmission | Automatic                                                                                      |
| Fuel Type    | Electric                                                                                       |
| Bodytype     | Medium                                                                                         |
| Load Height  | 1397mm                                                                                         |
| Load Length  | 2512mm                                                                                         |
| Load Width   | 1628mm                                                                                         |
| Load length  | 2512mm                                                                                         |
| Load width   | 1628mm                                                                                         |
| Load height  | 1397mm                                                                                         |
| Charging     | Charging Times 150kW Charger 30m 100kW Charger 45m 50kW Charger 1hrs 30m 7kW Charger 10hrs 42m |

### Electric Vehicle Data

|                                                   |                 |
|---------------------------------------------------|-----------------|
| Battery Capacity % guaranteed under warranty      | 70              |
| Battery Capacity in kWh                           | 75              |
| Battery Charging Scenario 1 - Charge Time (Mins)  | 2520            |
| Battery Charging Scenario 1 - Percentage Change   | 1-100           |
| Battery Charging Scenario 1 - Power Supply - kW   | 1.8             |
| Battery Charging Scenario 2 - Charge Time (Mins)  | 680             |
| Battery Charging Scenario 2 - Percentage Change   | 0-100           |
| Battery Charging Scenario 2 - Power Supply - kW   | 7.4             |
| Battery Charging Scenario 3 - Charge Time (Mins)  | 420             |
| Battery Charging Scenario 3 - Percentage Change   | 0-100           |
| Battery Charging Scenario 3 - Power Supply - kW   | 11              |
| Battery Charging Scenario 4 - Charge Time (Mins)  | 45              |
| Battery Charging Scenario 4 - Percentage Change   | 0-80            |
| Battery Charging Scenario 4 - Power Supply - kW   | 100             |
| Battery Leased                                    | No              |
| Battery Type                                      | Lithium-ion     |
| Charging Port Location                            | Left Side Front |
| Coupler/Connector Type                            | CCS Type 2      |
| Maximum Charging Rate - kW                        | 100             |
| Standard manufacturers Battery warranty - Mileage | 100000          |
| Standard manufacturers Battery warranty - Years   | 8               |
| Usable Battery Capacity                           | Not Available   |
| WLTP - EC (kWh/100km) - Comb - TEH                | 29.5            |
| WLTP - EC (kWh/100km) - Comb - TEL                | 24.7            |
| WLTP - EC (miles/kWh) - Comb - TEH                | 2.1             |
| WLTP - EC (miles/kWh) - Comb - TEL                | 2.5             |
| WLTP - Pure Electric Range (km) - City            | 430             |
| WLTP - Pure Electric Range (km) - City - TEH      | 337             |
| WLTP - Pure Electric Range (km) - City - TEL      | 477             |
| WLTP - Pure Electric Range (km) - Comb            | 315             |
| WLTP - Pure Electric Range (km) - Comb - TEH      | 285             |
| WLTP - Pure Electric Range (km) - Comb - TEL      | 339             |
| WLTP - Pure Electric Range (miles) - City         | 267             |
| WLTP - Pure Electric Range (miles) - City - TEH   | 209             |

|                                                        |     |
|--------------------------------------------------------|-----|
| <b>WLTP - Pure Electric Range (miles) - City - TEL</b> | 296 |
| <b>WLTP - Pure Electric Range (miles) - Comb</b>       | 196 |
| <b>WLTP - Pure Electric Range (miles) - Comb - TEH</b> | 177 |
| <b>WLTP - Pure Electric Range (miles) - Comb - TEL</b> | 211 |

## Emissions - ICE

|                           |               |
|---------------------------|---------------|
| <b>CO</b>                 | Not Available |
| <b>CO2</b>                | 0             |
| <b>HC</b>                 | Not Available |
| <b>HC+NOx</b>             | Not Available |
| <b>Noise Level dB(A)</b>  | Not Available |
| <b>NOx</b>                | Not Available |
| <b>Particles</b>          | Not Available |
| <b>Standard Emissions</b> | Not Available |

## Engine and Drive Train

|                               |               |
|-------------------------------|---------------|
| <b>Automatic Transmission</b> | Yes           |
| <b>Bore</b>                   | Not Available |
| <b>Catalytic Convertor</b>    | Not Available |
| <b>CC</b>                     | 1             |
| <b>Compression Ratio</b>      | Not Available |
| <b>Cooling System</b>         | Not Available |
| <b>Cylinder Layout</b>        | Not Available |
| <b>Cylinders</b>              | Not Available |
| <b>Engine Codes</b>           | Not Available |
| <b>Engine Layout</b>          | Not Available |
| <b>Engine Make</b>            | Not Available |
| <b>Fuel Delivery</b>          | Not Available |
| <b>Fuel Type</b>              | Not Available |
| <b>Gears</b>                  | 1 SPEED       |
| <b>Manual Transmission</b>    | No            |
| <b>Number of Valves</b>       | Not Available |
| <b>Stroke</b>                 | Not Available |

## Fuel Consumption - ICE

|                       |               |
|-----------------------|---------------|
| <b>EC</b>             | Not Available |
| <b>EC Combined</b>    | Not Available |
| <b>EC Extra Urban</b> | Not Available |
| <b>EC Urban</b>       | Not Available |

## General

|                                                             |                   |
|-------------------------------------------------------------|-------------------|
| <b>Alternative Fuel Qualifying</b>                          | Yes               |
| <b>Alternator Amps</b>                                      | Not Available     |
| <b>Did at least one aspect of this vehicles safety give</b> | No                |
| <b>Engine Power CC?</b>                                     | 136               |
| <b>Based On ID</b>                                          | Not Available     |
| <b>Battery Volts</b>                                        | Not Available     |
| <b>Chassis Engine Number</b>                                | Not Available     |
| <b>Clutch</b>                                               | Not Available     |
| <b>Coin Description</b>                                     | Not Available     |
| <b>Coin Gross Vehicle Weight Code</b>                       | Not Available     |
| <b>Coin Power Output Code</b>                               | Not Available     |
| <b>Coin Series</b>                                          | Not Available     |
| <b>Coin Wheelbase Description Code</b>                      | Not Available     |
| <b>Coin Wheelbase Name Code</b>                             | Not Available     |
| <b>Exhaust System</b>                                       | Not Available     |
| <b>Front Brakes</b>                                         | DISCS             |
| <b>Front Suspension</b>                                     | MACPHERSON STRUTS |
| <b>Generation Mark</b>                                      | 3                 |
| <b>Ghost model for valuation purposes</b>                   | No                |
| <b>Hand Brake</b>                                           | REAR WHEELS       |

|                                                       |               |
|-------------------------------------------------------|---------------|
| Manufacturers Corrosion Perforation Guarantee - Years | 6             |
| Manufacturers Paintwork Guarantee - Years             | 1             |
| NCAP Adult Occupant Protection %                      | Not Available |
| NCAP Child Occupant Protection %                      | Not Available |
| NCAP Front/Side Impact - Discontinued February 09     | Not Available |
| NCAP Overall Rating - Effective February 09           | Not Available |
| NCAP Overall Rating - LCV                             | Not Available |
| NCAP Pedestrian - Discontinued February 09            | Not Available |
| NCAP Pedestrian Protection %                          | Not Available |
| NCAP Safety Assist %                                  | Not Available |
| Rear Brakes                                           | DISCS         |
| Rear Suspension                                       | COIL SPRINGS  |
| Relative Height                                       | H1            |
| Relative Length                                       | L2            |
| Running Cost League Headings                          | MEDIUM        |
| Service Interval Frequency - Months                   | 12            |
| Service Interval Mileage                              | 25000         |
| Special Edition                                       | No            |
| Special Order                                         | No            |
| Standard manufacturers warranty - Mileage             | Unlimited     |
| Standard manufacturers warranty - Years               | 2             |
| Steering                                              | PAS           |
| Timing Belt Interval Frequency - Months               | Not Available |
| Timing Belt Interval Mileage                          | Not Available |
| Vehicle Homologation Class                            | N1            |
| Vin/Frame No.                                         | Not Available |

## Performance

|                      |      |
|----------------------|------|
| BHP                  | 136  |
| Engine Power KW      | 100  |
| Engine Power RPM     | 5500 |
| Engine Torque LBS.FT | 192  |
| Engine Torque MKG    | 26.5 |
| Engine Torque NM     | 260  |
| Engine Torque RPM    | 3674 |
| Top Speed            | 81   |

## Test Cycles

|                         |               |
|-------------------------|---------------|
| Emissions Test Cycle    | WLTP          |
| RDE Certification Level | Not Available |

## Tyres

|                  |               |
|------------------|---------------|
| Alloys?          | No            |
| Automatic Clutch | Not Available |
| Plated 3rd Axle  | Not Available |
| Plated 4th Axle  | Not Available |
| Space Saver?     | No            |
| Tyre Make        | Not Available |
| Tyre Size Spare  | FULL SIZE     |
| Wheel Style      | Not Available |
| Wheel Type       | 16" STEEL     |

## Vehicle Dimensions

|                                       |               |
|---------------------------------------|---------------|
| Front Overhang                        | 881           |
| Height                                | 1899          |
| Height (including roof rails)         | Not Available |
| Length                                | 4959          |
| Load Height                           | 1397          |
| Load Length                           | 2512          |
| Load Space Width Between Wheel Arches | 1258          |
| Load Width                            | 1628          |

|                               |      |
|-------------------------------|------|
| Lower Rear Door Width         | 1282 |
| Rear Door Height              | 1220 |
| Rear Overhang                 | 803  |
| Side Load Door Height         | 1241 |
| Side Load Door Width          | 935  |
| Turning Circle - Kerb to Kerb | 12.4 |
| Upper Rear Door Width         | 1282 |
| Wheelbase                     | 3275 |
| Width (excluding mirrors)     | 1920 |
| Width (including mirrors)     | 2204 |

## Weight and Capacities

|                                          |               |
|------------------------------------------|---------------|
| Boot Capacity Saloons                    | Not Available |
| Fuel Tank Capacity (Litres)              | Not Available |
| Gross Train Weight                       | 4025          |
| Gross Vehicle Weight                     | 3025          |
| Load Space Volume                        | 5.3           |
| Luggage Capacity (Seats Down)            | Not Available |
| Luggage Capacity (Seats Up)              | Not Available |
| Luggage Capacity - 2nd Row Seats Removed | Not Available |
| Luggage Capacity - 2nd Row Seats Up      | Not Available |
| Luggage Capacity - 3rd Row Seats Down    | Not Available |
| Luggage Capacity - 3rd Row Seats Removed | Not Available |
| Luggage Capacity - 3rd Row Seats Up      | Not Available |
| Max. Towing Weight - Braked              | 1000          |
| Max. Towing Weight - Unbraked            | 750           |
| Minimum Kerbweight                       | 2025          |
| No. of Seats                             | 3             |
| Payload                                  | 1000          |
| Plated 2nd Axle                          | 1800          |
| Plated Front Axle                        | 1500          |

## Standard equipment – Driver Convenience

- Battery charge warning
- Citroen connect box with emergency and assistance system
- Clock
- Cruise control with speed limiter
- Multi-function on-board trip computer
- Oil level warning light
- Outside temperature gauge
- PAS
- Rev counter with maintenance and gear efficiency indicators (GEI)
- Service indicator
- Side indicator warning

## Standard equipment – Exterior Features

- 2 speed intermittent front wipers
- Black door mirrors
- Electric front windows with one touch & anti pinch function
- Front windows tinted to 30 percentage opacity
- Height adjustable halogen headlights
- High level third brake light
- Laminated acoustic windscreen
- Preparation for towbar-wiring and connector for towbar interface
- Reversing lights
- Twin sliding side doors
- Visible VIN at windscreen base

## Standard equipment – Interior Features

- 12V socket in cabin
- 6x Load tie-down hooks in load area
- Closed upper and open lower gloveboxes
- Cup holders for driver and passenger in top of dashboard
- Dashboard storage areas
- Front door pockets with 1.5L bottle holder
- Hard plastic floor protection in cabin

- Height adjustable head restraints for driver and front passengers seats
- Height and reach adjustable steering wheel
- Large courtesy lights
- Load compartment interior light
- Mica cloth/Vinyl upholstery
- Moduwork - Dual passenger seat, foldup outer seat, folding table in central with lumbar adj & armrest
- Remote temperature pre-conditioning
- Storage under squab of central passenger seat

### Standard equipment – Packs

---

- Visibility Pack with automatic lights - Dispatch

### Standard equipment – Passive Safety

---

- Acoustic vehicle alerting system
- Automatic fuel cut off & door unlocking
- Door opening warning and audible lights on warning
- Driver and front passenger's airbags with passenger's airbag deactivate switch
- Height-adjustable 3-point pre-tensioner seat belts with force limiter
- Unfastened seat belt warning for driver and passengers

### Standard equipment – Security

---

- Dashboard mounted central locking push button and auto locking above 7mph
- Perimeter and volumetric thatcham category 1 approved alarm
- Remote central locking with deadlocking, selective cab and load area locking
- Rolling code transponder immobiliser

### Standard equipment – Technical

---

- 11kW Tri-phase On Board Charger
- 12V socket in cargo area
- Electric parking brake
- Electronic Stability Control and ABS with hill start assist, EBA and EBFD
- Mode 3 charging cable for wall box

### Standard equipment – Wheels

---

- Full size spare wheel