

## Vauxhall VIVARO M ELECTRIC SPECIAL EDITION 100kW 75kWh GS H1 Van Auto

Vauxhall Vauxhall Vivaro · VIVARO M ELECTRIC SPECIAL EDITION

The Vauxhall VIVARO M ELECTRIC SPECIAL EDITION 100kW 75kWh GS H1 Van Auto is a electric, automatic van from Vauxhall's Vivaro range. It offers a load length of 2512mm, load width of 1636mm, load height of 1397mm. Charging: 150kW Charger 30m 100kW Charger 45m 50kW Charger 1hrs 30m 7kW Charger 10hrs 42m. Ask us for a personalised quote with free UK delivery.

### Key specification

|              |                                                                                                |
|--------------|------------------------------------------------------------------------------------------------|
| Transmission | Automatic                                                                                      |
| Fuel Type    | Electric                                                                                       |
| Load Height  | 1397mm                                                                                         |
| Load Length  | 2512mm                                                                                         |
| Load Width   | 1636mm                                                                                         |
| Load length  | 2512mm                                                                                         |
| Load width   | 1636mm                                                                                         |
| Load height  | 1397mm                                                                                         |
| Charging     | Charging Times 150kW Charger 30m 100kW Charger 45m 50kW Charger 1hrs 30m 7kW Charger 10hrs 42m |

### Electric Vehicle Data

|                                                   |                 |
|---------------------------------------------------|-----------------|
| Battery Capacity % guaranteed under warranty      | 70              |
| Battery Capacity in kWh                           | 75              |
| Battery Charging Scenario 1 - Charge Time (Mins)  | 2205            |
| Battery Charging Scenario 1 - Percentage Change   | 0-100           |
| Battery Charging Scenario 1 - Power Supply - kW   | 1.8             |
| Battery Charging Scenario 2 - Charge Time (Mins)  | 680             |
| Battery Charging Scenario 2 - Percentage Change   | 0-100           |
| Battery Charging Scenario 2 - Power Supply - kW   | 7.4             |
| Battery Charging Scenario 3 - Charge Time (Mins)  | 450             |
| Battery Charging Scenario 3 - Percentage Change   | 0-100           |
| Battery Charging Scenario 3 - Power Supply - kW   | 11              |
| Battery Charging Scenario 4 - Charge Time (Mins)  | 45              |
| Battery Charging Scenario 4 - Percentage Change   | 5-80            |
| Battery Charging Scenario 4 - Power Supply - kW   | 100             |
| Battery Leased                                    | No              |
| Battery Type                                      | Lithium-ion     |
| Charging Port Location                            | Left Side Front |
| Coupler/Connector Type                            | CCS Type 2      |
| Maximum Charging Rate - kW                        | 100             |
| Standard manufacturers Battery warranty - Mileage | 100000          |
| Standard manufacturers Battery warranty - Years   | 8               |
| Usable Battery Capacity                           | 69              |
| WLTP - EC (kWh/100km) - Comb - TEH                | 26.4            |
| WLTP - EC (kWh/100km) - Comb - TEL                | 22.4            |
| WLTP - EC (miles/kWh) - Comb - TEH                | 2.4             |
| WLTP - EC (miles/kWh) - Comb - TEL                | 2.8             |
| WLTP - Pure Electric Range (km) - City            | 506             |
| WLTP - Pure Electric Range (km) - City - TEH      | 314             |
| WLTP - Pure Electric Range (km) - City - TEL      | 506             |
| WLTP - Pure Electric Range (km) - Comb            | 352             |
| WLTP - Pure Electric Range (km) - Comb - TEH      | 313             |
| WLTP - Pure Electric Range (km) - Comb - TEL      | 370             |
| WLTP - Pure Electric Range (miles) - City         | 314             |
| WLTP - Pure Electric Range (miles) - City - TEH   | 195             |
| WLTP - Pure Electric Range (miles) - City - TEL   | 314             |

|                                                        |     |
|--------------------------------------------------------|-----|
| <b>WLTP - Pure Electric Range (miles) - Comb</b>       | 219 |
| <b>WLTP - Pure Electric Range (miles) - Comb - TEH</b> | 194 |
| <b>WLTP - Pure Electric Range (miles) - Comb - TEL</b> | 230 |

## Emissions - ICE

|                           |               |
|---------------------------|---------------|
| <b>CO</b>                 | Not Available |
| <b>CO2</b>                | 0             |
| <b>HC</b>                 | Not Available |
| <b>HC+NOx</b>             | Not Available |
| <b>Noise Level dB(A)</b>  | Not Available |
| <b>NOx</b>                | Not Available |
| <b>Particles</b>          | Not Available |
| <b>Standard Emissions</b> | Not Available |

## Engine and Drive Train

|                               |               |
|-------------------------------|---------------|
| <b>Automatic Transmission</b> | Yes           |
| <b>Bore</b>                   | Not Available |
| <b>Catalytic Convertor</b>    | Not Available |
| <b>CC</b>                     | 1             |
| <b>Compression Ratio</b>      | Not Available |
| <b>Cooling System</b>         | Not Available |
| <b>Cylinder Layout</b>        | Not Available |
| <b>Cylinders</b>              | Not Available |
| <b>Engine Codes</b>           | Not Available |
| <b>Engine Layout</b>          | Not Available |
| <b>Engine Make</b>            | Not Available |
| <b>Fuel Delivery</b>          | Not Available |
| <b>Fuel Type</b>              | ELECTRIC      |
| <b>Gears</b>                  | 1 SPEED       |
| <b>Manual Transmission</b>    | No            |
| <b>Number of Valves</b>       | Not Available |
| <b>Stroke</b>                 | Not Available |
| <b>Valve gear</b>             | Not Available |

## Fuel Consumption - ICE

|                       |               |
|-----------------------|---------------|
| <b>EC</b>             | Not Available |
| <b>EC Combined</b>    | Not Available |
| <b>EC Extra Urban</b> | Not Available |
| <b>EC Urban</b>       | Not Available |

## General

|                                                                              |                   |
|------------------------------------------------------------------------------|-------------------|
| <b>Alternative Fuel Qualifying</b>                                           | Yes               |
| <b>Alternator Amps</b>                                                       | Not Available     |
| <b>Did at least one aspect of this vehicles safety give you any concern?</b> | No                |
| <b>Engine Power CC</b>                                                       | 136               |
| <b>Based On ID</b>                                                           | 58134             |
| <b>Battery AH</b>                                                            | Not Available     |
| <b>Battery Volts</b>                                                         | Not Available     |
| <b>Chassis Engine Number</b>                                                 | Not Available     |
| <b>Clutch</b>                                                                | Not Available     |
| <b>Coin Description</b>                                                      | Not Available     |
| <b>Coin Gross Vehicle Weight Code</b>                                        | Not Available     |
| <b>Coin Power Output Code</b>                                                | Not Available     |
| <b>Coin Series</b>                                                           | Not Available     |
| <b>Coin Wheelbase Description Code</b>                                       | Not Available     |
| <b>Coin Wheelbase Name Code</b>                                              | Not Available     |
| <b>Exhaust System</b>                                                        | Not Available     |
| <b>Front Brakes</b>                                                          | VENTILATED DISCS  |
| <b>Front Suspension</b>                                                      | MACPHERSON STRUTS |
| <b>Generation Mark</b>                                                       | 2                 |
| <b>Ghost model for valuation purposes</b>                                    | No                |

|                                                       |                     |
|-------------------------------------------------------|---------------------|
| Insurance Group 1                                     | Not Available       |
| Insurance Group 2                                     | Not Available       |
| Manufacturers Corrosion Perforation Guarantee - Years | 6                   |
| Manufacturers Paintwork Guarantee - Years             | 6                   |
| NCAP Adult Occupant Protection %                      | Not Available       |
| NCAP Child Occupant Protection %                      | Not Available       |
| NCAP Overall Rating - Effective February 09           | Not Available       |
| NCAP Overall Rating - LCV                             | 4 Star              |
| NCAP Pedestrian Protection %                          | Not Available       |
| NCAP Safety Assist %                                  | Not Available       |
| Rear Brakes                                           | DISCS               |
| Rear Suspension                                       | COIL SPRINGS        |
| Relative Height                                       | H1                  |
| Relative Length                                       | L1                  |
| Running Cost League Headings                          | MEDIUM              |
| Service Interval Frequency - Months                   | 24                  |
| Service Interval Mileage                              | 25000               |
| Special Edition                                       | Yes                 |
| Special Order                                         | No                  |
| Standard manufacturers warranty - Mileage             | 100000              |
| Standard manufacturers warranty - Years               | 3                   |
| Steering                                              | PAS RACK AND PINION |
| Timing Belt Interval Frequency - Months               | Not Available       |
| Timing Belt Interval Mileage                          | Not Available       |
| Vehicle Homologation Class                            | N1                  |
| Vin/Frame No.                                         | Not Available       |

## Performance

|                      |      |
|----------------------|------|
| 0 to 62 mph (secs)   | 14.3 |
| BHP                  | 136  |
| Engine Power KW      | 100  |
| Engine Power RPM     | 5500 |
| Engine Torque LBS.FT | 199  |
| Engine Torque MKG    | 27.5 |
| Engine Torque NM     | 270  |
| Engine Torque RPM    | 3674 |
| Top Speed            | 81   |

## Test Cycles

|                         |               |
|-------------------------|---------------|
| Emissions Test Cycle    | WLTP          |
| RDE Certification Level | Not Available |

## Tyres

|                  |                 |
|------------------|-----------------|
| Alloys?          | Yes             |
| Automatic Clutch | Yes             |
| Plated 3rd Axle  | Not Available   |
| Plated 4th Axle  | Not Available   |
| Space Saver?     | No              |
| Tyre Make        | Nankang         |
| Tyre Size Front  | 225/50 R18      |
| Tyre Size Rear   | 225/50 R18      |
| Tyre Size Spare  | TYRE REPAIR KIT |
| Wheel Style      | Y SPOKE         |
| Wheel Type       | 18" ALLOY       |

## Vehicle Dimensions

|                  |      |
|------------------|------|
| Front Overhang   | 904  |
| Height           | 1904 |
| Length           | 4981 |
| Load Deck Height | 613  |
| Load Height      | 1397 |

|                                       |      |
|---------------------------------------|------|
| Load Length                           | 2512 |
| Load Space Width Between Wheel Arches | 1258 |
| Load Width                            | 1636 |
| Lower Rear Door Width                 | 1282 |
| Rear Door Height                      | 1220 |
| Rear Overhang                         | 802  |
| Side Load Door Height                 | 1241 |
| Side Load Door Width                  | 935  |
| Turning Circle - Kerb to Kerb         | 12.4 |
| Wheelbase                             | 3275 |
| Width (excluding mirrors)             | 1924 |
| Width (including mirrors)             | 2204 |

## Weight and Capacities

|                                          |               |
|------------------------------------------|---------------|
| Boot Capacity Saloons                    | Not Available |
| Fuel Tank Capacity (Litres)              | Not Available |
| Gross Train Weight                       | 4021          |
| Gross Vehicle Weight                     | 3021          |
| Load Space Volume                        | 5.3           |
| Luggage Capacity (Seats Down)            | Not Available |
| Luggage Capacity (Seats Up)              | Not Available |
| Luggage Capacity - 2nd Row Seats Removed | Not Available |
| Luggage Capacity - 2nd Row Seats Up      | Not Available |
| Luggage Capacity - 3rd Row Seats Down    | Not Available |
| Luggage Capacity - 3rd Row Seats Removed | Not Available |
| Luggage Capacity - 3rd Row Seats Up      | Not Available |
| Max. Roof Load                           | 100           |
| Max. Towing Weight - Braked              | 1000          |
| Max. Towing Weight - Unbraked            | 750           |
| Minimum Kerbweight                       | 2020          |
| No. of Seats                             | 3             |
| Payload                                  | 1001          |
| Plated 2nd Axle                          | 1800          |
| Plated Front Axle                        | 1500          |

## Standard equipment – Driver Convenience

- 10" digital instrumental cluster
- Blind spot detection
- Central fascia display with digital clock, outside air temperature and audio
- Connectivity via BTA with RCE
- Cruise control and speed limiter
- Driver Attention Alert, level - 3
- e-Call and b-Call
- Electronic power steering (EPS)
- Flankguard detection of fixed obstacles
- Forward collision alert
- Front park assist
- Intelligent Speed Assist
- Lane keeping assist
- Mobile phone portal - Bluetooth, Vehicle microphone, Phone book access, Auto
- Multi-function trip computer
- Multimedia pro nav system with AM/FM/DAB radio, 10" HD touchscreen with control and USB connection
- Rear park assist
- Rear parking distance sensor
- Steering wheel paddles for regenerative braking selection - light, medium and
- TPMS (Tyre pressure monitoring system)
- Vauxhall connect
- Visio park 180 degree rear parking camera
- Wireless charging

## Standard equipment – Entertainment

---

- Audio controls mounted on steering wheel
- Flexible multi-functional short antenna (200mm)
- Two speakers and two tweeters

## Standard equipment – Exterior Features

---

- Athermic windshield
- Automatic headlamps on/off
- Body colour door handles
- Body colour side protection mouldings
- Body colour side sliding door rail cover
- Eco LED headlamps with integrated daytime running lights
- Electric charge flap
- Electrically adjustable + heated door mirrors
- Front electric windows with one touch facility
- GS body kit - Fornt lip spoiler, Side skirts with integrated front mud guards, piano black rear spoiler and unique rear bumper
- High beam assist
- Laminated acoustic windscreen
- Offside and nearside sliding side access doors
- Painted exterior rear view mirror cover
- Rain sensitive windscreen wipers
- Sport style front lower spoiler
- Sport style rear spoiler
- Sports rear bumper
- Twin solid rear doors
- Unique GS Badge

## Standard equipment – Interior Features

---

- 12V socket in lower glove box (1 only in cabin)
- Air recirculation facility
- Chilled glovebox facility
- Driver's seat armrest
- Dual front passenger bench seat with under seat storage tray
- Dual zone electronic climate control
- Eco leather upholstery
- Ergonomic 6-way adjustable driver's seat with reach, rake, height and lumbar adjustment
- Fixed floor mounted load restraint lashing eyes x6
- Fold flat centre seat backrest
- Full bulkhead with load-through hatch
- Interior roof trim
- Overhead console with 1 ceiling lamp (dome type and 3 lamps)
- Reach and rake adjustable steering wheel
- TPO plastic flooring
- USB socket in cabin (dashboard)

## Standard equipment – Packs

---

- Connected navigation package - Vivaro
- Winter Pack - Vivaro GS

## Standard equipment – Passive Safety

---

- Acoustic vehicle alerting system with audible outside
- Automatic unlocking system in case of crash
- Driver and front passenger airbags
- Height adjustable lap and diagonal inertia reel front seatbelts
- Passenger airbag deactivation manually

## Standard equipment – Security

---

- Dashboard mounted central locking push button and auto locking above 7mph
- Immobiliser
- Keyless open and start
- Remote control central locking and deadlocking
- Remote control ultrasonic security alarm system
- Selective door locking
- Two keys with integral remote

## Standard equipment – Technical

---

- ABS
- Advanced emergency braking system (AEBS)
- Auto shifting by e-Toggle and shift paddles including in steering wheel
- EBA
- Electric parking brake
- Electronic brake force distribution (EBFD)
- ESC
- ESP
- Hill start assist
- Traction control

## Standard equipment – Trim

---

- Mistral black dashboard trim with liquid paladium decor strip in mid-section

## Standard equipment – Wheels

---

- 18" Exclusive Y spoke alloy wheels
- 18" Nankang tyres with high load capacity
- Tyre inflation kit

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/vauxhall/vivaro/vivaro-m-electric-special-edition/100kw-75kwh-gs-h1-van-auto-2025>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.