

Iveco Daily 35S14 Diesel 2.3 Business Crew Cab Tipper 3750 WB

Iveco Iveco Daily · Daily 35S14 Diesel

From £399 per month ex VAT

BCH · 60 months · 12 months initial rental (£5580) · 5000 miles per year. Prices shown are indicative, exclude VAT for business users and are subject to status and a personalised quote.

The Iveco Daily 35S14 Diesel 2.3 Business Crew Cab Tipper 3750 WB is a diesel, manual double cab tipper from Iveco's Daily range. Available from £399 a month ex VAT on business contract hire (60 months, 12 months initial rental, 5,000 miles a year) with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Bodytype	Double Cab Tipper
Engine Size	2.3 litre
Engine	2.3 litre

Emissions - ICE

Standard Emissions	EURO 6
--------------------	--------

Engine and Drive Train

Automatic Transmission	No
Bore	88
Catalytic Convertor	Yes
CC	2287
Compression Ratio	16.0:1
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	4
Engine Layout	NORTH SOUTH
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Number of Valves	16
Stroke	94
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
----	----

General

Did at least one aspect of this vehicles safety give badge for engine?	No
Badge Engine CO2	2.3
Badge Power	136
Based On ID	Not Available
Battery AH	105
Battery Volts	12
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available

Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER
Front Brakes	VENTILATED DISCS
Front Suspension	LEAF SPRINGS
Generation Mark	3
Ghost model for valuation purposes	No
Hand Brake	REAR WHEELS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	5 Star
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	VENTILATED DISCS
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L3
Running Cost League Headings	LARGE
Service Interval Frequency - Months	24
Service Interval Mileage	50000
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	Unlimited
Standard manufacturers warranty - Years	2
Steering	PAS RACK AND PINION
This vehicle is classed as a car for VED purposes	No
Timing Belt Interval Frequency - Months	60
Timing Belt Interval Mileage	155350
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

0 to 62	Not Available
BHP	136
Engine Power KW	100
Engine Power RPM	3600
Engine Torque LBS.FT	273
Engine Torque MKG	37.7
Engine Torque NM	370
Engine Torque RPM	1600
Top Speed	80

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	No
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	225/75 R16
Tyre Size Rear	225/75 R16
Tyre Size Spare	TYRE REPAIR KIT
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Height	2199
Height (including roof rails)	Not Available
Length	6591
Rear Overhang	1793
Turning Circle - Kerb to Kerb	12.8
Wheelbase	3750
Width (excluding mirrors)	2052
Width (including mirrors)	Not Available

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	63
Gross Vehicle Weight	3500
Load Space Volume	Not Available
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	Not Available
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	2540
No. of Seats	6
Payload	960

Standard equipment – Driver Convenience

- 10" Cluster with 3 graphic layouts, ADAS visualization, rear view camera view
- 12V - 13 pin provision
- 360 degree moulded plastic protection
- Acoustic comfort kit
- Advanced driver distraction warning camera
- Back sensors
- Connectivity box 4G
- Cruise control
- Data set standard
- Electric power steering with city function button for adjustable steering effort
- Electronic manual
- Emergency lane keeping assist
- Intelligent speed assist and traffic sign recognition
- Radar integration
- TPMS (Tyre pressure monitoring system)
- Trip computer
- Without E-call

Standard equipment – Entertainment

- Aux input socket
- Mp3 player with tweeter

Standard equipment – Exterior Features

- 3 Piece bumper
- Back panel without window
- Cab guard
- Central exhaust pipe
- Delete radiator guard
- Delete rear marker lights
- Delete Rear towing cross member
- Front fog lights with cornering function
- Fuel filler pipe roof cover
- No electric taillift provisions
- Predisposition towing
- Radiator in aluminium
- Removable rear ladder rack

- Split/wide angle rear view mirror
- Standard chassis
- Trailer sway control
- Width admitted 2000
- Without automatic tow hook

Standard equipment – Interior Features

-
- 2 spotlights
 - 4 loud speakers
 - Arm rests on the doors
 - Double adjustable steering wheel
 - Ergonomic storage with upto 18 storage compartments
 - Full steel bulkhead
 - Interior lights
 - Rake, height and reach adjustable steering wheel with integrated function
 - Redesigned dash with open storages on the top of the dashboard with anti
 - Shelves at floor level below seats
 - Standard temperature climate
 - Storage compartments with bottle holder

Standard equipment – Passive Safety

-
- Delete provision fire extinguisher
 - Without emergency switch
 - Without retarder

Standard equipment – Technical

-
- 6 speed gearbox with gearshift indicator
 - ABS
 - Central parking brake
 - Charged battery
 - EBD
 - Front crash box and chassis reinforcement
 - Hill holder system
 - Increased oil sump
 - PTO Preparation
 - Roll movement intervention
 - Standard cross front spring
 - Standard suspension
 - Without cross axle differential lock