

Ford Transit Custom 300 L2 Diesel FWD 2.0 EcoBlue 170ps Low Roof D/Cab Trail Van

Ford Ford Transit Custom · Transit Custom 300 L2 Diesel FWD

The Ford Transit Custom 300 L2 Diesel FWD 2.0 EcoBlue 170ps Low Roof D/Cab Trail Van is a diesel, manual van from Ford's Transit Custom range. It offers a load length of 1944mm, load width of 1775mm, load height of 1406mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Engine Size	2.0 litre
Load Height	1406mm
Load Length	1944mm
Load Width	1775mm
Load length	1944mm
Load width	1775mm
Load height	1406mm
Engine	2.0 litre

Emissions - ICE

CO	Not Available
CO2	165
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	EURO 6

Engine and Drive Train

Automatic Transmission	No
Catalytic Convertor	Yes
CC	1996
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	4
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Number of Valves	16
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
EC Combined	44.8
EC Extra Urban	47.9
EC Urban	40.4

General

Alternative Fuel Qualifying	No
Did at least one aspect of this vehicles safety give you concern?	Not Available
Engine	2.0

Badge Power	170
Based On ID	Not Available
Chassis Engine Number	Not Available
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Generation Mark	1
Ghost model for valuation purposes	No
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Front/Side Impact - Discontinued February 09	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Pedestrian - Discontinued February 09	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Relative Height	H1
Relative Length	L2
Running Cost League Headings	MEDIUM
Service Interval Frequency - Months	24
Service Interval Mileage	25000
Special Edition	No
Special Order	No
Timing Belt Interval Frequency - Months	120
Timing Belt Interval Mileage	150000
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

0 to 62	Not Available
BHP	170
Engine Power KW	125
Engine Torque LBS.FT	299
Engine Torque MKG	41.3
Engine Torque NM	405
Top Speed	Not Available

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	Yes
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	215/65 R16
Tyre Size Rear	215/65 R16
Tyre Size Spare	FULL SIZE
Wheel Style	10 SPOKE
Wheel Type	16" ALLOY

Vehicle Dimensions

Front Overhang	1012
Height	1979

Height (including roof rails)	Not Available
Length	5340
Load Deck Height	536
Load Height	1406
Load Length	1944
Load Space Width Between Wheel Arches	1351
Load Width	1775
Lower Rear Door Width	1404
Rear Door Height	1347
Rear Overhang	1028
Side Load Door Height	Not Available
Side Load Door Width	Not Available
Turning Circle - Kerb to Kerb	12.8
Turning Circle - Wall to Wall	13.4
Upper Rear Door Width	1404
Wheelbase	3300
Width (excluding mirrors)	1986
Width (including mirrors)	2272

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	80
Gross Train Weight	5240
Gross Vehicle Weight	3000
Load Space Volume	4.4
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Towing Weight - Braked	2500
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	2098
No. of Seats	6
Payload	902
Plated 2nd Axle	1590
Plated Front Axle	1675

Standard equipment – Driver Convenience

- Easy fuel capless refuelling system
- Ford Eco mode
- PAS
- Selectable drive mode
- Vehicle maintenance monitor

Standard equipment – Entertainment

- 4 speakers
- Audio controls mounted on steering wheel
- Aux input socket

Standard equipment – Exterior Features

- Body colour door handles
- Body coloured door mirrors
- Body coloured lift/decklid exterior handles
- Contrast cladding
- Electric front windows with one touch facility for driver and front passenger
- FORD grille
- Front mud flaps
- Headlamp levelling
- Intermittent front wash/wipe
- Painted plastic rear bumper
- Passenger side sliding load door with track cover
- Rear mudflaps

- Trail badging
- Tutone painted plastic front bumper

Standard equipment – Interior Features

- 2 adjustable sunvisors
- 2nd row three seat wide bench
- Coat hook
- Courtesy light
- Front manual air conditioning
- Glazed bulkhead
- Grab handle on B pillar
- Half height load compartment trim boards
- Header mounted package tray
- Height adjustable head restraints
- Illuminated footwell
- Isofix child seat attachments - centre and offside 2nd row seats
- Lockable glove box
- Map reading lights
- Moulded cab headlining
- Passenger underseat storage box
- Reach and rake adjustable steering column
- Recirculation heater
- Tie-down loops

Standard equipment – Passive Safety

- 3 point seatbelts for all seats
- Driver's airbag
- Front seatbelt pretensioners
- Height adjustable drivers seatbelt mount
- Passenger seatbelt height adj

Standard equipment – Security

- Auto locking on drive-away
- Auto relocking
- Power door dead locks
- Remote central locking

Standard equipment – Technical

- 2 12v sockets
- 80 litre fuel tank
- ABS
- Auto start/stop system
- Diesel particulate filter
- ESP + EBA
- Heavy duty alternator
- Mechanical limited slip differential
- Roll stability control
- Side wind mitigation

Standard equipment – Wheels

- 16" 10 spoke alloy wheels contains locking wheel lug nut
- Full wheelcovers