

MAN TGE 3 Standard Diesel 140 HD Emissions Lion XS High Roof Van Auto

MAN MAN TGE · TGE 3 Standard Diesel

The MAN TGE 3 Standard Diesel 140 HD Emissions Lion XS High Roof Van Auto is a diesel, automatic van from MAN's TGE range. It offers a load length of 3450mm, load width of 1832mm, load height of 1961mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Automatic
Fuel Type	Diesel
Engine Size	2.0 litre
Load Height	1961mm
Load Length	3450mm
Load Width	1832mm
Load length	3450mm
Load width	1832mm
Load height	1961mm
Engine	2.0 litre

Emissions - ICE

CO	Not Available
CO2	Not Available
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb	247

Engine and Drive Train

Automatic Transmission	Yes
Bore	81
Catalytic Convertor	Yes
CC	1968
Compression Ratio	15.5:1
Cylinder Layout	IN-LINE
Cylinders	4
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	8 SPEED
Manual Transmission	No
Number of Valves	16
Stroke	95.5
Valve gear	DOHC

Fuel Consumption - ICE

EC Combined	Not Available
EC Extra Urban	Not Available
EC Urban	Not Available
WLTP - FC (l/100km) - Comb	9.4
WLTP - FC (l/100km) - Extra High	10.7
WLTP - FC (l/100km) - High	8

WLTP - FC (l/100km) - Low	10.4
WLTP - FC (l/100km) - Medium	8.6
WLTP - MPG - Comb	30.1
WLTP - MPG - Extra High	26.4
WLTP - MPG - High	35.3
WLTP - MPG - Low	27.2
WLTP - MPG - Medium	32.8

General

Alternator Amps	180
Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Engine CC?	2.0
Badge Power	140
Based On ID	Not Available
Chassis Engine Number	Not Available
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER
Front Brakes	DISCS
Generation Mark	2
Ghost model for valuation purposes	No
Insurance Group 1	Not Available
Insurance Group 2	Not Available
Manufacturers Corrosion Perforation Guarantee - Years	12
Manufacturers Paintwork Guarantee - Years	3
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Front/Side Impact - Discontinued February 09	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	Not Available
NCAP Pedestrian - Discontinued February 09	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	DISCS
Relative Height	H2
Relative Length	L1
Running Cost League Headings	LARGE
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	Unlimited
Standard manufacturers warranty - Years	3
Steering	PAS
This vehicle is classed as a car for VED purposes	No
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

BHP	140
Engine Power KW	103
Engine Power RPM	3600
Engine Torque LBS.FT	266
Engine Torque MKG	36.7
Engine Torque NM	360
Engine Torque RPM	1500

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	No
Automatic Clutch	Yes
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	205/75 R16
Tyre Size Rear	205/75 R16
Tyre Size Spare	FULL SIZE
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Height	2590
Height (including roof rails)	Not Available
Length	5986
Load Deck Height	570
Load Height	1961
Load Length	3450
Load Space Width Between Wheel Arches	1380
Load Width	1832
Lower Rear Door Width	1552
Rear Door Height	1840
Rear Overhang	1346
Side Load Door Height	1822
Side Load Door Width	1311
Turning Circle - Kerb to Kerb	13.9
Turning Circle - Wall to Wall	14.2
Wheelbase	3640
Width (excluding mirrors)	2040
Width (including mirrors)	2427

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	75
Gross Train Weight	6000
Gross Vehicle Weight	3500
Load Space Volume	11.3
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	150
Max. Towing Weight - Braked	3000
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	2274
No. of Seats	3
Payload	1226
Plated 2nd Axle	2100
Plated Front Axle	1800

Standard equipment – Driver Convenience

- 3 Button module for information and emergency calls
- Active lane keeping assist
- Digital instrumentation
- Driver alert system
- Dynamic road sign display
- Electromechanical steering
- Event data recorders
- Smartphone integration
- Tyre pressure monitor
- Wireless phone charger

Standard equipment – Entertainment

- 4 speakers
- AM/FM tuner with MP3 compatibility
- DAB plus for media van
- USB connection
- USB-C socket

Standard equipment – Exterior Features

- High roof
- Manual side sliding door passenger side
- Seatbelt warning light for driver and passenger
- Unglazed 270 degree rear wing door with hinges

Standard equipment – Interior Features

- 2 load lashing rings on B pillar
- Electrical terminal block with body builder module (without telematics preparation)
- Full height steel bulkhead without window
- Grab handles on rear entry pillars and bulkhead
- Interior LED lighting system
- Jack and tool kit
- Lashing rings for load restraint system
- Multi function steering wheel
- Reach and rake adjustable steering wheel
- Rubber floor covering

Standard equipment – Passive Safety

- 3 point inertia reel belt on all seats
- Crosswind assist
- Driver and passenger airbag
- Electric driver seatbelt pretensioners
- Height adjustable front seatbelts

Standard equipment – Security

- Engine immobiliser
- Keyless go
- Preparation for alcohol ignition interlock
- Remote central locking with 2 remote keys

Standard equipment – Technical

- 12v socket in dash panel
- 30L AdBlue tank
- 75 litre fuel tank
- ABS and EBA
- Electronic parking brake
- ESC
- Operating voltage 12 V
- Start and stop system with regenerative braking

Standard equipment – Wheels

- Full size steel spare wheel
- Low rolling resistance tyres
- Summer tyres