

Fiat Doblo L2 Diesel 1.5 Multijet 130 H1 Van Primo Auto

Fiat Fiat Doblo · Doblo L2 Diesel

From £276 per month ex VAT

BCH · 60 months · 12 months initial rental (£3318) · 5000 miles per year. Prices shown are indicative, exclude VAT for business users and are subject to status and a personalised quote.

The Fiat Doblo L2 Diesel 1.5 Multijet 130 H1 Van Primo Auto is a diesel, automatic van from Fiat's Doblo range. It offers a load length of 2167mm, load width of 1527mm, load height of 1270mm. Available from £276 a month ex VAT on business contract hire (60 months, 12 months initial rental, 5,000 miles a year) with free UK delivery.

Key specification

Transmission	Automatic
Fuel Type	Diesel
Engine Size	1.5 litre
Load Height	1270mm
Load Length	2167mm
Load Width	1527mm
Load length	2167mm
Load width	1527mm
Load height	1270mm
Engine	1.5 litre

Emissions - ICE

HC	Not Available
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb - TEH	171
WLTP - CO2 (g/km) - Comb - TEL	143

Engine and Drive Train

Automatic Transmission	Yes
Bore	75
Catalytic Convertor	Yes
CC	1499
Cylinder Layout	IN-LINE
Cylinders	4
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	8 SPEED
Manual Transmission	No
Number of Valves	16
Stroke	84.8
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
WLTP - FC (l/100km) - Comb - TEH	6.5
WLTP - FC (l/100km) - Comb - TEL	5.4
WLTP - MPG - Comb - TEH	43.4
WLTP - MPG - Comb - TEL	51.9

General

Alternative Fuel Qualifying	No
Did at least one aspect of this vehicles safety give cause for concern?	No
Engine power	1.5

Badge Power	130
Based On ID	Not Available
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	Not Available
Front Brakes	VENTILATED DISCS
Front Suspension	MCPHERSON STRUT
Generation Mark	3
Ghost model for valuation purposes	No
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Front/Side Impact - Discontinued February 09	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	4 Star
NCAP Pedestrian - Discontinued February 09	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	DISCS
Rear Suspension	COIL SPRINGS
Relative Height	H1
Relative Length	L2
Running Cost League Headings	SMALL
Service Interval Frequency - Months	24
Service Interval Mileage	25000
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	120000
Standard manufacturers warranty - Years	3
Steering	PAS
Timing Belt Interval Frequency - Months	120
Timing Belt Interval Mileage	125000
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

0 to 62	Not Available
BHP	131
Engine Power KW	96
Engine Power RPM	3750
Engine Torque LBS.FT	221
Engine Torque MKG	30.6
Engine Torque NM	300
Engine Torque RPM	1750
Top Speed	114

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	No
Automatic Clutch	Yes
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available

Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	205/60 R16
Tyre Size Rear	205/60 R16
Tyre Size Spare	TYRE REPAIR KIT
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Front Overhang	892
Height	1812
Height (including roof rails)	Not Available
Length	4753
Load Height	1270
Load Length	2167
Load Space Width Between Wheel Arches	1229
Load Width	1527
Lower Rear Door Width	1241
Rear Door Height	1196
Rear Overhang	886
Side Load Door Height	1072
Side Load Door Width	641
Turning Circle - Kerb to Kerb	11.3
Turning Circle - Wall to Wall	12
Upper Rear Door Width	1087
Wheelbase	2975
Width (excluding mirrors)	1848
Width (including mirrors)	2107

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	50
Gross Train Weight	3400
Gross Vehicle Weight	2400
Load Space Volume	3.9
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Towing Weight - Braked	1000
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	1473
No. of Seats	3
Payload	927
Plated 2nd Axle	1400
Plated Front Axle	1200

Standard equipment – Driver Convenience

- 10" digital instrumental cluster
- Connected services
- Cruise control and speed limiter
- Driver attention alert level-4 with driver monitoring camera
- Electronic power steering (EPS)
- External temperature sensor
- Intelligent speed assistance speed limit information
- Lane keep assist
- Lockable fuel cap
- Multi-function on-board trip computer
- Reverse parking sensors
- Telematic box module with e-call
- TPMS (Tyre pressure monitoring system)

Standard equipment – Entertainment

- Uconnect Infotainment system with Nav, 10" colour touchscreen, WiFi mirroring, AM/FM/DAB digital radio, Bluetooth, 2 USB, 2 speakers and 2 tweeters

Standard equipment – Exterior Features

- 180 degree opening asymmetrical solid panel rear doors
- Automatic headlight control
- Black front bumper
- Body colour rear bumper
- Body colour side sliding door rail cover
- Eco LED headlamps
- Electric adjustable/heated door mirrors
- Electrically operated front windows with one touch facility
- High beam assist
- High level third brake light
- Integrated daytime running lights
- Painted decor strips (Side mouldings)
- Painted door handles
- Painted exterior mirrors
- Rain sensitive windscreen wipers
- Short Antenna
- Visible VIN at windscreen base

Standard equipment – Interior Features

- 6 fixed floor mounted load restraint tie bracket points
- 6 way reach, rake, height and lumbar adjust comfort driver seat
- AT shifting by e-Toggle
- Audio Controls steering wheel buttons
- Chrome air vents
- Chrome interior door handle
- Closed upper and open lower glove boxes
- Dashboard storage areas
- Double passenger bench seat with centre multi-purpose seat (shelf, seat, armrest, storage)
- Driver seat armrest and adjustable headrest
- Front door pockets with 1.5L bottle holder
- Hard plastic floor protection in cabin
- Hard plastic floor protection in load area
- Load through bulkhead
- Mica cloth upholstery
- Mistral black dashboard
- Overhead storage shelf in cabin
- Reach and rake adjustable steering column
- Sport steering wheel

Standard equipment – Packs

- Dynamic surround view pack with electric folding door mirrors - Doblo

Standard equipment – Passive Safety

- 3x3 point seatbelts in 1st row
- Automatic activation of hazard warning lights on major deceleration
- Automatic door unlocking in event of accident
- Curtain airbags
- Door opening warning and audible lights on warning
- Driver's airbag
- Front passenger airbag
- Outer front seats with height adjustable seatbelts + pretensioners
- Seatbelt unfastened audible warning and warning light
- Side airbags

Standard equipment – Security

- Dashboard mounted central locking push button and auto locking above 7mph
- Deadlocking for passenger and cargo area
- Perimeter and volumetric thatcham category 1 approved alarm with tilt sensor
- Remote control central locking and deadlocking
- Rolling code transponder immobiliser
- Selective cabin and cargo area locking via 3-button plip remote control key (x2)

Standard equipment – Technical

- 12v socket in dashboard
- ABS
- Advanced emergency braking system (AEBS)
- Electronic brake force distribution
- Electronic Stability Control (ESC)
- Engine start/stop system
- Hill start assist

Standard equipment – Wheels

- 205/60 R16 96H XL Class A+ tyres

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/fiat/doblo/doblo-l2-diesel/15-multijet-130-h1-van-primo-auto-2024>.
Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.