

Iveco eDAILY 42S14 ELECTRIC 140kW 74kWh C/Cab 3-Way Tipper 3750 WB Auto [22kW]

Iveco Iveco Daily · eDaily 42S14 Electric

The Iveco eDAILY 42S14 ELECTRIC 140kW 74kWh C/Cab 3-Way Tipper 3750 WB Auto [22kW] is a electric, automatic van from Iveco's Daily range. Charging: 150kW Charger 29m 100kW Charger 44m 50kW Charger 1hrs 28m 7kW Charger 10hrs 34m. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Automatic
Fuel Type	Electric
Charging	Charging Times 150kW Charger 29m 100kW Charger 44m 50kW Charger 1hrs 28m 7kW Charger 10hrs 34m

Electric Vehicle Data

Battery Capacity % guaranteed under warranty	80
Battery Capacity in kWh	74
Battery Charging Scenario 1 - Charge Time (Mins)	180
Battery Charging Scenario 1 - Percentage Change	0-100
Battery Charging Scenario 1 - Power Supply - kW	11
Battery Leased	No
Battery Type	Lithium-ion
Charging Port Location	Front
Coupler/Connector Type	Type 2
Maximum Charging Rate - kW	80
Standard manufacturers Battery warranty - Mileage	155000
Standard manufacturers Battery warranty - Years	8
Usable Battery Capacity	70
WLTP - EC (kWh/100km) - Comb	31.2
WLTP - EC (miles/kWh) - Comb	2
WLTP - Pure Electric Range (km) - Comb	229
WLTP - Pure Electric Range (miles) - Comb	142.3

Emissions - ICE

CO	Not Available
CO2	0
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	Not Available

Engine and Drive Train

Automatic Transmission	Yes
Bore	Not Available
Catalytic Convertor	Not Available
CC	1
Compression Ratio	Not Available
Cooling System	Not Available
Cylinder Layout	Not Available
Cylinders	Not Available
Engine Codes	Not Available
Engine Layout	Not Available
Engine Make	Not Available
Fuel Delivery	Not Available

Fuel Type	Not Available
Gears	1 SPEED
Manual Transmission	No
Number of Valves	Not Available
Stroke	Not Available
Valve gear	Not Available

Fuel Consumption - ICE

EC	Not Available
EC Combined	Not Available
EC Extra Urban	Not Available
EC Urban	Not Available

General

Alternative Fuel Qualifying	Yes
Did at least one aspect of this vehicles safety give cause for concern?	No
Badge Engine CC	0.0
Badge Power	190
Based On ID	Not Available
Chassis Engine Number	Not Available
Clutch	Not Available
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Front Brakes	VENTILATED DISCS
Front Suspension	LEAF SPRINGS
Generation Mark	3
Ghost model for valuation purposes	No
Hand Brake	REAR WHEELS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	VENTILATED DISCS
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L1
Running Cost League Headings	LARGE
Service Interval Frequency - Months	24
Service Interval Mileage	50000
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	100000
Standard manufacturers warranty - Years	3
Steering	PAS RACK AND PINION
This vehicle is classed as a car for VED purposes	No
Timing Belt Interval Frequency - Months	Not Available
Timing Belt Interval Mileage	Not Available
Vehicle Homologation Class	N2
Vin/Frame No.	Not Available

Performance

BHP	190
Engine Power KW	140
Engine Torque LBS.FT	162

Engine Torque MKG	22.4
Engine Torque NM	220

Test Cycles

Emissions Test Cycle	WLTP
----------------------	------

Tyres

Alloys?	No
Automatic Clutch	Yes
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	235/65 R16
Tyre Size Rear	235/65 R16
Tyre Size Spare	TYRE REPAIR KIT
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Height	2245
Length	6615
Rear Overhang	1808
Turning Circle - Kerb to Kerb	13.51
Wheelbase	3750
Width (excluding mirrors)	2052

Weight and Capacities

Gross Vehicle Weight	4250
Max. Towing Weight - Braked	3500
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	1878
No. of Seats	7
Payload	2372
Plated 2nd Axle	2700
Plated Front Axle	2100

Standard equipment – Driver Convenience

- 10" Cluster with 3 graphic layouts, ADAS visualization, rear view camera view
- 12V - 13 pin provision
- Acoustic comfort kit
- Acoustic vehicle alert system
- Back sensors
- Colour TFT cluster (mph)
- Connectivity box 4G
- Driver drowsiness and attention warning
- Eco, Power and Natural driving modes with Hi-Power functionality for extra
- Electronic manual
- Intelligent speed assist and traffic sign recognition
- Moving off information system
- PAS
- Radar integration
- Rear compact central drive
- Reverse camera provision
- Telematics system

Standard equipment – Exterior Features

- 3 Piece bumper
- 3.5tn towing
- 3rd stop and spot lights
- Athermic green tinted windscreen
- Back panel without window
- Black electric front grid
- Cab guard
- Chrome external badging

- Electric windows
- Electrically heated and adjustable door mirrors
- Fog lights
- Full LED headlights
- Removable rear ladder rack
- Standard chassis
- Without side marker

Standard equipment – Interior Features

-
- 3 degrees of freedom driver seat with memory foam
 - Automatic climate control
 - Double adjustable steering wheel
 - Ergonomic storage with upto 18 storage compartments
 - Full steel bulkhead
 - Moulded plastic protection
 - Multifunctional steering wheel
 - One pedal, sailing and standard regenerative modes for energy saving
 - Rake, height and reach adjustable steering wheel with integrated function

Standard equipment – Passive Safety

-
- 3 point seat belts
 - Seatbelt remainder for driver and passenger

Standard equipment – Security

-
- Without alcohol interlock interface

Standard equipment – Technical

-
- 105AH AGM battery
 - 105AH battery
 - 3.15 Rear axle ratio
 - ABS
 - EBD
 - Electric parking brake
 - ESP
 - Front crash box and chassis reinforcement
 - Hill holder system
 - Mode 3 5m recharge cable (400 VAC)
 - Roll movement intervention
 - Speed limiter 90km/hr
 - Traction+ system with hill descent control
 - Tralier sway mitigation
 - Two traction batteries
 - Without diff lock

Standard equipment – Trim

-
- Black Dashboard

Standard equipment – Wheels

-
- 16" steel wheels
 - Single rear wheels