

## Vauxhall Combo Cargo L2 Electric 2300 100kW Prime 50kWh H1 Crew Van Auto

Vauxhall Vauxhall Combo Cargo · Combo Cargo L2 Electric

The Vauxhall Combo Cargo L2 Electric 2300 100kW Prime 50kWh H1 Crew Van Auto is a electric, automatic van from Vauxhall's Combo Cargo range. It offers a load length of 2110mm, load width of 1527mm, load height of 1243mm. Charging: 150kW Charger 20m 100kW Charger 30m 50kW Charger 1hrs 7kW Charger 7hrs 8m. Ask us for a personalised quote with free UK delivery.

### Key specification

|              |                                                                                          |
|--------------|------------------------------------------------------------------------------------------|
| Transmission | Automatic                                                                                |
| Fuel Type    | Electric                                                                                 |
| Load Height  | 1243mm                                                                                   |
| Load Length  | 2110mm                                                                                   |
| Load Width   | 1527mm                                                                                   |
| Load length  | 2110mm                                                                                   |
| Load width   | 1527mm                                                                                   |
| Load height  | 1243mm                                                                                   |
| Charging     | Charging Times 150kW Charger 20m 100kW Charger 30m 50kW Charger 1hrs 7kW Charger 7hrs 8m |

### Electric Vehicle Data

|                                                   |                |
|---------------------------------------------------|----------------|
| Battery Capacity % guaranteed under warranty      | 70             |
| Battery Capacity in kWh                           | 50             |
| Battery Charging Scenario 1 - Charge Time (Mins)  | 1305           |
| Battery Charging Scenario 1 - Percentage Change   | 0-100          |
| Battery Charging Scenario 1 - Power Supply - kW   | 2.3            |
| Battery Charging Scenario 2 - Charge Time (Mins)  | 450            |
| Battery Charging Scenario 2 - Percentage Change   | 0-100          |
| Battery Charging Scenario 2 - Power Supply - kW   | 7              |
| Battery Charging Scenario 3 - Charge Time (Mins)  | 300            |
| Battery Charging Scenario 3 - Percentage Change   | 0-100          |
| Battery Charging Scenario 3 - Power Supply - kW   | 11             |
| Battery Charging Scenario 4 - Charge Time (Mins)  | 30             |
| Battery Charging Scenario 4 - Percentage Change   | 0-80           |
| Battery Charging Scenario 4 - Power Supply - kW   | 100            |
| Battery Leased                                    | No             |
| Battery Type                                      | Lithium-ion    |
| Charging Port Location                            | Left Side Rear |
| Coupler/Connector Type                            | Type 2         |
| Maximum Charging Rate - kW                        | 100            |
| Standard manufacturers Battery warranty - Mileage | 100000         |
| Standard manufacturers Battery warranty - Years   | 8              |
| Usable Battery Capacity                           | 47.7           |
| WLTP - EC (kWh/100km) - Comb - TEH                | 23             |
| WLTP - EC (kWh/100km) - Comb - TEL                | 19.5           |
| WLTP - EC (miles/kWh) - Comb - TEH                | 2.7            |
| WLTP - EC (miles/kWh) - Comb - TEL                | 3.2            |
| WLTP - Pure Electric Range (km) - City            | 381            |
| WLTP - Pure Electric Range (km) - City - TEH      | 330            |
| WLTP - Pure Electric Range (km) - City - TEL      | 436            |
| WLTP - Pure Electric Range (km) - Comb            | 241            |
| WLTP - Pure Electric Range (km) - Comb - TEH      | 241            |
| WLTP - Pure Electric Range (km) - Comb - TEL      | 282            |
| WLTP - Pure Electric Range (miles) - City         | 237            |
| WLTP - Pure Electric Range (miles) - City - TEH   | 205            |
| WLTP - Pure Electric Range (miles) - City - TEL   | 271            |

|                                                        |     |
|--------------------------------------------------------|-----|
| <b>WLTP - Pure Electric Range (miles) - Comb</b>       | 150 |
| <b>WLTP - Pure Electric Range (miles) - Comb - TEH</b> | 150 |
| <b>WLTP - Pure Electric Range (miles) - Comb - TEL</b> | 175 |

## Emissions - ICE

|                           |               |
|---------------------------|---------------|
| <b>CO</b>                 | Not Available |
| <b>CO2</b>                | 0             |
| <b>HC</b>                 | Not Available |
| <b>HC+NOx</b>             | Not Available |
| <b>Noise Level dB(A)</b>  | Not Available |
| <b>NOx</b>                | Not Available |
| <b>Particles</b>          | Not Available |
| <b>Standard Emissions</b> | Not Available |

## Engine and Drive Train

|                               |                  |
|-------------------------------|------------------|
| <b>Automatic Transmission</b> | Yes              |
| <b>Bore</b>                   | Not Available    |
| <b>Catalytic Convertor</b>    | Not Available    |
| <b>CC</b>                     | 1                |
| <b>Compression Ratio</b>      | Not Available    |
| <b>Cooling System</b>         | Not Available    |
| <b>Cylinder Layout</b>        | Not Available    |
| <b>Cylinders</b>              | Not Available    |
| <b>Engine Layout</b>          | FRONT TRANSVERSE |
| <b>Engine Make</b>            | Not Available    |
| <b>Fuel Delivery</b>          | Not Available    |
| <b>Fuel Type</b>              | ELECTRIC         |
| <b>Gears</b>                  | 1 SPEED          |
| <b>Manual Transmission</b>    | No               |
| <b>Number of Valves</b>       | Not Available    |
| <b>Stroke</b>                 | Not Available    |
| <b>Valve gear</b>             | Not Available    |

## Fuel Consumption - ICE

|                       |               |
|-----------------------|---------------|
| <b>EC</b>             | Not Available |
| <b>EC Combined</b>    | Not Available |
| <b>EC Extra Urban</b> | Not Available |
| <b>EC Urban</b>       | Not Available |

## General

|                                                                                |                   |
|--------------------------------------------------------------------------------|-------------------|
| <b>Alternative Fuel Qualifying</b>                                             | Yes               |
| <b>Alternator Amps</b>                                                         | Not Available     |
| <b>Did at least one aspect of this vehicles safety give cause for concern?</b> | No                |
| <b>Engine Power CC</b>                                                         | 136               |
| <b>Based On ID</b>                                                             | Not Available     |
| <b>Battery AH</b>                                                              | Not Available     |
| <b>Battery Volts</b>                                                           | Not Available     |
| <b>Chassis Engine Number</b>                                                   | Not Available     |
| <b>Clutch</b>                                                                  | Not Available     |
| <b>Coin Description</b>                                                        | Not Available     |
| <b>Coin Gross Vehicle Weight Code</b>                                          | Not Available     |
| <b>Coin Power Output Code</b>                                                  | Not Available     |
| <b>Coin Series</b>                                                             | Not Available     |
| <b>Coin Wheelbase Description Code</b>                                         | Not Available     |
| <b>Coin Wheelbase Name Code</b>                                                | Not Available     |
| <b>Exhaust System</b>                                                          | Not Available     |
| <b>Front Suspension</b>                                                        | MACPHERSON STRUTS |
| <b>Generation Mark</b>                                                         | 5                 |
| <b>Ghost model for valuation purposes</b>                                      | No                |
| <b>Hand Brake</b>                                                              | REAR WHEELS       |
| <b>Insurance Group 1</b>                                                       | Not Available     |

|                                                   |                     |
|---------------------------------------------------|---------------------|
| Insurance Group 2                                 | Not Available       |
| NCAP Adult Occupant Protection %                  | Not Available       |
| NCAP Child Occupant Protection %                  | Not Available       |
| NCAP Overall Rating - Effective February 09       | Not Available       |
| NCAP Overall Rating - LCV                         | Not Available       |
| NCAP Pedestrian Protection %                      | Not Available       |
| NCAP Safety Assist %                              | Not Available       |
| Rear Brakes                                       | DRUM                |
| Rear Suspension                                   | MINI BLOCK SPRINGS  |
| Relative Height                                   | H1                  |
| Relative Length                                   | L2                  |
| Running Cost League Headings                      | SMALL               |
| Service Interval Frequency - Months               | 24                  |
| Service Interval Mileage                          | 25000               |
| Special Edition                                   | No                  |
| Special Order                                     | No                  |
| Standard manufacturers warranty - Mileage         | 60000               |
| Standard manufacturers warranty - Years           | 3                   |
| Steering                                          | PAS RACK AND PINION |
| This vehicle is classed as a car for VED purposes | No                  |
| Timing Belt Interval Frequency - Months           | Not Available       |
| Timing Belt Interval Mileage                      | Not Available       |
| Vehicle Homologation Class                        | N1                  |
| Vin/Frame No.                                     | Not Available       |

## Performance

|                      |      |
|----------------------|------|
| 0 to 62 mph (secs)   | 11.7 |
| BHP                  | 136  |
| Engine Power KW      | 100  |
| Engine Power RPM     | 5500 |
| Engine Torque LBS.FT | 192  |
| Engine Torque MKG    | 26.5 |
| Engine Torque NM     | 260  |
| Engine Torque RPM    | 3674 |
| Top Speed            | 81   |

## Test Cycles

|                         |               |
|-------------------------|---------------|
| Emissions Test Cycle    | WLTP          |
| RDE Certification Level | Not Available |

## Tyres

|                  |                 |
|------------------|-----------------|
| Alloys?          | No              |
| Automatic Clutch | Yes             |
| Space Saver?     | No              |
| Tyre Make        | Not Available   |
| Tyre Size Front  | 205/60 R16      |
| Tyre Size Rear   | 205/60 R16      |
| Tyre Size Spare  | TYRE REPAIR KIT |
| Wheel Style      | Not Available   |
| Wheel Type       | 16" STEEL       |

## Vehicle Dimensions

|                                       |               |
|---------------------------------------|---------------|
| Front Overhang                        | 892           |
| Height                                | 1860          |
| Height (including roof rails)         | Not Available |
| Length                                | 4753          |
| Load Deck Height                      | 620           |
| Load Height                           | 1243          |
| Load Length                           | 2110          |
| Load Space Width Between Wheel Arches | 1229          |
| Load Width                            | 1527          |

|                               |               |
|-------------------------------|---------------|
| Lower Rear Door Width         | 1241          |
| Rear Door Height              | 1196          |
| Rear Overhang                 | 886           |
| Side Load Door Height         | 1072          |
| Side Load Door Width          | 759           |
| Turning Circle - Kerb to Kerb | 11.8          |
| Turning Circle - Wall to Wall | Not Available |
| Upper Rear Door Width         | 1087          |
| Wheelbase                     | 2975          |
| Width (excluding mirrors)     | 1848          |
| Width (including mirrors)     | 2107          |

## Weight and Capacities

|                                          |               |
|------------------------------------------|---------------|
| Boot Capacity Saloons                    | Not Available |
| Fuel Tank Capacity (Litres)              | Not Available |
| Gross Train Weight                       | 3200          |
| Gross Vehicle Weight                     | 2400          |
| Load Space Volume                        | 3.5           |
| Luggage Capacity (Seats Down)            | Not Available |
| Luggage Capacity (Seats Up)              | Not Available |
| Luggage Capacity - 2nd Row Seats Removed | Not Available |
| Luggage Capacity - 2nd Row Seats Up      | Not Available |
| Luggage Capacity - 3rd Row Seats Down    | Not Available |
| Luggage Capacity - 3rd Row Seats Removed | Not Available |
| Luggage Capacity - 3rd Row Seats Up      | Not Available |
| Max. Roof Load                           | 100           |
| Max. Towing Weight - Braked              | 750           |
| Max. Towing Weight - Unbraked            | 750           |
| Minimum Kerbweight                       | 1729          |
| No. of Seats                             | 5             |
| Payload                                  | 671           |
| Plated 2nd Axle                          | 1400          |
| Plated Front Axle                        | 1200          |

## Standard equipment – Driver Convenience

- Central fascia display with audio information, digital clock, outside temperature, infotainment system
- Centrally located instrument cluster with service due indicator and trip computer
- Cruise control with speed limiters
- Drive mode selector
- Instrumentation Speedometer, rev counter, fuel gauge with low fuel warning
- Lights on audible warning
- Multi-function trip computer with trip mileage, vehicle range, average speed
- Single-speed electronic drive selector
- Speed sensitive electric power assisted system
- Vauxhall connect

## Standard equipment – Entertainment

- 3.5" colour information display
- Steering wheel mounted audio controls

## Standard equipment – Exterior Features

- Black door handles
- Black door mirrors
- Black front and rear bumpers
- Daytime running lights
- Dipping rear view mirror
- Hazard warning lights
- Magic wash system
- Manual headlight beam levelling
- Offside and nearside sliding side access doors
- Rear fog lights
- Reversing lights
- Side protection moulding
- Solar heat absorbing windscreen
- Tinted windows

- Twin electrically adjustable, heated door mirrors and power folding door
- Twin glazed rear doors
- Two speed windscreen wipers with variable intermittent wipe

## Standard equipment – Interior Features

---

- 12 volt electrical accessory socket centre console
- 4 way adjustable front passenger's seat with armrest
- 6 way adjustable height and reach drivers seats with manual lumbar adjust
- Air conditioning
- Cab heating system with six speed fan, Illuminated controls, four adjustable window demist vents
- Driver and front passenger sun visor and vanity mirror on rear of drivers su
- Driver's top lidded glovebox
- Fabric upholstery
- Full width overhead storage shelf with ambient lighting
- Large open storage pocket behind infotainment screen
- Mistral grey fabric side bolsters
- Open storage compartment below glovebox
- Reach and rake adjustable steering column
- Rear heater duct
- Six Fixed floor mounted load restraint lashing eyes
- Small open storage compartment behind gear lever
- Three seat second row split folding bench
- Three spoke flat bottomed design steering wheel with satin chrome effect l
- Two drinks holders in centre console on front compartment
- Two facia mounted drinks holders on front compartment
- Two large and two small open door pockets
- Two position moveable ladder frame bulkhead
- Vinyl load compartment

## Standard equipment – Passive Safety

---

- Deactivation switch for front passenger airbag and side impact airbag
- Driver and front passenger airbags, side impact airbags
- Drivers and front passengers lap belt pretensioner system
- Energy absorbing steering column, Side impact protection beams, Reinforced deformation zones
- Front body lock diagonal seatbelt pretensioner system
- Front seatbelt force limiters
- Height adjustable front seatbelts
- Rear lap and diagonal inertia-reel seatbelts

## Standard equipment – Security

---

- 2 folding keys with integral remote control function
- Central locking activation switch on drivers door
- Electronically protected audio
- Engine deadlock immobiliser
- Remote central locking and deadlocks
- Remote control operates on doors and fuel filler or EV charging flap
- Visible Vehicle Identification Number (VIN)

## Standard equipment – Technical

---

- Anti-lock braking
- Anti-roll bar
- Corner stability control
- Electronic brake force distribution
- Electronic stability programme
- Emergency brake assist
- Energy recuperation
- Engine drag torque control
- Hill start assist
- Independent MacPherson front suspension with gas pressure dampers and
- Rear torsion beam with gas pressure dampers and variable rate coil spring
- Single foot driving experience
- Traction control