

Citroën Dispatch XL Diesel 1400 2.0 BlueHDi 145 Van Driver Pro

Citroën Citroën Dispatch · Dispatch XL Diesel

The Citroën Dispatch XL Diesel 1400 2.0 BlueHDi 145 Van Driver Pro is a diesel, manual medium from Citroën's Dispatch range. It offers a load length of 2862mm, load width of 1628mm, load height of 1397mm. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Manual
Fuel Type	Diesel
Bodytype	Medium
Engine Size	2.0 litre
Load Height	1397mm
Load Length	2862mm
Load Width	1628mm
Load length	2862mm
Load width	1628mm
Load height	1397mm
Engine	2.0 litre

Emissions - ICE

CO2	149
HC	Not Available
Standard Emissions	EURO 6
WLTP - CO2 (g/km) - Comb	199
WLTP - CO2 (g/km) - Comb - TEH	214
WLTP - CO2 (g/km) - Comb - TEL	189
WLTP - CO2 (g/km) - Extra High - TEH	236
WLTP - CO2 (g/km) - Extra High - TEL	212
WLTP - CO2 (g/km) - High - TEH	188
WLTP - CO2 (g/km) - High - TEL	163
WLTP - CO2 (g/km) - Low - TEH	235
WLTP - CO2 (g/km) - Low - TEL	210
WLTP - CO2 (g/km) - Medium - TEH	204
WLTP - CO2 (g/km) - Medium - TEL	175

Engine and Drive Train

Automatic Transmission	No
Bore	85
Catalytic Convertor	Yes
CC	1997
Compression Ratio	Not Available
Cooling System	WATER
Cylinder Layout	IN-LINE
Cylinders	4
Engine Layout	FRONT TRANSVERSE
Engine Make	Not Available
Fuel Delivery	COMMON RAIL
Fuel Type	DIESEL
Gears	6 SPEED
Manual Transmission	Yes
Number of Valves	16
Stroke	88
Valve gear	DOHC

Fuel Consumption - ICE

EC	No
WLTP - FC (l/100km) - Comb - TEH	8.2
WLTP - FC (l/100km) - Comb - TEL	7.2
WLTP - FC (l/100km) - Extra High - TEH	9
WLTP - FC (l/100km) - Extra High - TEL	8.1
WLTP - FC (l/100km) - High - TEH	7.2
WLTP - FC (l/100km) - High - TEL	6.2
WLTP - FC (l/100km) - Low - TEH	9
WLTP - FC (l/100km) - Low - TEL	8
WLTP - FC (l/100km) - Medium - TEH	7.8
WLTP - FC (l/100km) - Medium - TEL	6.7
WLTP - MPG - Comb - TEH	34.6
WLTP - MPG - Comb - TEL	39.2
WLTP - MPG - Extra High - TEH	31.4
WLTP - MPG - Extra High - TEL	34.9
WLTP - MPG - High - TEH	39.5
WLTP - MPG - High - TEL	45.4
WLTP - MPG - Low - TEH	31.5
WLTP - MPG - Low - TEL	35.3
WLTP - MPG - Medium - TEH	36.3
WLTP - MPG - Medium - TEL	42.3

General

Did at least one aspect of this vehicles safety give	No
Badge Engine CO ₂	2.0
Badge Power	145
Based On ID	Not Available
Battery Volts	12
Chassis Engine Number	Not Available
Clutch	SINGLE DRY PLATE
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	CATALYTIC CONVERTER AND EGR
Front Brakes	VENTILATED DISCS
Front Suspension	MACPHERSON STRUTS
Generation Mark	3
Ghost model for valuation purposes	No
Hand Brake	REAR WHEELS
Manufacturers Corrosion Perforation Guarantee - Years	6
Manufacturers Paintwork Guarantee - Years	1
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Front/Side Impact - Discontinued February 09	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	Bronze
NCAP Pedestrian - Discontinued February 09	Not Available
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	37
Rear Brakes	DISCS
Rear Suspension	COIL SPRINGS
Relative Height	H1
Relative Length	L3
Running Cost League Headings	MEDIUM
Service Interval Frequency - Months	12
Service Interval Mileage	25000
Special Edition	No
Special Order	No

Standard manufacturers warranty - Mileage	Unlimited
Standard manufacturers warranty - Years	2
Steering	PAS
Vehicle Homologation Class	N1
Vin/Frame No.	Not Available

Performance

BHP	144
Engine Power KW	106
Engine Power RPM	3750
Engine Torque LBS.FT	251
Engine Torque MKG	34.7
Engine Torque NM	340
Engine Torque RPM	2000
Top Speed	106

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	RDE 2

Tyres

Alloys?	Yes
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	No
Tyre Make	Not Available
Tyre Size Front	215/60 R17
Tyre Size Rear	215/60 R17
Tyre Size Spare	FULL SIZE
Wheel Style	CURVE
Wheel Type	17" ALLOY

Vehicle Dimensions

Front Overhang	881
Height	1940
Height (including roof rails)	Not Available
Length	5309
Load Height	1397
Load Length	2862
Load Space Width Between Wheel Arches	1258
Load Width	1628
Lower Rear Door Width	1282
Rear Door Height	1220
Rear Overhang	1153
Side Load Door Height	1241
Side Load Door Width	935
Turning Circle - Kerb to Kerb	12.4
Upper Rear Door Width	1282
Wheelbase	3275
Width (excluding mirrors)	1920
Width (including mirrors)	2204

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	70
Gross Train Weight	5000
Gross Vehicle Weight	3100
Load Space Volume	6.1
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available

Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Towing Weight - Braked	2500
Max. Towing Weight - Unbraked	750
Minimum Kerbweight	1692
No. of Seats	3
Payload	1408
Plated 2nd Axle	1800
Plated Front Axle	1500

Standard equipment – Driver Convenience

- 7"colour touchscreen with Connect 3D Nav&DAB,Bluetooth handsfree,USB
- break alert
- Battery charge warning
- Clock
- Cruise control with speed limiter
- Locking fuel cap
- Multi-function on-board trip computer
- Oil level warning light
- Outside temperature gauge
- PAS
- Rev counter with maintenance and gear efficiency indicators (GEI)
- Service indicator
- Side indicator warning
- Speedometer with digital odometer and digital trip recorder

Standard equipment – Exterior Features

- 2 speed intermittent front wipers
- Black door mirrors
- Electric front windows with one touch & anti pinch function
- Electrically folding heated door mirrors with temperature sensor
- Front windows tinted to 30 percentage opacity
- Height adjustable halogen headlights
- High level third brake light
- Laminated acoustic windscreen
- Preparation for towbar-wiring and connector for towbar interface
- Reversing lights
- Twin sliding side doors
- Visible VIN at windscreen base

Standard equipment – Interior Features

- 12V socket in cabin
- 8x Load tie-down hooks in load area
- Closed upper and open lower gloveboxes
- Cup holders for driver and passenger in top of dashboard
- Dashboard storage areas
- Driver and passenger sun visors
- Front door pockets with 1.5L bottle holder
- Hard plastic floor protection in cabin
- Height adjustable head restraints for driver and front passengers seats
- Height and reach adjustable steering wheel
- Large courtesy lights
- Load compartment interior light
- Mica cloth/Vinyl upholstery
- Remote temperature pre-conditioning
- Storage under squab of central passenger seat

Standard equipment – Packs

- Look pack with front fog lights - Dispatch
- Safety pack with driver attention alert - Dispatch
- Visibility Pack with automatic lights - Dispatch

Standard equipment – Passive Safety

- Acoustic vehicle alerting system
- Automatic fuel cut off & door unlocking
- Door opening warning and audible lights on warning
- Driver and front passenger's airbags with passenger's airbag deactivate switch
- Height-adjustable 3-point pre-tensioner seat belts with force limiter
- Unfastened seat belt warning for driver and passengers

Standard equipment – Security

- Dashboard mounted central locking push button and auto locking above 7mph
- Locking wheel nuts
- Perimeter and volumetric thatcham category 1 approved alarm
- Remote central locking with deadlocking, selective cab and load area locking via 3 button plip remote control key
- Rolling code transponder immobiliser

Standard equipment – Technical

- 12V socket in cargo area
- Electronic Stability Control and ABS with hill start assist, EBA and EBFD

Standard equipment – Wheels

- Full size spare wheel

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/citroen/dispatch/dispatch-xl-diesel/1400-20-bluehdi-145-van-driver-pro-202225>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.