

Ford E-Transit 425 L4 RWD 135kW 68kWh Trend Premium Dropside Auto

Ford Ford Transit · E-Transit 425 L4 RWD

The Ford E-Transit 425 L4 RWD 135kW 68kWh Trend Premium Dropside Auto is a electric, automatic van from Ford's Transit range. Charging: 150kW Charger 27m 100kW Charger 40m 50kW Charger 1hrs 21m 7kW Charger 9hrs 42m. Ask us for a personalised quote with free UK delivery.

Key specification

Transmission	Automatic
Fuel Type	Electric
Charging	Charging Times 150kW Charger 27m 100kW Charger 40m 50kW Charger 1hrs 21m 7kW Charger 9hrs 42m

Electric Vehicle Data

Battery Capacity % guaranteed under warranty	70
Battery Capacity in kWh	68
Battery Charging Scenario 1 - Charge Time (Mins)	480
Battery Charging Scenario 1 - Percentage Change	0-100
Battery Charging Scenario 1 - Power Supply - kW	11
Battery Charging Scenario 2 - Charge Time (Mins)	37
Battery Charging Scenario 2 - Percentage Change	10-80
Battery Charging Scenario 2 - Power Supply - kW	115
Battery Charging Scenario 3 - Charge Time (Mins)	Not Available
Battery Charging Scenario 3 - Percentage Change	Not Available
Battery Charging Scenario 3 - Power Supply - kW	Not Available
Battery Charging Scenario 4 - Charge Time (Mins)	Not Available
Battery Charging Scenario 4 - Percentage Change	Not Available
Battery Charging Scenario 4 - Power Supply - kW	Not Available
Battery Leased	No
Battery Type	Lithium-ion
Charging Port Location	Front
Coupler/Connector Type	CCS Type 2
Maximum Charging Rate - kW	115
Standard manufacturers Battery warranty - Mileage	100000
Standard manufacturers Battery warranty - Years	8
Usable Battery Capacity	68
WLTP - EC (kWh/100km) - City	20.8
WLTP - EC (kWh/100km) - Comb	26.9
WLTP - EC (kWh/100km) - Extra High	30.5
WLTP - EC (kWh/100km) - High	26.7
WLTP - EC (kWh/100km) - Low	18.6
WLTP - EC (kWh/100km) - Medium	22.2
WLTP - EC (miles/kWh) - City	3
WLTP - EC (miles/kWh) - Comb	2.3
WLTP - EC (miles/kWh) - Extra High	2
WLTP - EC (miles/kWh) - High	2.3
WLTP - EC (miles/kWh) - Low	3.3
WLTP - EC (miles/kWh) - Medium	2.8
WLTP - Pure Electric Range (km) - City	390
WLTP - Pure Electric Range (km) - Comb	308
WLTP - Pure Electric Range (km) - Extra High	263
WLTP - Pure Electric Range (km) - High	301
WLTP - Pure Electric Range (km) - Low	437
WLTP - Pure Electric Range (km) - Medium	364
WLTP - Pure Electric Range (miles) - City	242
WLTP - Pure Electric Range (miles) - Comb	191

WLTP - Pure Electric Range (miles) - Extra High	163
WLTP - Pure Electric Range (miles) - High	187
WLTP - Pure Electric Range (miles) - Low	271
WLTP - Pure Electric Range (miles) - Medium	226

Emissions - ICE

CO	Not Available
CO2	0
HC	Not Available
HC+NOx	Not Available
Noise Level dB(A)	Not Available
NOx	Not Available
Particles	Not Available
Standard Emissions	Not Available

Engine and Drive Train

Automatic Transmission	Yes
Bore	Not Available
Catalytic Convertor	Not Available
CC	1
Compression Ratio	Not Available
Cooling System	Not Available
Cylinder Layout	Not Available
Cylinders	Not Available
Engine Codes	Not Available
Engine Layout	Not Available
Engine Make	Not Available
Fuel Delivery	Not Available
Fuel Type	ELECTRIC
Gears	1 SPEED
Manual Transmission	No
Number of Valves	Not Available
Stroke	Not Available
Valve gear	Not Available

Fuel Consumption - ICE

EC	Not Available
EC Combined	Not Available
EC Extra Urban	Not Available
EC Urban	Not Available

General

Alternative Fuel Qualifying	Yes
Did at least one aspect of this vehicles safety give	No
Did the engine CO?	184
Based On ID	Not Available
Battery AH	Not Available
Battery Volts	Not Available
Chassis Engine Number	Not Available
Clutch	Not Available
Coin Description	Not Available
Coin Gross Vehicle Weight Code	Not Available
Coin Power Output Code	Not Available
Coin Series	Not Available
Coin Wheelbase Description Code	Not Available
Coin Wheelbase Name Code	Not Available
Exhaust System	Not Available
Front Brakes	DISCS
Front Suspension	MACPHERSON STRUTS
Generation Mark	4
Ghost model for valuation purposes	No

Hand Brake	REAR WHEELS
Insurance Group 1	Not Available
Insurance Group 2	Not Available
Manufacturers Paintwork Guarantee - Years	3
NCAP Adult Occupant Protection %	Not Available
NCAP Child Occupant Protection %	Not Available
NCAP Overall Rating - Effective February 09	Not Available
NCAP Overall Rating - LCV	5 Star
NCAP Pedestrian Protection %	Not Available
NCAP Safety Assist %	Not Available
Rear Brakes	DISCS
Rear Suspension	LEAF SPRINGS
Relative Height	H1
Relative Length	L4
Running Cost League Headings	LARGE
Service Interval Frequency - Months	24
Service Interval Mileage	Not Available
Special Edition	No
Special Order	No
Standard manufacturers warranty - Mileage	100000
Standard manufacturers warranty - Years	3
Steering	RACK AND PINION
This vehicle is classed as a car for VED purposes	No
Timing Belt Interval Frequency - Months	Not Available
Timing Belt Interval Mileage	Not Available
Vehicle Homologation Class	N2
Vin/Frame No.	Not Available

Performance

0 to 62	Not Available
BHP	184
Engine Power KW	135
Engine Torque LBS.FT	317
Engine Torque MKG	43.8
Engine Torque NM	430
Top Speed	Not Available

Test Cycles

Emissions Test Cycle	WLTP
RDE Certification Level	Not Available

Tyres

Alloys?	No
Automatic Clutch	No
Plated 3rd Axle	Not Available
Plated 4th Axle	Not Available
Space Saver?	Not Available
Tyre Make	Not Available
Tyre Size Front	235/65 R16
Tyre Size Rear	235/65 R16
Tyre Size Spare	Not Available
Wheel Style	Not Available
Wheel Type	16" STEEL

Vehicle Dimensions

Front Overhang	1023
Height	2375
Height (including roof rails)	Not Available
Length	6800
Load Deck Height	Not Available
Load Height	Not Available

Load Length	4228
Load Space Width Between Wheel Arches	Not Available
Load Width	2038
Lower Rear Door Width	Not Available
Rear Door Height	Not Available
Rear Overhang	Not Available
Side Load Door Height	Not Available
Side Load Door Width	Not Available
Turning Circle - Kerb to Kerb	14
Upper Rear Door Width	Not Available
Wheelbase	3954
Width (excluding mirrors)	2052
Width (including mirrors)	2474

Weight and Capacities

Boot Capacity Saloons	Not Available
Fuel Tank Capacity (Litres)	Not Available
Gross Train Weight	Not Available
Gross Vehicle Weight	4250
Load Space Volume	Not Available
Luggage Capacity (Seats Down)	Not Available
Luggage Capacity (Seats Up)	Not Available
Luggage Capacity - 2nd Row Seats Removed	Not Available
Luggage Capacity - 2nd Row Seats Up	Not Available
Luggage Capacity - 3rd Row Seats Down	Not Available
Luggage Capacity - 3rd Row Seats Removed	Not Available
Luggage Capacity - 3rd Row Seats Up	Not Available
Max. Roof Load	Not Available
Max. Towing Weight - Braked	Not Available
Max. Towing Weight - Unbraked	Not Available
Minimum Kerbweight	2693
No. of Seats	3
Payload	1557
Plated 2nd Axle	2750
Plated Front Axle	1850

Standard equipment – Driver Convenience

- 8" Part digital instrument cluster
- Colour driver cluster
- Driver impairment camera
- Electric power assisted steering (EPAS)
- Emergency assistance
- Ford power starter button
- Gearshift indicator light
- Intelligent Speed Assist
- Pre collision assist
- Selectable drive modes - Normal, Slippery, Eco and L-Mode
- Trip computer
- Vehicle maintenance monitor
- Vulnerable road user protection
- Warning lights
- Wireless Apple CarPlay and Android Auto
- Wrong way alert

Standard equipment – Entertainment

- 4 radio speakers
- Audio controls mounted on steering wheel

Standard equipment – Exterior Features

- 3 Piece side and rear board hinge
- Adaptive front lighting system
- Auto high headlamp
- Automatic front wipers with rain sensor
- Automatic on/off headlights
- Black door mirrors

- Cab protector side and rear lashing points are over centre cam latches
- Complete tinted glass
- Day/Night inside mirror
- Daytime running lights
- Door mirrors - Blind spot eliminator and integrated side indicator
- Driver one touch up/down power windows
- Electric windshield defroster
- Fixed panel rear window
- Flush mounted load lashing rings to raves
- High mounted LED downlighter
- High strength lightweight steel subframe
- Low roof line
- Part body colour front bumper
- Powder coated aluminium sideboards and tailboards with integral bump rub
- Quad beam headlamps
- Rear fog lamps
- Replaceable resin bonded 15mm ply load deck
- Roof marker lights
- Roof mounted radio antenna
- Roping eyes to underside of raves
- Self colour 3-bar front grille with chrome surround and anodised blue bars
- Self colour door handles
- Side marker lamps
- Steel powder coated headboard with 6 CEN12640 rated load anchorage p
- Two steel tube access grab handles designed to accommodate a 150kg pe
- Unperforated cab back panel
- Wide bodyside grey mouldings

Standard equipment – Interior Features

- 2-way head restraints on front seats
- 4-Spoke Sensico trimmed steering wheel
- Automatic air conditioner
- Driver's side storage compartment on facia top
- Driver's side sunglasses storage
- Front door map pockets
- Header courtesy lights with 2 map lights
- Heated steering wheel
- Less load compartment loops
- Lockable glovebox with lid
- Molded gear shift knob
- Overhead console
- Partial moulded headliner
- Partial rubber inside floor cover
- Reach and rake adjustable steering column
- Recirculation heater
- Rotary Gear shift dial
- Tablet holder
- Twin, 2 litre bottle capacity, fascia mounted bottle holder
- Underseat storage compartment (Under dual passenger seat)

Standard equipment – Packs

- Driver assistance pack 15 - Transit auto

Standard equipment – Passive Safety

- 3-point diagonal inertia reel seatbelts for all front seats
- Driver and passenger seatbelt reminder
- Driver seatbelt pre-tensioner
- Driver's airbag
- Front passenger airbag deactivation
- Front side and curtain airbags
- Tyre pressure sensors

Standard equipment – Security

- Audio mis-lock feedback, audible signal if a door is ajar when locking activa
- Auto locking on drive away, doors automatically lock at 5 mph
- Configurable unlocking 1
- Key operated bonnet release
- Power central locking
- Power door deadlocks, shielded with strengthened mouldings
- Speed dependent power lock group

- Two step door unlock system
- Visible Vehicle Identification Number (VIN)

Standard equipment – Technical

- 11kW On Board Charger
- 2 x 12V power outlets
- 56MPH engine governor
- Anti-lock braking system (ABS) with electronic brake-force distribution (EB
- Brakes - ESP/HLA/FBS
- Curve control
- Dual circuit front and rear discs with self adjusting servo assistance
- Electric parking brake
- Electronic dynamic cornering control
- Electronic Stability Control (ESC)
- Emergency brake assist
- EV charging port - Front
- Front gross axle weight rating maximum - 1850KG
- Front independent MacPherson struts, linear rate coil springs, stabiliser bar, springs
- Hill start assist
- Load adaptive control
- Non limited slip differential front axle
- Roll stability control
- Side wind mitigation
- Skeletal narrow rear track
- Unique Grille with Charge Port

Standard equipment – Wheels

- Single rear wheels

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/ford/transit/e-transit-425-l4-rwd/135kw-68kwh-trend-premium-dropside-auto-202475>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.