

# Mercedes-Benz eVito L3 Electric FWD 85kW 66kWh

## Progressive Van Auto

Mercedes-Benz Mercedes-Benz Vito · eVito L3 Electric FWD

### From £388 per month ex VAT

BCH · 60 months · 12 months initial rental (£4658) · 5000 miles per year. Prices shown are indicative, exclude VAT for business users and are subject to status and a personalised quote.

The Mercedes-Benz eVito L3 Electric FWD 85kW 66kWh Progressive Van Auto is a electric, automatic large from Mercedes-Benz's Vito range. It offers a load length of 3061mm, load width of 1709mm, load height of 1261mm. Charging: 150kW Charger 26m 100kW Charger 39m 50kW Charger 1hrs 19m 7kW Charger 9hrs 25m. Available from £388 a month ex VAT on business contract hire (60 months, 12 months initial rental, 5,000 miles a year) with free UK delivery.

### Key specification

|              |                                                                                               |
|--------------|-----------------------------------------------------------------------------------------------|
| Transmission | Automatic                                                                                     |
| Fuel Type    | Electric                                                                                      |
| Bodytype     | Large                                                                                         |
| Load Height  | 1261mm                                                                                        |
| Load Length  | 3061mm                                                                                        |
| Load Width   | 1709mm                                                                                        |
| Load length  | 3061mm                                                                                        |
| Load width   | 1709mm                                                                                        |
| Load height  | 1261mm                                                                                        |
| Charging     | Charging Times 150kW Charger 26m 100kW Charger 39m 50kW Charger 1hrs 19m 7kW Charger 9hrs 25m |

### Electric Vehicle Data

|                                                   |                 |
|---------------------------------------------------|-----------------|
| Battery Capacity % guaranteed under warranty      | 70              |
| Battery Capacity in kWh                           | 66              |
| Battery Charging Scenario 1 - Charge Time (Mins)  | 390             |
| Battery Charging Scenario 1 - Percentage Change   | 0-100           |
| Battery Charging Scenario 1 - Power Supply - kW   | 11              |
| Battery Charging Scenario 2 - Charge Time (Mins)  | 35              |
| Battery Charging Scenario 2 - Percentage Change   | 10-80           |
| Battery Charging Scenario 2 - Power Supply - kW   | 80              |
| Battery Charging Scenario 3 - Charge Time (Mins)  | Not Available   |
| Battery Charging Scenario 3 - Percentage Change   | Not Available   |
| Battery Charging Scenario 3 - Power Supply - kW   | Not Available   |
| Battery Charging Scenario 4 - Charge Time (Mins)  | Not Available   |
| Battery Charging Scenario 4 - Percentage Change   | Not Available   |
| Battery Charging Scenario 4 - Power Supply - kW   | Not Available   |
| Battery Leased                                    | No              |
| Battery Type                                      | Lithium-ion     |
| Charging Port Location                            | Left Side Front |
| Coupler/Connector Type                            | CCS Type 2      |
| Maximum Charging Rate - kW                        | 80              |
| Standard manufacturers Battery warranty - Mileage | 160000          |
| Standard manufacturers Battery warranty - Years   | 8               |
| Usable Battery Capacity                           | 60              |
| WLTP - EC (kWh/100km) - Comb                      | 25.9            |
| WLTP - EC (kWh/100km) - Comb - TEH                | 25.9            |
| WLTP - EC (kWh/100km) - Comb - TEL                | 25.7            |
| WLTP - EC (kWh/100km) - Extra High                | 32.7            |
| WLTP - EC (kWh/100km) - High                      | 23.5            |
| WLTP - EC (kWh/100km) - Low                       | 20.8            |
| WLTP - EC (kWh/100km) - Medium                    | 21.3            |

|                                                 |     |
|-------------------------------------------------|-----|
| WLTP - EC (miles/kWh) - Comb                    | 2.4 |
| WLTP - EC (miles/kWh) - Comb - TEH              | 2.4 |
| WLTP - EC (miles/kWh) - Comb - TEL              | 2.4 |
| WLTP - EC (miles/kWh) - Extra High              | 1.9 |
| WLTP - EC (miles/kWh) - High                    | 2.6 |
| WLTP - EC (miles/kWh) - Low                     | 3   |
| WLTP - EC (miles/kWh) - Medium                  | 2.9 |
| WLTP - Pure Electric Range (km) - Comb          | 258 |
| WLTP - Pure Electric Range (km) - Comb - TEH    | 258 |
| WLTP - Pure Electric Range (km) - Comb - TEL    | 261 |
| WLTP - Pure Electric Range (km) - Extra High    | 208 |
| WLTP - Pure Electric Range (km) - High          | 282 |
| WLTP - Pure Electric Range (km) - Low           | 317 |
| WLTP - Pure Electric Range (km) - Medium        | 310 |
| WLTP - Pure Electric Range (miles) - Comb       | 160 |
| WLTP - Pure Electric Range (miles) - Comb - TEH | 160 |
| WLTP - Pure Electric Range (miles) - Comb - TEL | 162 |
| WLTP - Pure Electric Range (miles) - Extra High | 129 |
| WLTP - Pure Electric Range (miles) - High       | 175 |
| WLTP - Pure Electric Range (miles) - Low        | 197 |
| WLTP - Pure Electric Range (miles) - Medium     | 193 |

## Emissions - ICE

|                    |               |
|--------------------|---------------|
| CO                 | Not Available |
| CO2                | 0             |
| HC                 | Not Available |
| HC+NOx             | Not Available |
| Noise Level dB(A)  | Not Available |
| NOx                | Not Available |
| Particles          | Not Available |
| Standard Emissions | Not Available |

## Engine and Drive Train

|                        |               |
|------------------------|---------------|
| Automatic Transmission | Yes           |
| Bore                   | Not Available |
| Catalytic Convertor    | Not Available |
| CC                     | 1             |
| Compression Ratio      | Not Available |
| Cooling System         | Not Available |
| Cylinder Layout        | Not Available |
| Cylinders              | Not Available |
| Engine Codes           | Not Available |
| Engine Layout          | Not Available |
| Engine Make            | Not Available |
| Fuel Delivery          | Not Available |
| Fuel Type              | Not Available |
| Gears                  | 1 SPEED       |
| Manual Transmission    | No            |
| Number of Valves       | Not Available |
| Stroke                 | Not Available |
| Valve gear             | Not Available |

## Fuel Consumption - ICE

|                |               |
|----------------|---------------|
| EC             | Not Available |
| EC Combined    | Not Available |
| EC Extra Urban | Not Available |
| EC Urban       | Not Available |

## General

|                                                                         |     |
|-------------------------------------------------------------------------|-----|
| Alternative Fuel Qualifying                                             | Yes |
| Did at least one aspect of this vehicles safety give cause for concern? | No  |

|                                                              |               |
|--------------------------------------------------------------|---------------|
| <b>Badge Engine CC</b>                                       | 116           |
| <b>Based On ID</b>                                           | Not Available |
| <b>Clutch</b>                                                | Not Available |
| <b>Coin Description</b>                                      | Not Available |
| <b>Coin Gross Vehicle Weight Code</b>                        | Not Available |
| <b>Coin Power Output Code</b>                                | Not Available |
| <b>Coin Series</b>                                           | Not Available |
| <b>Coin Wheelbase Description Code</b>                       | Not Available |
| <b>Coin Wheelbase Name Code</b>                              | Not Available |
| <b>Generation Mark</b>                                       | 3             |
| <b>Ghost model for valuation purposes</b>                    | No            |
| <b>Insurance Group 1</b>                                     | Not Available |
| <b>Insurance Group 2</b>                                     | Not Available |
| <b>Manufacturers Corrosion Perforation Guarantee - Years</b> | 12            |
| <b>NCAP Adult Occupant Protection %</b>                      | Not Available |
| <b>NCAP Child Occupant Protection %</b>                      | Not Available |
| <b>NCAP Overall Rating - Effective February 09</b>           | Not Available |
| <b>NCAP Overall Rating - LCV</b>                             | Not Available |
| <b>NCAP Pedestrian Protection %</b>                          | Not Available |
| <b>NCAP Safety Assist %</b>                                  | Not Available |
| <b>Relative Height</b>                                       | H1            |
| <b>Relative Length</b>                                       | L3            |
| <b>Running Cost League Headings</b>                          | MEDIUM        |
| <b>Service Interval Frequency - Months</b>                   | 12            |
| <b>Service Interval Mileage</b>                              | 25000         |
| <b>Special Edition</b>                                       | No            |
| <b>Special Order</b>                                         | No            |
| <b>Standard manufacturers warranty - Mileage</b>             | Unlimited     |
| <b>Standard manufacturers warranty - Years</b>               | 3             |
| <b>Timing Belt Interval Frequency - Months</b>               | Not Available |
| <b>Timing Belt Interval Mileage</b>                          | Not Available |
| <b>Vehicle Homologation Class</b>                            | N1            |
| <b>Vin/Frame No.</b>                                         | Not Available |

## Performance

|                             |      |
|-----------------------------|------|
| <b>BHP</b>                  | 116  |
| <b>Engine Power KW</b>      | 85   |
| <b>Engine Torque LBS.FT</b> | 221  |
| <b>Engine Torque MKG</b>    | 30.6 |
| <b>Engine Torque NM</b>     | 300  |
| <b>Top Speed</b>            | 75   |

## Test Cycles

|                                |               |
|--------------------------------|---------------|
| <b>RDE Certification Level</b> | Not Available |
|--------------------------------|---------------|

## Tyres

|                         |               |
|-------------------------|---------------|
| <b>Alloys?</b>          | No            |
| <b>Automatic Clutch</b> | Yes           |
| <b>Plated 3rd Axle</b>  | Not Available |
| <b>Plated 4th Axle</b>  | Not Available |
| <b>Space Saver?</b>     | Yes           |
| <b>Tyre Make</b>        | Not Available |
| <b>Tyre Size Front</b>  | 225/55 R17    |
| <b>Tyre Size Rear</b>   | 225/55 R17    |
| <b>Tyre Size Spare</b>  | SPACE SAVER   |
| <b>Wheel Style</b>      | Not Available |
| <b>Wheel Type</b>       | 17" STEEL     |

## Vehicle Dimensions

---

|                                       |      |
|---------------------------------------|------|
| Front Overhang                        | 895  |
| Height                                | 1934 |
| Length                                | 5370 |
| Load Deck Height                      | 570  |
| Load Height                           | 1261 |
| Load Length                           | 3061 |
| Load Space Width Between Wheel Arches | 1270 |
| Load Width                            | 1709 |
| Lower Rear Door Width                 | 1391 |
| Rear Door Height                      | 1261 |
| Rear Overhang                         | 1045 |
| Side Load Door Height                 | 1252 |
| Side Load Door Width                  | 822  |
| Turning Circle - Kerb to Kerb         | 12   |
| Turning Circle - Wall to Wall         | 13.7 |
| Upper Rear Door Width                 | 1380 |
| Wheelbase                             | 3430 |
| Width (excluding mirrors)             | 1928 |
| Width (including mirrors)             | 2249 |

## Weight and Capacities

---

|                                          |               |
|------------------------------------------|---------------|
| Boot Capacity Saloons                    | Not Available |
| Fuel Tank Capacity (Litres)              | Not Available |
| Gross Train Weight                       | 3200          |
| Gross Vehicle Weight                     | 3200          |
| Load Space Volume                        | 6.6           |
| Luggage Capacity (Seats Down)            | Not Available |
| Luggage Capacity (Seats Up)              | Not Available |
| Luggage Capacity - 2nd Row Seats Removed | Not Available |
| Luggage Capacity - 2nd Row Seats Up      | Not Available |
| Luggage Capacity - 3rd Row Seats Down    | Not Available |
| Luggage Capacity - 3rd Row Seats Removed | Not Available |
| Luggage Capacity - 3rd Row Seats Up      | Not Available |
| Max. Roof Load                           | 150           |
| Max. Towing Weight - Braked              | Not Available |
| Max. Towing Weight - Unbraked            | Not Available |
| Minimum Kerbweight                       | 2388          |
| No. of Seats                             | 3             |
| Payload                                  | 812           |
| Plated 2nd Axle                          | 1750          |
| Plated Front Axle                        | 1550          |

## Standard equipment – Driver Convenience

- 
- Acoustic presence indicator
  - Active adaptive brake assist and recuperation mode - DAUTO
  - Attention assist drowsiness detection
  - Can Track - Vehicle tracking module
  - Cleaning fluid level warning light
  - Comfort overhead control panel
  - Communication module (LTE) for digital services
  - Cruise control with variable adaptive speed limitation function
  - Dynamic select
  - Instrument cluster with pixel-matrix display
  - Mercedes PRO connect module
  - PAS
  - Plates and booklets english
  - Reversing camera
  - Seatbelt warning indicator
  - Short distance operation
  - Speedometer
  - Terminal strip for electrical connection

## Standard equipment – Entertainment

---

- 2 way front loudspeakers
- Radio generation 2

## Standard equipment – Exterior Features

---

- Adaptive brake lights
- Aerodynamic underbody panelling
- Black grain bumper front and rear
- COC EUTA complete
- Daytime running lights
- Double wing rear door 180 degree w/o window
- Electrically heated and adjustable door mirrors
- Fixing points in the roof frame
- Front and rear towing points
- Headlight assistant
- Heat insulating glass
- Lights for left hand traffic
- Rear barn style doors with 180 degree opening
- Registration as truck
- Third rear brake light
- Twin side loading doors
- Visible VIN from outside
- Weld nuts, sidewall for conversions

## Standard equipment – Interior Features

---

- 6 tie down points in floor
- Caluma fabric upholstery
- Comfort eight way adjustable driver's seat
- Energy saving mode for climate control
- Full height steel bulkhead
- Heated driver's seat
- Height and rake adjustable steering wheel
- Locking glove compartment
- Multifunction steering wheel with trip computer
- Pre installation for roof loading system
- Pre-install - Mercedes me navigation services plus
- Pre-install - Mercedes me standard services
- Side panelling in load area
- TPO plastic flooring
- Wooden floor

## Standard equipment – Packs

---

- Anti theft protection pack - eVito

## Standard equipment – Passive Safety

---

- 3 point seatbelts for all seats
- Accident recovery management
- Breakdown management
- Co-driver airbag
- Crosswind assist
- Driver's airbag
- Mercedes-Benz emergency call system
- Seat belt reminder for co-driver seat
- Tyre pressure monitoring system

## Standard equipment – Security

---

- Central locking with remote control
- Double lock
- Electronic immobiliser
- Integrated connected Thatcham approved alarm system
- Multi button remote control

## Standard equipment – Technical

---

- 12V outlets sockets
- ABS/ASR
- AC Type 2 charging max. 11 kW / DC CCS charging max. 80 kW
- Active brake assist
- Active ESP

- Basic suspension
- Charging cable mode 3 Type 2 (3x32A) 8m
- EBV and BAS
- Electric motor 85 kW / battery 60 kWh (usable)
- Heavy duty battery
- High voltage battery (66kWh)
- Hill start assist
- Mechanical parking brake
- Suspension setting for goods vehicles
- Traction control
- Upated gross vehicle weight (GVW) - 3200kg

## Standard equipment – Wheels

---

- 17" steel wheels
- Rolling resistance optimised braking system

Generated 2026-09-03 from <https://apostrophe.cmstest.vanaways.co.uk/vans/mercedes-benz/vito/evito-l3-electric-fwd/85kw-66kwh-progressive-van-auto-2022>. Specification data supplied by the manufacturer via CAP HPI and may change. E&OE.