

# Citroën e-Dispatch M 1000 100kW 50kWh Van Enterprise Auto

Citroën Citroën Dispatch · e-Dispatch M

The Citroën e-Dispatch M 1000 100kW 50kWh Van Enterprise Auto is a electric, automatic medium from Citroën's Dispatch range. It offers a load length of 2512mm, load width of 1628mm, load height of 1397mm. Charging: 150kW Charger 20m 100kW Charger 30m 50kW Charger 1hrs 7kW Charger 7hrs 8m. Ask us for a personalised quote with free UK delivery.

## Key specification

|              |                                                                                          |
|--------------|------------------------------------------------------------------------------------------|
| Transmission | Automatic                                                                                |
| Fuel Type    | Electric                                                                                 |
| Bodytype     | Medium                                                                                   |
| Load Height  | 1397mm                                                                                   |
| Load Length  | 2512mm                                                                                   |
| Load Width   | 1628mm                                                                                   |
| Load length  | 2512mm                                                                                   |
| Load width   | 1628mm                                                                                   |
| Load height  | 1397mm                                                                                   |
| Charging     | Charging Times 150kW Charger 20m 100kW Charger 30m 50kW Charger 1hrs 7kW Charger 7hrs 8m |

## Electric Vehicle Data

|                                                   |                 |
|---------------------------------------------------|-----------------|
| Battery Capacity in kWh                           | 50              |
| Battery Charging Scenario 1 - Charge Time (Mins)  | 1680            |
| Battery Charging Scenario 1 - Percentage Change   | 1-100           |
| Battery Charging Scenario 1 - Power Supply - kW   | 1.8             |
| Battery Charging Scenario 2 - Charge Time (Mins)  | 450             |
| Battery Charging Scenario 2 - Percentage Change   | 0-100           |
| Battery Charging Scenario 2 - Power Supply - kW   | 7.4             |
| Battery Charging Scenario 3 - Charge Time (Mins)  | 285             |
| Battery Charging Scenario 3 - Percentage Change   | 0-100           |
| Battery Charging Scenario 3 - Power Supply - kW   | 11              |
| Battery Charging Scenario 4 - Charge Time (Mins)  | 30              |
| Battery Charging Scenario 4 - Percentage Change   | 0-80            |
| Battery Charging Scenario 4 - Power Supply - kW   | 100             |
| Battery Leased                                    | No              |
| Battery Type                                      | Lithium-ion     |
| Charging Port Location                            | Left Side Front |
| Coupler/Connector Type                            | CCS Type 2      |
| Standard manufacturers Battery warranty - Mileage | 100000          |
| Standard manufacturers Battery warranty - Years   | 8               |
| WLTP - EC (kWh/100km) - Comb - TEH                | 28.2            |
| WLTP - EC (kWh/100km) - Comb - TEL                | 23              |
| WLTP - EC (miles/kWh) - Comb - TEH                | 2.2             |
| WLTP - EC (miles/kWh) - Comb - TEL                | 2.7             |
| WLTP - Pure Electric Range (km) - City - TEH      | 280             |
| WLTP - Pure Electric Range (km) - City - TEL      | 369             |
| WLTP - Pure Electric Range (km) - Comb - TEH      | 196             |
| WLTP - Pure Electric Range (km) - Comb - TEL      | 238             |
| WLTP - Pure Electric Range (miles) - City - TEH   | 174             |
| WLTP - Pure Electric Range (miles) - City - TEL   | 229             |
| WLTP - Pure Electric Range (miles) - Comb - TEH   | 122             |
| WLTP - Pure Electric Range (miles) - Comb - TEL   | 148             |

## Emissions - ICE

|                    |               |
|--------------------|---------------|
| CO                 | Not Available |
| CO2                | 0             |
| HC                 | Not Available |
| HC+NOx             | Not Available |
| Noise Level dB(A)  | Not Available |
| NOx                | Not Available |
| Particles          | Not Available |
| Standard Emissions | Not Available |

## Engine and Drive Train

|                        |               |
|------------------------|---------------|
| Automatic Transmission | Yes           |
| Bore                   | Not Available |
| Catalytic Convertor    | Not Available |
| CC                     | 1             |
| Compression Ratio      | Not Available |
| Cooling System         | Not Available |
| Cylinder Layout        | Not Available |
| Cylinders              | Not Available |
| Engine Codes           | Not Available |
| Engine Layout          | Not Available |
| Engine Make            | Not Available |
| Fuel Delivery          | Not Available |
| Fuel Type              | Not Available |
| Gears                  | 1 SPEED       |
| Manual Transmission    | No            |
| Number of Valves       | Not Available |
| Stroke                 | Not Available |

## Fuel Consumption - ICE

|                |               |
|----------------|---------------|
| EC             | Not Available |
| EC Combined    | Not Available |
| EC Extra Urban | Not Available |
| EC Urban       | Not Available |

## General

|                                                       |                   |
|-------------------------------------------------------|-------------------|
| Alternator Amps                                       | Not Available     |
| Did at least one aspect of this vehicles safety give  | No                |
| Days for licence?                                     | 136               |
| Based On ID                                           | Not Available     |
| Battery AH                                            | Not Available     |
| Battery Volts                                         | 12                |
| Chassis Engine Number                                 | Not Available     |
| Clutch                                                | Not Available     |
| Coin Description                                      | Not Available     |
| Coin Gross Vehicle Weight Code                        | Not Available     |
| Coin Power Output Code                                | Not Available     |
| Coin Series                                           | Not Available     |
| Coin Wheelbase Description Code                       | Not Available     |
| Coin Wheelbase Name Code                              | Not Available     |
| Exhaust System                                        | Not Available     |
| Front Brakes                                          | VENTILATED DISCS  |
| Front Suspension                                      | MACPHERSON STRUTS |
| Generation Mark                                       | 3                 |
| Ghost model for valuation purposes                    | No                |
| Hand Brake                                            | REAR WHEELS       |
| Manufacturers Corrosion Perforation Guarantee - Years | 6                 |
| Manufacturers Paintwork Guarantee - Years             | 1                 |
| NCAP Adult Occupant Protection %                      | Not Available     |
| NCAP Child Occupant Protection %                      | Not Available     |
| NCAP Front/Side Impact - Discontinued February 09     | Not Available     |

|                                             |               |
|---------------------------------------------|---------------|
| NCAP Overall Rating - Effective February 09 | Not Available |
| NCAP Overall Rating - LCV                   | Not Available |
| NCAP Pedestrian - Discontinued February 09  | Not Available |
| NCAP Pedestrian Protection %                | Not Available |
| NCAP Safety Assist %                        | Not Available |
| Rear Brakes                                 | DISCS         |
| Rear Suspension                             | COIL SPRINGS  |
| Relative Height                             | H1            |
| Relative Length                             | L2            |
| Running Cost League Headings                | MEDIUM        |
| Service Interval Frequency - Months         | 12            |
| Service Interval Mileage                    | 25000         |
| Special Edition                             | No            |
| Special Order                               | No            |
| Standard manufacturers warranty - Mileage   | Unlimited     |
| Standard manufacturers warranty - Years     | 2             |
| Steering                                    | PAS           |
| Timing Belt Interval Frequency - Months     | Not Available |
| Timing Belt Interval Mileage                | Not Available |
| Vehicle Homologation Class                  | N1            |
| Vin/Frame No.                               | Not Available |

## Performance

|                  |      |
|------------------|------|
| BHP              | 136  |
| Engine Power KW  | 100  |
| Engine Power RPM | 5500 |
| Top Speed        | 81   |

## Test Cycles

|                         |               |
|-------------------------|---------------|
| Emissions Test Cycle    | WLTP          |
| RDE Certification Level | Not Available |

## Tyres

|                  |               |
|------------------|---------------|
| Alloys?          | No            |
| Automatic Clutch | Yes           |
| Plated 3rd Axle  | Not Available |
| Plated 4th Axle  | Not Available |
| Space Saver?     | No            |
| Tyre Make        | Not Available |
| Tyre Size Spare  | FULL SIZE     |
| Wheel Style      | Not Available |
| Wheel Type       | 16" STEEL     |

## Vehicle Dimensions

|                                       |               |
|---------------------------------------|---------------|
| Front Overhang                        | 881           |
| Height                                | 1899          |
| Height (including roof rails)         | Not Available |
| Length                                | 4959          |
| Load Deck Height                      | 544           |
| Load Height                           | 1397          |
| Load Length                           | 2512          |
| Load Space Width Between Wheel Arches | 1258          |
| Load Width                            | 1628          |
| Lower Rear Door Width                 | 1282          |
| Rear Door Height                      | 1220          |
| Rear Overhang                         | 803           |
| Side Load Door Height                 | 1241          |
| Side Load Door Width                  | 935           |
| Turning Circle - Kerb to Kerb         | 12.4          |
| Turning Circle - Wall to Wall         | 12.9          |
| Upper Rear Door Width                 | 1282          |

|                                  |      |
|----------------------------------|------|
| <b>Wheelbase</b>                 | 3275 |
| <b>Width (excluding mirrors)</b> | 1920 |
| <b>Width (including mirrors)</b> | 2204 |

## Weight and Capacities

|                                                 |               |
|-------------------------------------------------|---------------|
| <b>Boot Capacity Saloons</b>                    | Not Available |
| <b>Fuel Tank Capacity (Litres)</b>              | Not Available |
| <b>Gross Train Weight</b>                       | 4100          |
| <b>Gross Vehicle Weight</b>                     | 3100          |
| <b>Load Space Volume</b>                        | 5.3           |
| <b>Luggage Capacity (Seats Down)</b>            | Not Available |
| <b>Luggage Capacity (Seats Up)</b>              | Not Available |
| <b>Luggage Capacity - 2nd Row Seats Removed</b> | Not Available |
| <b>Luggage Capacity - 2nd Row Seats Up</b>      | Not Available |
| <b>Luggage Capacity - 3rd Row Seats Down</b>    | Not Available |
| <b>Luggage Capacity - 3rd Row Seats Removed</b> | Not Available |
| <b>Luggage Capacity - 3rd Row Seats Up</b>      | Not Available |
| <b>Max. Roof Load</b>                           | 170           |
| <b>Max. Towing Weight - Braked</b>              | 1000          |
| <b>Max. Towing Weight - Unbraked</b>            | 750           |
| <b>Minimum Kerbweight</b>                       | 1874          |
| <b>No. of Seats</b>                             | 3             |
| <b>Payload</b>                                  | 1226          |
| <b>Plated 2nd Axle</b>                          | 1800          |
| <b>Plated Front Axle</b>                        | 1500          |

## Standard equipment – Driver Convenience

- Battery charge warning
- Citroen connect box with emergency and assistance system
- Clock
- Cruise control with speed limiter
- Lights on warning buzzer
- Multi-function on-board trip computer
- Oil level warning light
- Outside temperature gauge
- PAS
- Rev counter with maintenance and gear efficiency indicators (GEI)
- Service indicator
- Side indicator warning
- Speedometer with digital odometer and digital trip recorder

## Standard equipment – Exterior Features

- 2 speed intermittent front wipers
- Black door mirrors
- Electric front windows with one touch & anti pinch function
- Front windows tinted to 30 percentage opacity
- High level third brake light
- Laminated acoustic windscreen
- Reversing lights
- Towbar preparation
- Visible VIN at windscreen base

## Standard equipment – Interior Features

- 12V socket in cabin
- 6x Load tie-down hooks in load area
- Closed upper and open lower gloveboxes
- Cup holders for driver and passenger in top of dashboard
- Dashboard storage areas
- Driver and passenger sun visors
- Driver's seat with lumbar adjustment and armrest
- Drivers seat with height, reach and rake adjustment
- Front door pockets with 1.5L bottle holder
- Hard plastic floor protection in cabin
- Heater with 4 dashboard air vents
- Height adjustable head restraints for driver and front passengers seats
- Height and reach adjustable steering wheel
- Large courtesy lights

- Load compartment interior light
- Mica cloth/Vinyl upholstery
- Moduwork - Dual passenger seat, foldup outer seat, folding table in central area with lumbar adj & armrest
- Storage under squab of central passenger seat
- Under dash storage areas

---

### Standard equipment – Packs

- Visibility Pack with automatic lights - Dispatch

---

### Standard equipment – Passive Safety

- Acoustic vehicle alerting system
- Automatic fuel cut off & door unlocking
- Door opening warning and audible lights on warning
- Driver and front passenger's airbags with passenger's airbag deactivate switch
- Height-adjustable 3-point pre-tensioner seat belts with force limiter
- Unfastened seat belt warning for driver and passengers

---

### Standard equipment – Security

- Dashboard mounted central locking push button and auto locking above 7mph
- Perimeter and volumetric thatcham category 1 approved alarm
- Remote central locking with deadlocking, selective cab and load area locking
- Rolling code transponder immobiliser

---

### Standard equipment – Technical

- 12V socket in cargo area
- Electric parking brake
- Electronic Stability Control and ABS with hill start assist, EBA and EBFD
- Mode 3 charging cable for wall box

---

### Standard equipment – Wheels

- Full size spare wheel